Section 3

Health and Nutrition

homes and other care facilities, injuries, diseases, disability status, nutritional intake of the population, and food consumption. Summary statistics showing recent trends on health care and discussions of selected health issues are published annually by the U.S. National Center for Health Statistics (NCHS) in Health, United States. Data on national health expenditures, medical costs, and insurance coverage are compiled by the U.S. Centers for Medicare & Medicaid Services (CMS) and appear on the CMS Web site at http://www.cms.gov/ NationalHealthExpendData/> and in the annual Medicare and Medicaid Statistical Supplement to the Health Care Financing Review. Statistics on health insurance are also collected by NCHS and are published in Series 10 of Vital and Health Statistics. NCHS also conducts periodic surveys of nutrient levels in the population, including estimates of food and nutrient intake, overweight and obesity, hypercholesterolemia, hypertension, and clinical signs of malnutrition. Data are published in Series 10 and 11 of Vital and Health Statistics. Statistics on hospitals are published annually by the Health Forum, L.L.C.; an American Hospital Association (AHA) company, in AHA Hospital Statistics. Data on nutrition and on annual per capita consumption of food are issued by the U.S. Department of Agriculture, Economic Research Service, and Center for Nutrition Policy and Promotion. Data are available on the Web sites at http://www.ers.usda.gov/data-products/food- availability-(per-capita)-data-system.aspx> and http://www.usda.gov/cnpp/>, respectively.

This section presents statistics on health expenditures

and insurance coverage, including Medicare and

Medicaid, medical personnel, hospitals, nursing

National health expenditures—CMS compiles estimates of national health expenditures (NHE) to measure spending for health care in the United States. The NHE accounts are structured to show spending by type of expenditure (i.e., hospital care, physician and clinical care, dental care, and other professional care; home health care; retail sales of prescription drugs; other medical nondurables; nursing home care and other personal health expenditures; plus other health expenditures such as public health activities, administration, and the net cost of private health insurance; plus medical sector investment, the sum of noncommercial medical research and capital formation in medical sector structures and equipment; and by source of funding (e.g., health insurance, out-of-pocket payments, and other third party payers and programs).

Data used to estimate health expenditures come from existing sources, which are tabulated for other purposes. The type of expenditure estimates rely upon statistics produced by such groups as the AHA, the Census Bureau, and the U.S. Department of Health and Human Services (HHS). Source of funding estimates are constructed using administrative and statistical records from the Medicare and Medicaid programs, the U.S. Department of Defense and VA medical programs, the Social Security Administration, Census Bureau's Governmental Finances, state and local governments, other HHS agencies, and other nongovernment sources.

Medicare, Medicaid, and CHIP—Since July 1966, the federal Medicare program has provided two coordinated plans for nearly all people aged 65 and over: (1) a hospital insurance plan, which covers hospital and related services and (2) a voluntary supplementary medical insurance plan, financed partially by monthly premiums paid by participants, which partly covers physicians' and related medical services. Such insurance also applies, since July 1973, to disabled beneficiaries of any age after 24 months of entitlement to cash benefits under the social security or railroad retirement programs and to persons with end stage renal disease. On January 1, 2006, Medicare began to provide coverage for prescription drugs as mandated by the Medicare Prescription Drug, Improvement, and Modernization Act of 2003 (MMA). This benefit is available on a voluntary basis to everyone with Medicare, and beneficiaries pay a monthly premium to enroll in one of Medicare's prescription drug plans.

Medicaid is a health insurance program for certain low-income people. These include: certain low-income families with children; people on supplemental security income; certain low-income pregnant women and children; and people who have very high medical bills. There are special rules for those who live in nursing homes and for disabled children living at home. Medicaid is funded and administered through a state/federal partnership. Although there are broad federal requirements for Medicaid, states have a wide degree of flexibility to design their program. The Children's Health Insurance Program Reauthorization Act of 2009 (CHIPRA or Public Law 111-3) reauthorized the Children's Health Insurance Program (CHIP). The program went into effect on April 1, 2009. CHIP replaces the State Children's Health Insurance Program (SCHIP). It will preserve coverage for the millions of children who rely on CHIP today and provides the resources for states to reach millions of additional uninsured children. CHIP was designed as a federal/state partnership, similar to Medicaid, with the goal of expanding health insurance to children whose families earn too much money to be eligible for Medicaid, but not enough money to purchase private insurance.

Health resources—Hospital statistics based on data from AHA's yearly survey are published annually in AHA Hospital Statistics and cover all hospitals accepted for registration by the Association. To be accepted for registration, a hospital must meet certain requirements relating to number of beds, construction, equipment, medical and nursing staff, patient care, clinical records, surgical and obstetrical facilities, diagnostic and treatment facilities, laboratory services, etc. Data obtained from NCHS cover all U.S. hospitals that meet certain criteria for inclusion. The criteria are published in Vital and Health Statistics reports, Series 13. Statistics on the demographic characteristics of persons employed in the health occupations are compiled by the U.S. Bureau of Labor Statistics and reported in Employment and Earnings (monthly) (see Table 626, Section 12, Labor Force, Employment, and Earnings). Data based on surveys of health personnel and utilization of health facilities providing long-term care, ambulatory care, emergency room care, and hospital care are

presented in NCHS Series 13, data from the National Health Interview Survey. Statistics on patient visits to health care providers, as reported in health interviews, appear in NCHS Series 10, data from the National Health Care Survey.

The CMS's Health Care Financing Review and its annual Medicare and Medicaid Statistical Supplement present data for hospitals and nursing homes as well as extended care facilities and home health agencies. These data are based on records of the Medicare program and differ from those of other sources because they are limited to facilities meeting federal eligibility standards for participation in Medicare.

Disability and illness—General health statistics, including morbidity, disability, injuries, preventive care, and findings from physiological testing are

collected by NCHS in its National Health Interview Survey and its National Health and Nutrition Examination Surveys and appear in Vital and Health Statistics, Series 10 and 11, respectively. Annual incidence data on notifiable diseases are compiled by the Public Health Service (PHS) at its Centers for Disease Control and Prevention in Atlanta, Georgia, and are published as a supplement to its Morbidity and Mortality Weekly Report (MMWR). The list of diseases is revised annually and includes those which, by mutual agreement of the states and PHS, are communicable diseases of national importance.

Statistical reliability—For discussion of statistical collection, estimation, and sampling procedures and measures of reliability applicable to data from NCHS and CMS, see Appendix III.

Table 137. National Health Expenditures—Summary: 1960 to 2010

[In billions of dollars (27.4 represents \$27,400,000,000). Excludes Puerto Rico and Island Areas]

[III DIIIIOIII3	oi dollais (2		στισ ψ <i>Στ</i> , τ ο	,000,000,	, Excludes		nal health ca		itures			
Year	Total expendi- tures ¹	Health con- sump- tion expen- ditures, total ²	Total ³	Hospital care	Physician and clinical services	Other professional services	Dental services	Home health care	Nursing care facili- ties ⁴	Pre- scription drugs	Durable medical equip- ment	Other non- durable medical equip- ment
1960	27.4 29.2 31.9 34.7 38.5 42.0 51.8 58.8 66.2 74.9 83.2 93.1 103.4 117.2 133.6 153.0 174.0 195.5 221.7 255.8 296.3 34.7 369.0 406.5 446.9 519.1 581.7 647.5 724.3 791.5 857.9 921.5 724.3 791.5 857.9 921.5 1,027.5 1,027.5 1,027.5 1,028.6 1,377.2 1,286.6 1,377.2 1,286.6 1,377.2 1,286.6 1,377.2 1,286.6 1,377.2 1,286.6 1,377.2 1,494.1 1,636.4	24.8 26.4 28.4 30.9 34.1 37.2 41.2 462.8 59.1 67.1 74.4 83.4 93.1 105.9 121.2 139.4 160.0 180.1 235.7 273.7 308.3 339.7 375.5 413.4 443.4 443.1 541.5 603.5 675.6 739.5 801.0 860.3 961.6 1,014.1 1,070.4 1,1201.1 1,289.6 1,402.8 1,534.4	23.4 24.8 26.7 29.1 32.1 34.7 34.7 34.5 49.2 55.5 63.1 69.5 77.2 86.2 86.2 217.2 252.1 283.4 312.0 342.1 376.9 409.5 551.6 616.8 677.6 733.7 781.2 823.1 872.9 921.9 974.9 974.9 974.9 974.9 1,089.8 1,165.4 1,265.4 1,265.4 1,265.4	9.0 9.8 10.4 11.5 12.5 13.5 17.8 20.5 23.4 27.2 30.2 33.8 37.9 41.2 59.4 67.0 86.2 100.5 117.5 133.6 144.7 154.4 164.6 175.6	5.6 6.3 7.1 8.1 8.6 9.3 10.4 11.3 15.9 17.7 19.6 22.2 25.3,7 33.1 35.8 41.2 47.7 55.6 61.6 68.6 67.4 90.9 100.7 112.9 128.6 143.3 158.9 176.5 191.3 202.7 212.2 222.3 231.3 242.9 258.7 212.9 21	0.4 0.4 0.5 0.5 0.6 0.6 0.6 0.7 0.7 0.8 0.9 1.0 2.1 2.8 3.5 4.3 4.3 4.9 5.7 7.3 8.1 1.4 13.8 14.6 13.8 14.6 13.8 14.6 13.8 14.6 13.8 14.6 13.8 14.6 13.8 14.6 13.8 14.6 14.6 15.7 16.6 17.6 17.6 18.7	2.0 2.1 2.2 2.4 2.6 3.0 3.4 3.7 4.2 5.6 6.4 7.1 8.0 9.0 10.1 11.0 12.0 13.4 15.8 17.1 18.4 20.0 21.8 23.3 25.5 27.5 29.5 33.5 37.3 39.2 44.7 44.8 47.1 50.5 50.5 50.5 50.5 50.5 50.5 50.5 60.4 60.3 60.5 60.5 60.5 60.5 60.5 60.5 60.5 60.5	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.2 0.2 0.3 0.2 0.2 0.3 0.4 0.9 1.1 1.9 2.4 2.9 3.5 4.2 15.2 18.7 22.8 37.4 32.4 35.8 37.2 32.4 35.8 37.2 32.4 36.6 37.2 37.4 37.2 37.4 37.2 37.4 37.	0.8 0.8 0.9 1.0 1.2 1.4 1.7 2.2 2.9 3.4.0 4.6 5.2 6.0 9.1 10.3 15.3 17.3 15.3 17.3 21.7 23.7 26.3 21.7 23.7 26.3 34.9 49.4 55.6 69.6 64.5 69.6 69.6 74.4 80.8 80.8 80.8 80.8 80.8 80.8 80.8 8	2.7 2.7 3.0 3.2 3.3 3.7 4.0 4.2 4.7 5.1 5.5 6.8 7.4 8.1 8.7 12.0 13.4 17.3 19.6 21.8 24.3 26.9 30.6 34.8 44.4 47.0 49.6 53.1 59.8 68.1 77.1 68.4 104.7 120.9 138.7 120.9 138.7 120.9 138.7 159.8 68.4 104.7 120.9 138.7 159.8 169.8 179.8	0.7 0.8 0.9 0.9 1.0 1.1 1.3 1.5 1.7 1.8 2.0 2.5 2.8 3.0 3.4 4.6 5.3 6.1 11.1 13.8 13.1 13.5 11.1,9 13.8 13.1 15.3 15.8 17.4 21.3 22.5 11.1 22.5 23.0 22.5 23.0 23.0 23.0 23.0 23.0 23.0 23.0 23.0	1.6 1.8 1.9 1.9 2.1 2.2 2.4 2.5 2.8 3.3 3.5 4.9 5.4 4.5 4.9 5.4 6.1 7.1 8.8 11.3 12.6 13.8 15.0 16.0 17.1 18.3 22.4 23.2 23.2 23.2 24.3 25.1 26.0 27.6 28.6 28.6 33.3 33.3 33.3 33.5 4.9 20.6 20.6 20.6 20.6 20.6 20.6 20.6 20.6
2003 2004 2005 2006 2007 2008 2009	1,774.3 1,900.0 2,029.1 2,162.4 2,297.1 2,403.9 2,495.8 2,593.6	1,664.3 1,782.6 1,902.6 2,031.5 2,153.4 2,250.1 2,349.5 2,444.6	1,480.4 1,589.3 1,697.2 1,804.9 1,914.6 2,010.2 2,109.0 2,186.0	526.2 566.0 609.4 651.9 692.5 729.3 776.1 814.0	368.1 393.1 416.9 438.8 461.8 486.6 502.7 515.5	46.8 50.3 53.0 55.4 59.5 63.6 66.0 68.4	76.3 82.1 87.0 91.4 97.3 102.4 102.5 104.8	39.8 43.8 48.7 52.6 57.8 61.5 66.1 70.2	100.3 105.7 112.5 117.3 126.4 132.7 138.7 143.1	176.0 192.2 204.8 224.2 236.2 243.6 256.1 259.1	27.1 28.2 29.6 31.2 32.9 34.3 34.9 35.2 37.7	35.1 35.8 37.2 38.7 41.0 42.5 43.6 44.8

¹ Includes Health Consumption Expenditures plus medical research, and medical structures and equipment. ² Includes Personal Health Expenditures plus government administration, net cost of health insurance, and government public health activities. ³ Includes hospital care, physician and clinical services, dental services, other professional services, other health, residential, and personal services, home health care, nursing care facilities and continuing care retirement communities, prescription drugs, durable medical equipment, and other nondurable medical products. ⁴ Includes care provided in nursing care facilities (NAICS 6231), continuing care retirement communities (623311), state and local government nursing facilities, and nursing facilities operated by the Department of Veterans' Affairs (DVA).

Source: U.S. Centers for Medicare and Medicaid Services, Office of the Actuary, National Health Statistics Group, http://www.cms.gov/ NationalHealthExpendData/>.

Table 138. National Health Expenditures by Source of Funds: 1990 to 2010

[In billions of dollars (724.3 represents \$724,300,000,000), except percent. Excludes Puerto Rico and Island Areas]

Type of expenditure	1990	2000	2005	2006	2007	2008	2009	2010
National health expenditure, total. Annual percent change 1. Percent of gross domestic product. Out of pocket. Health insurance. Private health insurance. Medicare. Medicard (Title XIX). CHIP (Title XIX and Title XXI).	724.3 11.0 12.5 138.7 439.5 234.3 110.2	1,377.2 7.0 13.8 201.8 920.3 459.6 224.3 200.5 3.0	2,029.1 6.8 16.1 263.4 1,415.3 702.9 338.8 309.5 7.5	2,162.4 6.6 16.2 271.9 1,520.2 740.2 403.1 306.8 8.3	2,297.1 6.2 16.4 287.3 1,610.2 776.2 432.3 326.4 9.1	2,403.9 4.7 16.8 294.0 1,700.7 807.6 466.9 343.8 10.2	2,495.8 3.8 17.9 294.4 1,793.3 828.8 499.8 374.4 11.1	2,593.6 3.9 17.9 299.7 1,870.8 848.7 524.6 401.4 11.7
Department of Defense. Department of Veterans Affairs. Other third party payers and programs. Worksite health care. Other private revenues ² Indian health services. Workers' compensation. General assistance. Maternal/Child health. Vocational rehabilitation. Other federal programs ³ Substance abuse and mental health	10.4 10.9 77.5 2.2 29.6 1.0	13.8 19.1 124.5 3.5 57.5 2.0 26.2 3.9 2.7 0.4 4.5	7.5 29.8 167.8 4.2 70.5 2.5 41.2 6.2 2.6 0.5 6.3	29.9 31.9 176.8 4.3 77.6 2.6 41.6 6.7 2.7 0.5 6.4	32.3 34.0 186.9 4.4 86.0 2.7 41.2 6.9 2.8 0.5 6.7	33.9 38.2 182.7 4.4 80.9 2.8 40.1 7.1 2.8 0.5 6.9	36.8 42.4 185.6 4.4 85.7 3.2 36.7 7.2 2.7 0.5 7.3	38.4 46.0 191.6 4.6 89.4 3.6 37.2 7.0 2.8 0.5 7.3
Substance abuse and mental health services administration. Other state and local programs ⁴ . School health Public health activity ⁵ . Investment Research ⁶ Structures & equipment ⁷ .	1.4 16.0 1.3 20.0 48.7 12.7 36.0	2.6 18.8 2.5 43.0 87.5 25.5 62.1	3.2 27.2 3.4 56.2 126.5 40.3 86.2	3.2 27.7 3.6 62.5 130.9 41.4 89.6	3.2 28.7 3.9 69.0 143.7 41.9 101.7	3.2 29.8 4.1 72.7 153.8 43.4 110.4	3.3 30.4 4.3 76.2 146.3 45.7 100.6	3.4 31.3 4.5 82.5 149.0 49.3 99.8

Represents zero. ¹ Average annual growth from prior year shown. ² The most common source of other private funds is philanthropy. Philanthropic support may be direct from individuals or may be obtained through philanthropic fund-raising organizations. Support may also be obtained from foundations or corporations. ³ Includes general hospital/medical, general hospital/medical NEC, non-XIX federal, and O.E.O. ⁴ Includes non-XIX state and local, temporary disability insurance, and state and local subsidies. ⁵ Governments are involved in organizing and delivering publicly provided health services such as epidemiological surveillance, inoculations, immunization/vaccination services, disease prevention programs, and the operation of public health laboratories. In the NHEA, spending for these activities is reported in government public health activity. ⁶ Non-profit or government entities. Research and development expenditures by drug and medical supply and equipment manufacturers are not shown, those expenditures are treated as intermediate purchases under the definitions of national income accounting; that is, the value of that research is deemed to be recouped through product sales. ⁷ Structures are defined as the value of new construction by the medical sector. Includes establishments engaged in providing health care, but does not include retail establishments that sell non-durable or durable medical goods. Construction includes new buildings; additions, alterations, and major replacements; mechanical and electric installations; and site preparation.

Source: U.S. Centers for Medicare and Medicaid Services, Office of the Actuary, National Health Expenditure Group, http://www.cms.gov/NationalHealthExpendData/>.

Table 139. National Health Expenditures by Source of Funds and Type of Expenditure: 1990 to 2010

[In billions of dollars (724.3 represents \$724,300,000,000). Excludes Puerto Rico and Island Areas]

Object of expenditure	1990	2000	2004	2005	2006	2007	2008	2009	2010
Total	724.3	1,377.2	1,900.0	2,029.1	2,162.4	2,297.1	2,403.9	2,495.8	2,593.6
Source of funds: Out-of-pocket. Health insurance ¹ Other third party payers and programs ² Public health activities ³ Investment. Type of expenditure:	138.7	201.8	248.9	263.4	271.9	287.3	294.0	294.4	299.7
	439.5	920.3	1,320.6	1,415.3	1,520.2	1,610.2	1,700.7	1,793.3	1,870.8
	77.5	124.5	159.2	167.8	176.8	186.9	182.7	185.6	191.6
	20.0	43.0	54.0	56.2	62.5	69.0	72.7	76.2	82.5
	48.7	87.5	117.4	126.5	130.9	143.7	153.8	146.3	149.0
Health consumption expenditures. Personal health care. Hospital care. Physician and clinical services. Other professional services ⁴ Dental services. Other health, residential, and personal care ⁵ Home health care. Nursing care facilities and continuing care	675.6	1,289.6	1,782.6	1,902.6	2,031.5	2,153.4	2,250.1	2,349.5	2,444.6
	616.8	1,165.4	1,589.3	1,697.2	1,804.9	1,914.6	2,010.2	2,109.0	2,186.0
	250.4	415.5	566.0	609.4	651.9	692.5	729.3	776.1	814.0
	158.9	290.9	393.1	416.9	438.8	461.8	486.6	502.7	515.5
	17.4	37.0	50.3	53.0	55.4	59.5	63.6	66.0	68.4
	31.7	62.3	82.1	87.0	91.4	97.3	102.4	102.5	104.8
	24.3	64.6	90.6	96.5	101.7	107.7	113.3	122.0	128.5
	12.6	32.4	43.8	48.7	52.6	57.8	61.5	66.1	70.2
retirement communities. Prescription drugs. Durable medical equipment ⁶ Other nondurable medical products ⁷ Investment. Research ⁸ Structures & equipment ⁹	44.9	85.1	105.7	112.5	117.3	126.4	132.7	138.7	143.1
	40.3	120.9	192.2	204.8	224.2	236.2	243.6	256.1	259.1
	13.8	25.1	29.6	31.2	32.9	34.3	34.9	35.2	37.7
	22.4	31.6	35.8	37.2	38.7	41.0	42.5	43.6	44.8
	48.7	87.5	117.4	126.5	130.9	143.7	153.8	146.3	149.0
	12.7	25.5	38.5	40.3	41.4	41.9	43.4	45.7	49.3
	36.0	62.1	78.9	86.2	89.6	101.7	110.4	100.6	99.8

¹ Includes Private Health Insurance, Medicare, Medicaid, CHIP (Titles XIX and XXI), Department of Defense, and Department of Veterans Affairs. ² See footnote 2, Table 144. ³ See footnote 5, Table 138. ⁴ Covers services provided in establishments operated by health practitioners other than physicians and dentists. These professional services include those provided by private-duty nurses, chiropractors, podiatrists, optometrists, and physical, occupational and speech therapists, among others. ⁵ Includes spending for Medicaid home and community based waivers, care provided in residential care facilities, ambulance services, school health and worksite health care. Generally these programs provide payments for services in non-traditional settings such as community centers, senior citizens centers, schools, and military field stations. ⁶ Covers "retail" sales of items such as contact lenses, eyeglasses and other ophthalmic products, surgical and orthopedic products, hearing aids, wheelchairs, and medical equipment rentals. ⁷ Covers the "retail" sales of non-prescription drugs and medical sundries. ⁸ See footnote 6, Table 138. ⁹ See footnote 7, Table 138.

Source: U.S. Centers for Medicare and Medicaid Services, Office of the Actuary, National Health Statistics Group, http://www.cms.gov/NationalHealthExpendData/>.

Table 140. Health Consumption Expenditures—Per Capita Spending by Type of Expenditure: 1990 to 2010

[In dollars, except percent. Based on U.S. Census Bureau estimates of total U.S. resident population plus the net Census undercount. Excludes research, structures and equipment. Excludes Puerto Rico and Island Areas]

Type of expenditure and source of funds	1990	2000	2004	2005	2006	2007	2008	2009	2010
Total ¹ Annual percent change ²	2,662 11.1	4,568 7.4	6,087 7.1	6,440 6.7	6,812 6.8	7,151 6.0	7,405 4.5	7,671 4.4	7,919 4.0
Hospital care	987 626 69 125 96	1,472 1,030 131 221 229	1,933 1,342 172 280 309	2,063 1,411 179 295 327	2,186 1,471 186 307 341	2,299 1,533 198 323 358	2,400 1,601 209 337 373	2,534 1,641 215 335 398	2,637 1,670 221 339 416
Home health care Nursing care facilities and continuing care	50	115	150	165	176	192	202	216	227
retirement communities	177 159 54 88 79	302 428 89 112 152	361 656 101 122 184	381 693 106 126 190	393 752 110 130 210	420 784 114 136 229	437 802 115 140 239	453 836 115 142 249	464 839 122 145 267

¹ Includes other items, not shown separately. ² Average annual growth from prior year shown. ³ See footnote 4, Table 139. ⁴ Includes spending for Medicaid home and community based waivers, care provided in residential care facilities, ambulance services, school health and worksite health care. Generally these programs provide payments for services in non-traditional settings such as community centers, senior citizens centers, schools, and military field stations. ⁵ See footnote 6, Table 139. ⁶ Covers the "retail" sales of non-prescription drugs and medical sundries. ⁷ See footnote 5, Table 138.

Table 141. Health Consumption Expenditures by Type of Expenditure and Source of Funds: 2010

[In billions of dollars (2,444.6 represents \$2,444,600,000,000). Excludes Puerto Rico and Island Areas. Excludes research, structures, and equipment]

				He	alth insurance	е		
Type of expenditure	Total	Out-of- pocket	Total	Private health insurance	Medicare	Medicaid	Other health insurance pro- grams ¹	Other third party payers and pro- grams ²
Total. Personal health care ³ Hospital care. Physician and clinical services. Dental services. Other health, residential, and personal care ⁴ .	814.0 515.5 104.8 128.5	299.7 299.7 25.9 49.3 43.3	1,870.8 1,703.0 714.4 418.7 61.0	848.7 746.0 285.8 239.4 51.0	524.6 493.8 226.5 114.6 0.2	401.4 371.6 152.5 43.0 7.4	96.1 91.6 49.6 21.7 2.3	191.6 183.3 73.7 47.6 0.5
Home health care Nursing care facilities and continu— ing care retirement communities Prescription drugs Durable medical equipment ⁵ Government administration ⁶ Net cost of health insurance ⁶ . Public health activities ⁷	70.2 143.1 259.1 37.7 30.1 146.0 82.5	5.0 40.4 48.8 20.6 –	93.7 206.9 16.6 29.0 138.8	4.5 12.7 117.0 4.4 - 102.7	31.5 31.9 59.5 7.5 7.3 23.4	26.2 45.1 20.2 4.6 18.1 11.8	0.8 4.0 10.3 0.1 3.6 0.9	2.2 8.9 3.4 0.6 1.1 7.3

Represents zero. ¹ Includes CHIP (Titles XIX and XXI), Department of Defense, and Department of Veterans Affairs. ² See footnote 2, Table 144. ³ Includes other items, not shown separately ⁴ See footnote 5, Table 139. ⁵ See footnote 6, Table 139. ⁶ See source material for definitions. ⁷ See footnote 5, Table 138.

Table 142. Personal Health Care Expenditures by Source of Funds: 1990 to 2010 [In billions of dollars (616.8 represents \$616,800,000,000), except percent. Excludes Puerto Rico and Island Areas]

		,·							
Item	1990	2000	2004	2005	2006	2007	2008	2009	2010
Personal health care expenditures	616.8	1,165.4	1,589.3	1,697.2	1,804.9	1,914.6	2,010.2	2,109.0	2,186.0
Out-of-pocket Health insurance Private health insurance Medicare Medicaid Other health insurance 1 Other third party payers and programs 2.	138.7 403.3 205.1 107.3 69.7 21.2 74.9	201.8 844.8 407.1 215.8 186.9 34.9 118.8	248.9 1,194.8 566.9 299.4 270.9 57.5 145.7	263.4 1,281.4 607.7 325.3 287.7 60.7 152.5	271.9 1,372.0 640.6 381.7 283.4 66.3 161.0	287.3 1,455.0 673.5 408.2 301.9 71.4 172.2	294.0 1,544.9 707.5 442.0 317.1 78.3 171.4	294.4 1,637.1 734.0 471.2 345.9 86.1 177.4	299.7 1,703.0 746.0 493.8 371.6 91.6 183.3

¹ Includes Children's Health Insurance Program (Titles XIX and XXI), Department of Defense, and Department of Veterans Affairs. ² See footnote 2, Table 144.

Source: U.S. Centers for Medicare and Medicaid Services, Office of the Actuary, National Health Statistics Group, http://www.cms.gov/ NationalHealthExpendData/>.

Source: U.S. Centers for Medicare and Medicaid Services, Office of the Actuary, National Health Statistics Group, http://www.cms.gov/ NationalHealthExpendData/>.

Source: U. S. Centers for Medicare and Medicaid Services, Office of the Actuary, National Health Statistics Group, http://www.cms.gov/ NationalHealthExpendData/>.

Table 143. National Health Expenditures by Sponsor: 1990 to 2010

[In billions of dollars (724.3 represents \$724,300,000,000). Excludes Puerto Rico and Island Areas.]

Type of sponsor	1990	2000	2005	2006	2007	2008	2009	2010
Total. Business, households and other private revenues. Private business ¹	724.3 488.2 178.3 253.0 56.9 236.1 125.3 110.8	1,377.2 888.5 346.3 434.3 107.9 488.7 261.0 227.7	2,029.1 1,226.8 487.7 596.7 142.3 802.4 451.8 350.6	2,162.4 1,289.0 502.4 633.3 153.3 873.4 498.1 375.4	2,297.1 1,364.3 523.5 668.9 171.9 932.8 529.8 403.0	2,403.9 1,407.8 531.4 703.1 173.4 996.1 582.4 413.6	2,495.8 1,402.8 529.8 705.5 167.4 1,093.1 684.0 409.1	2,593.6 1,429.9 534.5 725.5 169.9 1,163.7 742.7 421.1

¹ Estimates for 2006–2010 exclude Retiree Drug Subsidy (RDS) payments to private plans. ² Estimates for 2010 excludes subsidized COBRA payments. ³ Includes one-half of self-employment contribution to Medicare Hospital Insurance Trust Fund and taxation of Social Security benefits. ⁴ Includes RDS payments to private and state and local plans, 2006-2010. ⁵ Includes maternal and child health, vocational rehabilitation, Substance Abuse and Mental Health Services Administration, Indian Health Service, Office of Economic Opportunity (1965–74), Federal workers' compensation, and other federal programs, public health activities, Department of Defense, Department of Veterans Affairs, Children's Health Program (CHIP), investment (research, structures and equipment) and COBRA subsidies. ⁶ Includes Medicaid buy-in premiums for Medicare. ⁷ Includes other public and general assistance, maternal and child health, vocational rehabilitation, public health activities, hospital subsidies, other state and local programs, state phase-down payments and investment (research, structures and equipment).

Source: U.S. Centers for Medicare and Medicaid Services, Office of the Actuary, "National Health Expenditures, by Type of Sponsors," http://www.cms.gov/NationalHealthExpendData/.

Table 144. Hospital Care, Physician and Clinical Services, Nursing Care Facilities and Continuing Care Retirement Communities, and Prescription Drug Expenditures by Source of Funds: 1990 to 2010

[In billions of dollars (250.4 represents \$250,400,000,000). Excludes Puerto Rico and Island Areas]

Source of payment	1990	2000	2005	2006	2007	2008	2009	2010
Hospital care, total. Out-of-pocket. Health insurance. Private health insurance. Medicare. Medicaid. Other health insurance 1 Other third party payers and programs 2.	250.4 11.2 206.8 96.9 67.4 26.7 15.8 32.5	415.5 13.5 357.9 141.9 122.9 71.2 21.9 44.1	609.4 19.6 532.4 218.4 175.4 104.8 33.7 57.4	651.9 20.9 567.9 237.5 184.1 110.2 36.1 63.1	692.5 22.4 601.4 250.1 192.6 119.8 38.9 68.7	729.3 23.5 639.8 266.8 205.5 124.1 43.3 66.0	776.1 24.9 680.0 279.5 216.5 137.1 46.9 71.2	814.0 25.9 714.4 285.8 226.5 152.5 49.6 73.7
Physician and clinical services, total. Out-of-pocket. Health insurance. Private health insurance. Medicare. Medicaid. Other health insurance 1 Other third party payers and programs 2.	158.9 30.1 107.8 67.0 30.5 7.0 3.3 21.0	290.9 32.5 222.8 138.0 58.7 19.2 6.8 35.6	416.9 42.5 330.0 201.9 85.9 29.8 12.4 44.4	438.8 44.5 349.2 211.4 91.5 31.6 14.6 45.1	461.8 46.8 367.9 222.2 96.0 33.3 16.5 47.1	486.6 48.7 390.6 233.0 103.8 35.7 18.1 47.3	502.7 47.7 408.9 237.2 111.4 40.0 20.3 46.2	515.5 49.3 418.7 239.4 114.6 43.0 21.7 47.6
Nursing care facilities and continuing care retirement communities, total. Out-of-pocket. Health insurance. Private health insurance. Medicare. Medicare. Medicaid. Other health insurance 1. Other third party payers and programs 2.	44.9 18.1 21.9 2.8 1.7 16.4 1.0 4.9	85.1 27.2 52.0 7.5 10.8 31.9 1.9 5.9	112.5 32.5 72.8 8.3 20.5 41.1 2.8 7.2	117.3 33.9 75.8 9.4 22.4 41.3 2.8 7.6	126.4 37.2 80.3 10.2 24.8 42.1 3.3 8.9	132.7 38.6 85.9 10.9 27.6 43.8 3.7 8.2	138.7 39.5 90.6 11.8 29.9 44.9 4.0 8.6	143.1 40.4 93.7 12.7 31.9 45.1 4.0 8.9
Prescription drugs, total Out-of-pocket. Health insurance. Private health insurance. Medicare. Medicaid. Other health insurance ¹ Other third party payers and programs ²	40.3 22.9 16.2 10.9 0.2 5.1 0.1 1.2	120.9 34.0 84.7 60.7 2.1 19.8 2.1 2.2	204.8 51.6 149.3 101.6 3.9 36.3 7.5 3.8	224.2 51.3 168.9 102.2 39.6 18.9 8.2 4.0	236.2 53.0 179.4 106.8 45.9 18.1 8.6 3.8	243.6 51.0 188.9 110.1 50.6 18.9 9.2 3.6	256.1 50.8 201.7 117.2 54.5 20.1 9.9 3.5	259.1 48.8 206.9 117.0 59.5 20.2 10.3 3.4

¹ Includes Children's Health Insurance Program (Titles XIX and XXI), Department of Defense, and Department of Veterans Affairs. ² Includes worksite health care, other private revenues, Indian Health Service, workers' compensation, general assistance, maternal and child health, vocational rehabilitation, other federal programs, Substance Abuse and Mental Health Services Administration, other state and local programs, and school health.

Source: U.S. Centers for Medicare and Medicaid Services, Office of the Actuary, National Health Statistics Group, http://www.cms.gov/NationalHealthExpendData/.

Table 145. Consumer Price Indexes of Medical Care Prices: 1980 to 2011

[1982–1984 = 100. Indexes are annual averages of monthly data based on components of consumer price index for all urban consumers; for explanation, see text, Section 14 and Appendix III]

		Medical care services					Medica commo		Annual percent change ³			
Year	Medical care, total	Total ¹	Profes	sional servi Physi- cians	ices Dental	Hospital and related services	Total ²	Pre- scription drugs	Medical care, total	Medical care services	Medical care com- modities	
1980	74.9	74.8	77.9	76.5	78.9	69.2	75.4	72.5	11.0	11.3	9.3	
1985	113.5	113.2	113.5	113.3	114.2	116.1	115.2	120.1	6.3	6.1	7.2	
1990	162.8	162.7	156.1	160.8	155.8	178.0	163.4	181.7	9.0	9.3	8.4	
1995	220.5	224.2	201.0	208.8	206.8	257.8	204.5	235.0	4.5	5.1	1.9	
2000	260.8	266.0	237.7	244.7	258.5	317.3	238.1	285.4	4.1	4.3	3.2	
2005	323.2	336.7	281.7	287.5	324.0	439.9	276.0	349.0	4.2	4.8	2.5	
2006	336.2	350.6	289.3	291.9	340.9	468.1	285.9	363.9	4.0	4.1	3.6	
2007	351.1	369.3	300.8	303.2	358.4	498.9	290.0	369.2	4.4	5.3	1.4	
2008	364.1	384.9	311.0	311.3	376.9	534.0	296.0	378.3	3.7	4.2	2.1	
2009	375.6	397.3	319.4	320.8	388.1	567.9	305.1	391.1	3.2	3.2	3.1	
2010	388.4	411.2	328.2	331.3	398.8	607.7	314.7	407.8	3.4	3.5	3.1	
2011	400.3	423.8	335.7	340.3	408.0	641.5	324.1	425.0	3.0	3.1	3.0	

¹ Includes other services not shown separately. ² Includes other commodities not shown separately. ³ Percent change from the immediate

Table 146. Average Annual Expenditures Per Consumer Unit for Health Care: 2008 to 2010

[In dollars, except percent. See text, Section 13 and headnote, Table 692. For composition of regions, see map, inside front cover]

	Health ca	are, total				Perd	ent distribut	ion
Item	Amount	Percent of total expendi- tures	Health insur- ance	Medical services	Drugs and medical sup- plies ¹	Health insur- ance	Medical services	Drugs and medical sup- plies ¹
2008	2,976	5.9	1,653	727	596	55.5	24.4	20.0
	3,126	6.4	1,785	736	605	57.1	23.5	19.4
	3,157	6.6	1,831	722	604	58.0	22.9	19.1
Ünder 25 years old. 25 to 34 years old. 35 to 44 years old. 45 to 54 years old. 55 to 64 years old. 65 to 74 years old. 75 years old and over.	775	2.8	405	236	134	52.3	30.5	17.3
	1,800	3.9	1,086	443	271	60.3	24.6	15.1
	2,583	4.6	1,453	681	449	56.3	26.4	17.4
	3,261	5.6	1,747	879	634	53.6	27.0	19.4
	3,859	7.6	2,110	943	807	54.7	24.4	20.9
	4,922	11.9	3,133	849	941	63.7	17.2	19.1
	4,754	15.1	3,031	735	987	63.8	15.5	20.8
Race of reference person: White and other	3,397	6.9	1,937	804	656	57.0	23.7	19.3
	1,734	4.8	1,156	239	338	66.7	13.8	19.5
Hispanic	1,842	4.4	971	519	352	52.7	28.2	19.1
	3,339	6.8	1,950	750	639	58.4	22.5	19.1
Northeast. Midwest. South. West.	3,125	5.9	1,930	630	564	61.8	20.2	18.0
	3,265	7.2	1,888	726	650	57.8	22.2	19.9
	3,041	6.9	1,798	660	584	59.1	21.7	19.2
	3,265	6.1	1,746	893	626	53.5	27.4	19.2
Size of consumer unit: One person. Two or more persons. Three persons. Four persons. Five persons or more. Income before taxes:	2,027	7.0	1,176	435	417	58.0	21.5	20.6
	3,625	6.5	2,102	841	681	58.0	23.2	18.8
	4,108	8.1	2,421	885	801	58.9	21.5	19.5
	3,346	5.9	1,902	802	643	56.8	24.0	19.2
	3,286	5.2	1,925	793	567	58.6	24.1	17.3
	2,977	4.9	1,636	825	516	55.0	27.7	17.3
Quintiles of income: Lowest 20 percent. Second 20 percent. Third 20 percent. Fourth 20 percent. Highest 20 percent.	1,524	7.3	886	264	375	58.1	17.3	24.6
	2,649	8.7	1,578	537	533	59.6	20.3	20.1
	3,068	7.4	1,863	631	574	60.7	20.6	18.7
	3,715	6.7	2,201	845	670	59.2	22.7	18.0
	4,827	5.2	2,624	1,335	868	54.4	27.7	18.0
Education: Less than a high school graduate	2,129	7.2	1,252	403	475	58.8	18.9	22.3
	2,820	7.4	1,733	533	554	61.5	18.9	19.6
	2,938	6.8	1,685	672	581	57.4	22.9	19.8
	3,238	6.4	1,811	805	622	55.9	24.9	19.2
	3,824	6.0	2,194	976	655	57.4	25.5	17.1
	4,497	5.9	2,492	1,173	833	55.4	26.1	18.5

¹ Includes prescription and nonprescription drugs.

Source: U.S. Bureau of Labor Statistics, Consumer Expenditure Survey, annual, http://www.bls.gov/cex/.

Source: Bureau of Labor Statistics, "CPI Detailed Report," http://www.bls.gov/cpi/cpi dr.htm. See also "Monthly Labor Review Online," ">http://www.bls.gov/opub/mlr/>">.

Table 147. Medicare Disbursements by Type of Beneficiary: 1990 to 2010

[In millions of dollars (109,709 represents \$109,709,000,000). For years ending Sept. 30. Distribution of benefits by type is estimated and subject to change. See headnote, Table 152]

Selected type of beneficiary	1990	1995	2000	2005	2007	2008 ¹	2009	2010
Total disbursements HI, Part A disbursements ² Benefits	109,709 66,687 65,722 58,503 7,218	180,096 114,883 113,394 100,107 13,288	219,276 130,284 125,992 110,067 15,925	336,876 184,142 181,934 155,772 26,161	434,823 202,827 203,990 172,847 31,142	455,069 230,240 226,276 183,846 33,946	498,213 238,001 234,302 196,766 37,536	521,141 248,978 245,180 205,180 40,001
SMI, Part B disbursements ² Benefits	43,022 41,498 36,837 4,661 (X) (X)	65,213 63,490 54,830 8,660 (X) (X)	88,992 88,875 76,340 12,535 (X) (X)	151,537 147,449 122,905 24,544 1,198 73 1,125	179,651 172,698 142,841 29,858 52,345 51,331	177,709 174,805 151,386 31,903 47,120 46,728	203,421 200,169 164,266 35,903 56,791 56,559	208,380 204,885 167,540 37,345 63,783 63,525

⁻ Represents or rounds to zero. X Not applicable. ¹ A transfer of expenditures between Parts A and B took place during 2008 that corrected for accounting errors that happened during FY2005–2007. The transfer is reflected in the "Benefits" data and is the sum of "Aged, Disabled, and Transfer." The Part A "Benefits" total increased by \$8,484,000,000 while Part B "Benefits" total decreased by the same amount. ² Other types, not shown separately.

Table 148. Children's Health Insurance Program (CHIP)—Enrollment and Expenditures by State: 2000 and 2010

[3,357.4 represents 3,357,400. For year ending September 30. This program provides health benefits coverage to children living in families whose incomes exceed the eligibility limits for Medicaid. Although it is generally targeted to families with incomes at or below 200 percent of the federal poverty level, each state may set its own income eligibility limits, within certain guidelines. For explanation of poverty level, see text, Section 13. States have three options: they may expand their Medicaid programs, develop a separate child health program that functions independently of Medicaid, or do a combination of both. See text, this section, regarding the change from SCHIP to CHIP]

State	Enrollmer (1,000)		Expenditur (mil. dol		State	Enrollmer (1,000)		Expenditures ² (mil. dol.)	
	2000	2010	2000	2010		2000	2010	2000	2010
U.S	3,357.4	7,718.4	1,928.8	7,913.1	мо	72.8	91.4	41.2	107.0
AL	37.6	137.5	31.9	128.4	MT	8.3	25.2	4.3	36.5
AK	13.4	12.6	18.1	18.7	NE	11.4	47.9	6.1	36.7
AZ	59.6	39.6	29.4	57.8	NV	15.9	31.6	9.0	22.7
AR	1.9	100.8	1.5	85.8	NH	4.3	10.6	1.6	12.2
CA	484.4	1,731.6	187.3	1,186.8	NJ	89.0	187.2	46.9	562.4
CO	34.9	106.6	13.9	115.6	NM	8.0	9.7	3.4	230.6
CT	19.9	21.0	12.8	29.7	NY	769.5	539.6	401.0	499.4
DE	4.5	12.9	1.5	12.9	NC	103.6	254.0	65.5	359.2
DC	2.3	8.1	5.8	11.3	ND	2.6	6.7	1.8	14.4
FL	227.5	403.3	125.7	308.5	OH	118.3	253.7	53.1	264.0
GA	120.6	248.3	48.7	225.4	OK	57.7	122.9	51.3	113.0
HI	(Z)	27.3	0.4	31.4	OR	37.1	64.7	12.5	86.1
ID	12.4	42.2	7.5	34.1	PA	119.7	273.2	70.7	305.6
IL	62.5	329.1	32.7	259.4	RI	11.5	23.3	10.4	28.8
IN	44.4	141.5	53.7	89.8	SC	60.4	73.4	46.6	92.5
IA	20.0	64.0	15.5	71.6	SD	5.9	15.9	3.1	18.9
KS	26.3	56.4	12.8	52.7	TN	14.9	89.3	41.7	127.0
KY	55.6	79.4	60.0	122.9	TX	131.1	928.5	41.4	776.3
LA	50.0	157.0	25.3	175.7	UT	25.3	62.1	12.8	59.5
ME	22.7	33.0	11.4	33.7	VT	4.1	7.0	1.4	5.5
MD	93.1	118.9	92.2	160.3	VA	37.7	173.5	18.6	165.4
MA	113.0	142.3	44.2	301.0	WA	2.6	35.9	0.6	42.7
MI	55.4	69.8	36.2	114.9	WV	21.7	37.5	9.7	39.2
MN	(Z)	5.2	(Z)	19.5	WI	47.1	161.5	21.4	97.6
MS	12.2	95.6	21.1	152.4	WY	2.5	8.3	1.0	9.3

Z Less than 50 or \$50,000. 1 Number of children ever enrolled during the year in Children's Health Insurance Program. 2 Expenditures for which states are entitled to federal reimbursement under Title XXI and which reconciles any advance of Title XXI federal funds made on the

Source: U.S. Centers for Medicare & Medicaid Services, *The Children's Health Insurance Program (CHIP), Annual Enrollment Report* and the *Statement of Expenditures for the CHIP Program (CMS-21)*. See also https://www.medicaid.gov/CHIP/CHIP-Program-Information.html.

Source: U.S. Centers for Medicare and Medicaid Services, Trustees Report and Trust Funds, and unpublished data. See also http://www.cms.gov/ReportsTrustFunds/>.

Table 149. Medicare Enrollees: 1990 to 2010

[In millions (34.3 represents 34,300,000). As of July 1. Includes Puerto Rico and Island Areas and enrollees in foreign countries and unknown place of residence. SMI is Supplemental Medical Insurance. See headnote, Table 152]

Item	1990	1995	2000	2005	2006	2007	2008	2009	2010
Total	34.3	37.5	39.6	42.3	43.3	44.0	45.5	46.1	47.2
Aged Disabled	30.9 3.3	33.4 4.4	34.3 5.4	35.6 6.7	36.3 7.0	36.7 7.3	37.8 7.8	38.5 7.6	39.3 7.9
Hospital insurance, Part A	33.7 30.5	37.1	39.2	42.0	42.9	43.7	45.2	45.8	46.9
Aged Disabled	3.3	32.7 4.4	33.8 5.4	35.3 6.1	35.9 7.0	36.3 7.4	37.4 7.8	38.1 7.6	39.0 7.9
SMI, Part B	32.6 29.6	35.7 31.7	37.4 32.6	39.6 33.7	40.3 34.1	41.0 34.4	42.1 35.2	42.7 35.9	43.7 36.5
Disabled	2.9 (X)	3.9 (X)	4.8	6.0 1.8	6.2 22.9	6.5 24.5	6.9 25.8	6.9 27.0	7.1 28.0
Sivil, Fait D	(^)	(^)	(X)	1.0	22.5	24.5	23.0	21.0	20.0

X Not applicable. (NA) Not Available.

Source: U.S. Centers for Medicare and Medicaid Services, Office of the Actuary, "Medicare Enrollment Reports" and "Medicare & Medicaid Statistical Supplement". See also <a href="http://www.cms.gov/Research-Statistics-Data-and-Systems/Research-Statistics-Data-And-Systems/Research-Statistics-Data-And-Systems/Research-Statistics-Data-And-Systems/Research-Statistics-Data-And-Systems/Research-Statistics-Dat

Table 150. Medicare—Enrollment by State and Other Areas: 2000 to 2010

[In thousands (39,620 represents 39,620,000). Hospital (HI) and/or supplementary medical insurance (SMI) enrollment as of July 1]

State and area	2000	2005	2009	2010	State and area	2000	2005	2009	2010
All areas ¹ U.S. AL	39,620 38,762 685	42,395 41,003 740	46,521 45,467 828	47,664 46,585 845	NE	137 254 240	146 259 294	165 276 343	170 279 357
AK	42	51	63	66	NH	170	185	217	223
AZ	675	777	899	930	NJ	1,203	1,215	1,304	1,327
AR	439	464	520	531	NM	234	261	304	313
CA	3,901	4,158	4,620	4,757	NY	2,715	2,758	2,937	2,988
<u>CO</u>	467	513	602	625	NC	1,133	1,255	1,448	1,490
CT DF	515 112	520 125	558 145	568 149	ND OH	103	103	108 1.870	109
DE DC	75	125 72	145 77	78	OK	1,701 508	1,731 531	1,670 592	1,901 603
FL	2,804	3.008	3,289	3,375	OR	489	532	602	621
GA	916	1.016	1,194	1,236	PA	2,095	2,108	2,252	2,283
HI	165	180	200	206	RI	172	171	180	183
ID	165	188	222	230	SC	568	637	749	774
IL	1,635	1,674	1,806	1,839		119	123	134	137
IN	852	893	985	1,006	<u>TN</u>	829	903	1,031	1,058
IA	477	484	512	517	TX	2,265	2,491	2,900	3,001
KS KY	390 623	397 668	425 743	433 760	UT VT	206 89	231 95	274 108	283 112
KY LA	602	630	671	687	V1 VA	893	95 981	1,110	1,141
ME	216	233	259	265	WA	736	807	938	972
MD	645	687	764	785	WV	338	351	377	382
MA	961	961	1,039	1,061	WI	783	818	892	911
MI	1,403	1,468	1,615	1,651	WY	65	70	78	80
MN	654	691	767	786	Outlying areas 2	537	622	653	(NA)
MS	419	449	488	497	Pending state				
MO	861	901	985	1,004	designations ³	321	769	(NA)	(NA)

NA Not available. ¹ Includes outlying areas and pending state designation. ² Includes American Samoa, Federated States of Micronesia, Guam, Marshall Islands, Northern Marianas, Puerto Rico, Virgin Islands, and Wake Island. ³ Include foreign countries and unknown places of

Source: U.S. Centers for Medicare and Medicaid Services, "Data Compendium," .

Table 151. Medicaid—Selected Characteristics of Persons Covered: 2010

[In thousands, except percent (48,302 represents 48,302,000). Represents number of persons as of March of following year who were enrolled at any time in year shown. Excludes unrelated individuals under age 15. Persons did not have to receive medical care paid for by Medicaid in order to be counted. For explanation of poverty level, see text, Section 13. See headnote, Table 577]

Poverty status	Total ¹	White alone ²	Black alone ³	Asian alone 4	His- panic ⁵	Under 18 years	18–44 years	45–64 years	65 years and over
Persons covered, total Below poverty level Above poverty level Percent of population	48,302 21,029 27,273	33,099 13,278 19,821	10,832 5,938 4,894	1,888 630 1,258	13,106 6,379 6,727	25,788 11,765 14,023	12,214 5,519 6,695	6,712 2,796 3,916	3,587 948 2,639
covered. Below poverty level	15.8 45.5 10.5	13.6 42.0 9.4	27.8 55.6 17.3	13.2 36.4 10.0	26.3 48.2 18.4	34.6 71.7 24.1	11.0 30.9 7.2	8.3 33.3 5.4	9.2 26.9 7.4

¹ Includes other races, not shown separately. ² White alone refers to people who reported White and did not report any other race category. ³ Black alone refers to people who reported Black and did not report any other race category. ⁴ Asian alone refers to people who reported Asian and did not report any other race category. ⁵ Persons of Hispanic origin may be of any race.

Source: U.S. Census Bureau, Income, Poverty, and Health Insurance Coverage in the United States: 2010, Current Population Reports, P60-238, 2011; Table HI02, "Health Insurance Coverage Status and Type of Coverage by Selected Characteristics for People in the Poverty Universe: 2010;" and Table HI03, "Health Insurance Coverage Status and Type of Coverage by Selected Characteristics for Poor People in the Poverty Universe: 2010." See also http://www.census.gov/hhes/www/cpstables/032011/health/toc.htm>.

Table 152. Medicare Benefits by Type of Provider: 1990 to 2010

[In millions of dollars (65,721 represents \$65,721,000,000). For years ending Sept. 30. Distribution of benefits by type is estimated and subject to change. The Medicare program has two components: Hospital Insurance (HI) or Medicare Part A and Supplementary Medical Insurance (SMI) consisting of Medicare Part B (medical insurance) and Part D (prescription drug plans). See text in this section for details. See footnote 1, Table 147, for 2008 data changes]

Type of provider	1990	1995	2000	2005	2007	2008	2009	2010
Hospital insurance benefits (Part A), total. Inpatient hospital. Skilled nursing facility. Home health agency. Hospice. Managed care.	65,721 57,012 2,761 3,295 318 2,335	113,395 81,095 8,684 15,715 1,854 6,047	125,992 86,561 10,269 4,880 2,818 21,463	181,934 122,718 18,644 5,892 7,678 27,001	203,990 125,533 22,432 6,313 10,482 39,230	217,791 128,851 24,117 6,537 11,137 47,150	234,302 132,768 25,826 6,942 11,977 56,789	245,180 137,834 27,047 7,138 12,910 60,253
Supplementary medical insurance benefits (Part B), total. Physician fee schedule. Durable medical equipment. Carrier lab ¹ . Other carrier ² . Hospital ³ . Home health. Intermediary lab ⁴ . Other intermediary ⁵ . Managed care.	(NA) (NA) (NA) (NA) (NA)	63,490 31,110 3,576 2,819 4,513 8,448 223 1,437 5,110 6,253	88,876 35,958 4,577 2,194 7,154 8,516 4,281 1,748 6,099 18,348	147,449 57,211 7,894 3,521 15,195 18,974 6,750 2,820 11,350 23,735	172,698 58,780 8,188 4,050 15,698 22,882 9,053 3,019 13,305 37,724	183,289 59,396 8,454 4,141 16,390 23,435 10,100 2,912 12,775 45,686	200,169 62,462 8,209 4,639 17,269 26,447 11,326 3,274 14,375 52,167	204,885 63,442 8,131 4,924 17,199 26,800 12,087 3,235 14,330 54,739
Supplementary medical insurance benefits (Part D), total ⁶	(X)	(X)	(X)	1,198	51,341	46,728	56,559	63,525

NA Not available. X Not applicable. ¹ Lab services paid under the lab fee schedule performed in a physician's office lab or an independent lab. ² Includes free-standing ambulatory surgical centers facility costs, ambulance, and supplies. ³ Includes the hospital facility costs for Medicare Part B services which are predominantly in the outpatient department. The physician reimbursement associated with these services is included on the "Physician Fee Schedule" line. ⁴ Lab fee services paid under the lab fee schedule performed in a hospital outpatient department. ⁵ Includes End Stage Renal Disease (ESRD) free-standing dialysis facility payments and payments to rural health clinics and federally qualified health centers. ⁶ Starting with 2006, Part D provides subsidized access to drug insurance coverage on a voluntary basis for all beneficiaries and premium and cost-sharing subsidies for low-income enrollees. Benefits prior to 2006 were for transitional assistance to beneficiaries with low income.

Source: U.S. Centers for Medicare and Medicaid Services, unpublished data. See also http://www.cms.gov/Research-Statistics-Data-and-data. See also http://www.cms.gov/Research-Statistics-Data-and-data-a Systems/Statistics-Trends-and-Reports/ReportsTrustFunds/index.html>.

Table 153. Medicare Insurance Trust Funds: 1990 to 2010

[In billions of dollars (126.3 represents \$126,300,000,000). SMI is Supplemental Medical Insurance. See headnote, Table 152]

Type of trust fund	1990	1995	2000	2005	2006	2007	2008	2009	2010
TOTAL MEDICARE Total income Total expenditures Assets, end of year	126.3	175.3	257.1	357.5	437.0	462.1	480.8	508.2	486.0
	111.0	184.2	221.8	336.4	408.3	431.7	468.1	509.0	522.8
	114.4	143.4	221.5	309.8	338.5	368.9	381.6	380.8	344.0
HOSPITAL INSURANCE (Part A) Net contribution income ¹ . Interest received ² . Benefit payments ³ . Assets, end of year.	72.1	103.3	154.5	182.6	194.3	205.4	213.5	206.3	199.3
	8.5	10.8	11.7	16.1	16.4	17.4	16.3	17.0	15.9
	66.2	116.4	126.8	180.0	189.0	200.2	232.3	239.3	244.5
	98.9	130.3	177.5	285.8	305.4	326.0	321.3	304.2	271.9
SMI (Part B) Net premium income Transfers from general revenue Interest received ² Benefit payments ³ . Assets, end of year	11.3	19.7	20.6	37.5	42.9	46.8	50.2	56.0	52.0
	33.0	39.0	65.9	118.1	132.7	139.6	146.8	162.8	153.5
	1.6	1.6	3.5	1.4	1.8	2.2	3.5	3.0	3.1
	42.5	65.0	88.9	149.9	166.2	176.4	180.3	202.6	209.7
	15.5	13.1	44.0	24.0	32.3	42.1	59.4	75.5	71.4
SMI (Part D) Net premium income Transfers from general revenue ⁴ Interest received Benefit payments ⁴ Assets, end of year	(X) (X) (X) (X) (X)	(X) (X) (X) (X) (X)	(X) (X) (X) (X) (X)	1.1 - 1.1	3.5 39.2 - 47.0 0.8	4.0 38.8 - 48.8 0.8	5.0 37.3 - 49.0 0.9	6.3 47.1 - 60.5 1.1	6.5 51.1 - 61.7 0.7

Represents zero. X Not applicable. ¹ Includes income from taxation of benefits beginning in 1994. Includes premiums from aged ineligibles enrolled in Hospital Insurance (HI). ² Includes recoveries of amounts reimbursed from the trust fund. ³ Beginning 1998, monies transferred to the SMI trust fund for home health agency costs, as provided for by P.L. 105-33, are included in HI benefit payments but excluded from SMI benefit payments. ⁴ The amount for 2005 includes amounts transferred for transitional assistance for Part D of Medicare.

Source: U.S. Centers for Medicare and Medicaid Services, 2012 Annual Report of the Board of Trustees of the Federal Hospital Insurance and Federal Supplementary Medical Insurance Trust Funds. See also http://www.cms.gov/Research-Statistics-Data-and-Systems/Statistics-Data-And-Systems/Statistics-Data-And-Systems/Statistics-Data-And-Systems/Statistics-Data-And-System Trends-and-Reports/ReportsTrustFunds/index.html>.

Table 154. Medicaid—Beneficiaries and Payments: 2000 to 2009

[42,887 represents 42,887,000. For year ending September 30]

Basis of eligibility		Beneficiaries	(1,000) 1			Payments (mil. dol.)	
and type of service	2000	2005	2008	2009 ²	2000	2005	2008	2009 ²
Total	42,887	57,651	58,771	60,119	168,443	274,851	296,830	308,238
Age 65 and over. Blind/Disabled. Children. Adults. Foster care children. Unknown. BCCA WOMEN ³	6,890 19,018 8,671 761	4,395 8,211 26,341 12,533 874 5,268 29	4,147 8,694 27,111 12,903 960 4,912	3,937 8,601 27,776 13,435 913 5,316 48	44,560 72,772 23,490 17,671 3,309 6,639 (NA)	63,415 119,305 41,863 32,162 5,286 12,539 281	61,131 129,040 51,200 37,185 5,936 11,825 513	60,098 134,419 55,325 (S) (S) 11,393 (S)
All service categories: Capitated care 4 Clinic services. Dental services. Home health services. ICF/MR services 5 Inpatient hospital services. Lab and X-ray services. Mental health facility services 6 Nursing facility services. Other care 7 Outpatient hospital services. Other practitioner services. PCCM services 8 Prescribed drugs. Physician services. Personal support services 9 Sterilizations. Unknown.	7,678 5,922 1,007 119 4,913 11,439 100 1,706 9,022 13,170 4,758 5,649 20,325 18,965 4,559	33,496 11,918 9,317 1,195 109 5,480 15,959 120 1,711 12,346 16,234 5,893 8,723 28,390 24,238 6,807 178 73	38,151 11,857 9,821 1,144 102 5,259 15,612 1,08 1,616 12,264 14,789 5,165 8,728 24,579 21,661 6,371 138 90	39,864 12,139 10,296 1,042 98 5,250 15,534 108 1,557 11,998 15,795 5,180 22,152 6,471 121 161	25,026 6,138 1,413 3,133 9,376 24,131 1,292 1,769 34,528 14,755 7,082 664 177 19,898 6,809 11,629 128 496	46,421 8,921 3,040 5,362 11,709 35,131 2,917 2,301 44,790 26,421 10,011 1,180 232 42,849 11,269 20,657 211 1,428	68,130 9,152 3,819 6,620 12,558 37,245 2,9371 2,374 47,718 34,257 10,881 884 276 23,515 10,506 24,539 143 1,282	77,383 9,749 4,329 6,174 12,364 36,879 2,990 2,363 45,807 35,812 11,310 888 338 24,101 11,056 25,572 140 983

NA Not available. S Figure does not meet publication standards. ¹ Beneficiaries data do not add due to number of beneficiaries that are reported in more than one category. ² 2009 data not available for Massachusetts, Utah, and Wisconsin. ³ Women-Breast and Cervical Cancer Assistance. ⁴ HMO payments and prepaid health plans. ⁵ Intermediate care facilities for the mentally retarded. ⁶ Inpatient mental health facilities for individuals under 21 and for individuals 65 years and older. ⁷ Includes beneficiaries of, and payments for, other care not shown separately. ⁸ Primary Care Case Management Services. ⁹ Includes personal care services, rehabilitative services, physical occupational targeted case management services, speech therapies, hospice services, nurse midwife services, nurse practitioner services, private duty nursing services, and religious nonmedical health care institutions.

Source: U.S. Centers for Medicare and Medicaid Services, "Medicaid Program Statistics, Medicaid Statistical Information System," http://www.cms.gov/Research-Statistics-Data-and-Systems/Computer-Data-and-Systems/MedicaidDataSourcesGenInfo/index.html.

Table 155. Medicaid—Summary by State: 2000 and 2009

[42,887 represents 42,887,000. For year ending September 30]

State	Beneficiar (1,000		Payments ² (mil. dol.)		State	Beneficiaries ¹ (1,000)		Payments ² (mil. dol.)	
	2000	2009 ³	2000	2009 ³		2000	2009 ³	2000	2009 ³
U.S	42,887	60,119	168,443	308,238	мо	890	1,101	3,274	5,771
AL	619	877	2,393	3,626	MT	104	113	422	714
AK	96	119	473	1,067	NE	229	256	960	1,590
AZ	681	1,588	2,112	8,617	NV	138	281	516	1,196
AR	489	825	1,543	3,579	NH	97	141	651	995
CA	7,918	11,519	17,105	35,224	NJ	822	1,151	4,714	8,293
CO	381	678	1,809	3,288	NM	376	562	1,249	2,913
CT	420	558	2,839	5,289	NY	3,420	4,985	26,148	44,883
DE	115	209	529	1,264	NC	1,214	1,782	4,834	9,665
DC	139	175	793	1,940	ND	63	77	358	588
FL	2,373	3,261	7,433	14,054	OH	1,305	2,238	7,115	13,972
GA	1,369	1,805	3,624	7,376	OK	507	809	1,604	3,574
HI	194	261	600	1,201	OR	558	564	1,714	2,797
ID	131	253	594	1,351	PA	1,492	2,716	6,366	14,207
<u> </u> L	1,519	2,626	7,807	11,774	RI	179	203	1,070	1,556
IN	706	1,109	2,977	5,390	SC	689	906	2,765	4,712
IA	314	482	1,477	2,877	SD	102	141	402	732
KS	263	355	1,227	2,316	<u>TN</u>	1,568	1,479	3,491	7,262
KY	764	942	2,921	5,017	TX	2,633	4,283	9,277	18,543
LA	761	1,184	2,632	5,430	<u>U</u> T	225	(NA)	960	(NA)
ME	194	315	1,310	1,481	VT	139	171	480	`970
MD	626	846	3,003	6,325	VA	627	917	2,479	5,548
MA	1,060	(NA)	5,413	(NA)	WA	896	1,177	2,435	5,734
MI	1,352	1,890	4,881	10,171	WV	342	386	1,394	2,589
MN	558	802	3,280	7,029	WI	577	(NA)	2,968	(NA)
MS	605	932	1,808	3,198	WY	46	72	215	552

¹ Persons who had payments made on their behalf at any time during the fiscal year. ² Payments are for fiscal year and reflect federal and state contribution payments. Data exclude disproportionate share hospital payments. Disproportionate share hospitals receive higher Medicaid reimbursement than other hospitals because they treat a disproportionate share of Medicaid patients. ³ 2009 data not available for Massachusetts, Utah, and Wisconsin.

Source: U.S. Centers for Medicare and Medicaid Services, "Medicaid, Program Statistics, Medicaid Statistical Information System," http://www.cms.gov/Research-Statistics-Data-and-Systems/Computer-Data-and-Systems/MedicaidDataSourcesGenInfo/index.html.

Table 156. Medicaid Managed Care Enrollment by State and Other Areas: 1995 to 2010

[33,373 represents 33,373,000. For year ending June 30]

State and other ment 1 Number Pe			State and other	Total enroll-	nroll- enrollment 2		State and other	Total enroll-			
areas	ment ¹ (1,000)	Number (1,000)	Percent of total	areas	ment ¹ (1,000)	Number (1,000)	Percent of total	areas	ment ¹ (1,000)	Number (1,000)	Percent of total
1995	33,373 33,690 45,392 45,653 45,962 47,143 50,472 54,612 53,566 873 113	9,800 18,786 28,576 29,830 29,463 33,428 36,202 39,020 38,277 520	29.4 55.8 63.0 65.3 64.1 70.1 71.7 71.5 71.5	ILINIAKSKSKYKYKMEMEMDMA	260 214 2,430 1,035 430 326 813 1,181 287 902 1,417 1,829	255 187 1,372 728 387 282 717 752 194 716 758 1,577	98.0 87.6 56.5 70.4 90.1 86.6 88.2 63.7 67.7 79.5 53.5 86.2	NC ND OH OK PA RI SC SD TN TX	4,741 1,465 62 2,125 669 550 2,030 189 808 113 1,204 3,764	3,227 1,135 42 1,562 603 477 1,659 128 808 91 1,204 2,520	68.1 77.5 67.3 73.5 90.1 86.7 81.7 67.4 100.0 80.3 100.0 67.0
AZARCACOCTDEDCFLGA.	1,322 596 7,327 554 543 180 221 2,853 1,497	1,196 467 4,033 524 379 140 154 1,840 1,362	90.5 78.4 55.0 94.6 69.9 77.4 69.7 64.5 91.0	MS MO MT NE NV NH	734 703 892 101 230 265 131 1,039 546	468 533 884 75 197 225 0 798 399	63.8 75.9 99.1 74.6 85.6 85.1 0.0 76.8 73.1	VTVTVAWAWYWYWYWYVYVYVIWYWY	270 177 884 1,121 335 1,144 69 1,038	225 100 524 972 163 714 - 743	83.3 56.7 59.2 86.7 48.6 62.4 - 71.6

Represents zero. ¹ The unduplicated Medicaid enrollment figures include individuals in state health care reform programs that expand eligibility beyond traditional Medicaid eligibility standards. ² The unduplicated managed care enrollment figures include enrollees receiving comprehensive and limited benefits.

Table 157. Persons Enrolled in Health Maintenance Organizations (HMOs) by State: 2007 and 2008

[74,698 represents 74,698,000. As of January 1. Data are based on a census of health maintenance organizations]

State	Number 2008	Percen populat	tion	State	Number 2008	Perce popula	ation	State	Number 2008	Percei popula	ation
	(1,000)	2007	2008		(1,000)	2007	2008		(1,000)	2007	2008
U.S	74,698	24.7	24.8								
AL	201	3.6	4.3	KY	408	8.1	9.6	ND	10	0.2	1.5
Α <u>Κ</u>	/	1.0	1.1	LA	352	8.6	8.2	OH	2,466	20.3	21.5
AZ	1,942	29.2	30.6	ME	152	29.4	11.5	OK	263	7.2	7.3
AR	106	3.4	3.7	MD	1,701	29.3	30.3	OR	1,007	25.3	26.9
CA	16,415	44.6	44.9	MA	2,964	48.1	46.0	PA	3,744	30.6	30.1
<u>co</u>	1,053	23.8	21.7 38.5	MI	2,841	28.1	28.2 18.1	RI SC	223	22.6 7.8	21.0
CT	1,349 201	41.2 26.0	23.3	MN MS	939	14.1 0.9	1.8	SD	417 148	7.0 17.7	9.5 18.5
DC	377	26.0 64.0	23.3 64.1	NAO I	1,164	23.0	19.8	TN	1,897	31.1	30.8
FL	4,400	24.1	24.1	MT	62	5.1	6.5	TX	3,702	12.8	15.5
GA	2,099	26.5	22.0	NE	135	6.9	7.6	υτ	970	35.1	36.7
HI	650	46.7	50.6	NV	608	23.0	23.7	VT	86	19.9	13.8
ID	86	4.6	5.7	NH	219	23.2	16.7	VA	1,665	21.5	21.6
iL	1,762	13.9	13.7	NJ	2,284	26.5	26.3	WA	1,423	20.0	22.0
iN	1,098	24.1	17.3	NM	591	23.3	30.0	WV	277	11.3	15.3
IA	327	9.7	11.0	NY	6,500	32.3	33.7	WI	1,507	23.8	26.9
KS	471	14.9	17.0	NC	838	8.3	9.2	WY	21	2.6	4.1

Source: HealthLeaders-InterStudy, Nashville, TN, The Competitive Edge (copyright). See also http://hl-isy.com/>.

Source: U.S. Centers for Medicare and Medicaid Services, "2010 Medicaid Managed Care Enrollment Report," http://www.cms.gov/Research-Statistics-Data-and-Systems/Computer-Data-and-Systems/MedicaidDataSourcesGenInfo/index.html.

Table 158. Health Insurance Coverage Status by Selected Characteristics: 2009

[304,280 represents 304,280,000. Persons as of following year for coverage in the year shown. Government health insurance includes Medicare, Medicaid, and military plans. Based on Current Population Survey, Annual Social and Economic Supplement (ASEC); see text, Section 1 and Appendix III]

			Nu	mber (1,00	00)				Perc	ent		
Characteristic				ed by priva			Not covered	Covered by private or government health			Not covered	
Characteristic			Priv	ate	Government		by health	į	insurance		by health	
	Total persons	Total ¹	Total	Group health ²	Medi- care	Medic- aid	insur- ance	Total ¹	Private	Medic- aid	insur- ance	
2009 2010	304,280 306,110	253,606 256,206	194,545 195,874	169,689 169,264	43,440 44,327	47,758 48,580	50,674 49,904	83.3 83.7	63.9 64.0	15.7 15.9	16.7 16.3	
Age:	25,555 24,701	67,609 23,241 22,400 21,968 21,573 29,780 31,149 36,035 31,672 38,387	44,620 13,866 14,825 15,929 17,407 25,314 27,426 31,695 26,743 22,668	41,083 12,951 13,919 14,212 13,612 23,221 25,573 29,201 23,846 12,728	602 233 182 186 257 610 900 1,901 3,600 36,457	26,067 10,283 8,694 7,090 4,516 4,249 3,449 3,607 3,105 3,587	7,307 2,314 2,301 2,692 8,078 11,804 8,692 7,919 5,312 792	90.2 90.9 90.7 89.1 72.8 71.6 78.2 82.0 85.6 98.0	59.6 54.3 60.0 64.6 58.7 60.9 68.8 72.1 72.3 57.9	34.8 40.2 35.2 28.7 15.2 10.2 8.7 8.2 8.4 9.2	9.8 9.1 9.3 10.9 27.2 28.4 21.8 18.0 14.4 2.0	
Male	150,643 155,466 243,323 39,031 14,332 49,972	123,735 132,470 205,938 30,899 11,731 34,631	95,894 99,980 162,508 18,867 9,473 20,828	83,886 85,378 139,386 17,032 8,394 19,068	19,594 24,733 37,634 4,544 1,397 3,503	22,560 26,020 33,306 10,868 1,890 13,183	26,908 22,996 37,385 8,132 2,600 15,340	82.1 85.2 84.6 79.2 81.9 69.3	63.7 64.3 66.8 48.3 66.1 41.7	15.0 16.7 13.7 27.8 13.2 26.4	17.9 14.8 15.4 20.8 18.1 30.7	
Less than \$25,000 \$25,000-\$49,999 \$50,000-\$74,999 \$75,000 or more Persons below poverty	60,140 70,680 57,359 117,931 46,180	43,974 55,245 48,528 108,458 31,678	15,772 37,160 41,494 101,448	9,102 29,599 36,783 93,781 5,713	15,142 13,926 6,683 8,576 5,324	22,535 14,202 6,001 5,841 21.029	16,166 15,435 8,831 9,473	73.1 78.2 84.6 92.0 68.6	26.2 52.6 72.3 86.0	37.5 20.1 10.5 5.0 45.5	26.9 21.8 15.4 8.0	

¹ Includes other government insurance, not shown separately. Persons with coverage counted only once in total, even though they may have been covered by more than one type of policy. ² Related to employment of self or other family members. ³ Refers to people who reported specified race and did not report any other race category. ⁴ Persons of Hispanic origin may be any race.

Table 159. Persons With and Without Health Insurance Coverage by State: 2010 [256,206 represents 256,206,000. Based on the Current Population Survey, Annual Social and Economic Supplement (ASEC), see text, Section 1 and Appendix III]

State	Total	ns not covered not covered		State perso		Total pe		Children not covered			
	covered (1,000)	Number (1,000)	Percent of total	Number (1,000)	Percent of total	State	covered (1,000)	Number (1,000)	Percent of total	Number (1,000)	Percent of total
U.S	256,206 3,951 568 5,420 2,341 30,014 4,393 3,113 782 14,677 7,927 1,160 1,238 10,986 5,505 2,597 2,407 3,653 3,545 3,545 4,979 6,246 8,500 4,678	49,904 720 125 1,283 539 7,209 656 384 1,905 97 294 1,914 855 366 350 640 886 121 747 370 1,271 509	16.3 15.4 18.0 19.1 18.7 19.4 13.0 11.3 12.5 20.8 19.4 7.7 14.8 13.4 12.7 14.9 20.0 13.1 5.6 13.0	7,307 101 25 267 52 1,019 98 49 12 6 576 257 7 38 239 97 53 53 69 105 12 125 54 119 75	9.8 8.9 13.7 15.0 7.4 10.7 7.8 6.0 6.0 5.1 14.2 9.9 2.3 9.0 7.6 6.8 9.0 7.4 7.5 6.8 9.2 3.8 5.1 6.0	MO. MT. NE. NV. NH. NJ. NM. NY. NC. ND. OH. OK. OR. PA. RI. SC. SD. TN. TX. UT. VY. VA. WA. WV. WV. WI.	5,143 795 1,551 2,076 1,168 7,334 1,580 16,403 7,673 552 9,795 3,049 3,165 11,085 928 3,596 11,085 928 3,596 5,381 18,973 2,443 2,443 2,443 6,675 5,797 1,564 5,084	835 176 237 563 134 1,338 435 2,886 1,575 83 1,554 624 612 1,368 119 930 105 930 6,181 386 59 1,096 927 244 526	14.0 18.1 13.3 21.3 10.3 15.4 21.6 15.0 17.0 13.1 13.7 17.0 16.2 11.4 20.6 13.6 13.6 14.7 24.6 13.8 14.1 13.8 14.1	124 19 47 117 15 188 71 350 213 15 222 114 89 226 12 152 13 116 1,153 101 5 154 95	8.9 8.8 10.3 17.5 5.5 9.2 13.7 7.9 9.2 8.3 11.9 8.2 5.3 14.2 6.6 7.9 16.3 11.4 8.3 5.9 14.4
MS	2,311	618	21.1	102	13.4	WY	444	93	17.3	14	10.2

Source: U.S. Census Bureau, Income, Poverty, and Health Insurance Coverage in the United States: 2010, Current Population Reports, P60-239, 2011, Table HI05, "Health Insurance Coverage Status and Type of Coverage by State for All People: 2010." See also http://www.census.gov/hhes/www/cpstables/032011/health/toc.htm.

Source: U.S. Census Bureau, Income, Poverty, and Health Insurance Coverage in the United States: 2010, Current Population Reports, P60-239, 2010, Table HI01, "Health Insurance Coverage Status and Type of Coverage by Selected Characteristics: 2010" and Table HI03, "Health Insurance Coverage Status and Type of Coverage by Selected Characteristics for Poor People in the Poverty Universe: 2010." See also http://www.census.gov/hhes/www/hlthins/index.html.

Table 160. People Without Health Insurance for the Entire Year by Selected Characteristics: 2009 and 2010

[In thousands, except as noted (304,280 represents 304,280,000). Based on the Current Population Survey; Annual Social and Economic Supplement (ASEC); see text, Section 1 and Appendix III]

		2009		2010				
Characteristic		Uninsured F	Persons		Uninsured	Persons		
Onaraciensile	Total persons	Number	Percent distribution	Total persons	Number	Percent distribution		
Total ¹	304,280	50,674	100.0	306,110	49,904	100.0		
Under 18 years	75,040	7,513	14.8	74,916	7,307	14.6		
	29,313	8,923	17.6	29,651	8,078	16.2		
	41,085	11,963	23.6	41,584	11,804	23.7		
	40,447	8,759	17.3	39,842	8,692	17.4		
	79,782	12,840	25.3	80,938	13,231	26.5		
	38,613	676	1.3	39,179	792	1.6		
MaleFemale	149,485	27,463	54.2	150,643	26,908	53.9		
	154,795	23,211	45.8	155,466	22,996	46.1		
White alone ²	242,403	38,399	75.8	243,323	37,385	74.9		
	247,660	39,118	77.2	248,806	38,208	76.6		
	38,624	8,102	16.0	39,031	8,132	16.3		
	40,957	8,414	16.6	41,577	8,507	17.0		
	14,011	2,409	4.8	14,332	2,600	5.2		
	15,281	2,503	4.9	15,695	2,761	5.5		
Hispanic ³ White alone, not Hispanic	48,901	15,820	31.2	49,972	15,340	30.7		
	197,436	23,658	46.7	197,423	23,093	46.3		

¹ Includes other races, not shown separately. ² Refers to people who reported specified race and did not report any other race category. ³ Persons of Hispanic origin may be any race.

Table 161. Percent of Workers Participating in Health Care Benefit Programs and Percent of Participants Required to Contribute: 2011

[Based on National Compensation Survey, a sample survey of 8,727 private industry establishments of all sizes, representing about 101 million workers; see Appendix III. See also Table 668. For more information, see www.bls.gov/ncs/ebs/benefits/2011/benefits.htm

	Percei	nt of workers	participatin	ıg—	Single co medical		Family co medical	
Characteristic	Medical	Dental	Vision	Out- patient prescrip- tion drug	Employee contri- butions required	Average monthly contri- bution ¹	Employee contri- butions required	Average monthly contri- bution 1
	care	care	care	coverage	(percent)	(dol.)	(percent)	(dol.)
Total	51	35	20	50	82	104.60	90	404.03
Worker characteristics: Management, professional, and related. Management, business, and financial	66 72	50 57	28 31	65 71	84 84	104.51 105.09	92 92	404.65 409.33
Professional and related Service	64 27	46 18	26 10	62 26	83 83	104.20 101.91	91 92	402.19 447.00
Sales and office	50 42	34 28 38	18 14	49 40	84 87	108.63 115.06	93 93	411.08 424.30
Office and administrative support Natural resources, construction, and maintenance.	55 56	38 35	20 23	54 55	83 68	105.33 111.67	93 82	404.53 434.77
Production, transportation, and material moving	58	38	23	57	80	97.45	88	351.14
Production Transportation, and material moving	65 52	42 33	24 21	64 51	82 79	96.47 98.72	88 87	341.60 363.24
Full-time ² Part-time ²	64 13	44 9	24 6	63 13	82 80	103.62 118.59	91 85	401.81 437.09
Union ³ Nonunion	75 48	60 32	46 17	74 47	57 86	95.49 105.59	65 94	330.98 412.03
Average hourly wage: 4 Less than \$8.25\$8.25 to under \$10.69	11 21	6 11	4	10 20	87 85	115.23 107.74	92 92	438.14 433.32
\$10.69 to under \$15.87. \$15.87 to under \$24.81. \$24.81 to under \$37.89.	53 66 71	34 45 55	18 24 32	51 64 70	85 80 79	107.74 104.60 104.12 103.83	92 93 91 87	433.32 412.76 399.79 389.67
\$24.81 to under \$37.89	73	55 59	35	70 72	81	103.83	88	389.67

¹ The average is presented for all covered workers and excludes workers without the plan provision. Averages are for plans stating a flat monthly cost. ² Employees are classified as working either a full-time or part-time schedule based on the definition used by each establishment. ³ Union workers are those whose wages are determined through collective bargaining. ⁴ The National Compensation Survey—Benefits program presents wage data in percentiles rather than dollar amounts; see "Technical Note" in source.

Source: U.S. Census Bureau, *Income, Poverty, and Health Insurance Coverage in the United States: 2010*, Current Population Reports, P60-238, 2011, and "Health Insurance Coverage Status and Type of Coverage by Selected Characteristics: 2010." See also http://www.census.gov/prod/www/abs/p60.html and http://www.census.gov/phes/www/cpstables/032011/health/toc.htm.

Source: U.S. Bureau of Labor Statistics, *National Compensation Survey: Employee Benefits in Private Industry in the United States–March 2011*. See also http://www.bls.gov/ncs/ebs/publications.htm.

Table 162. Retail Prescription Drug Sales: 1995 to 2010

[2,125 represents 2,125,000,000]

Sales outlet	Unit	1995	2000	2004	2005	2006	2007	2008	2009	2010
Number of prescriptions	Mil. Mil. Mil. Mil. Mil. Mil.	2,125 908 672 238 221 86	2,865 1,335 698 293 394 146	3,274 1,494 744 353 470 214	3,279 1,513 719 359 465 223	3,419 1,599 738 375 476 232	3,530 1,652 753 390 478 257	3,559 1,677 739 400 481 262	3,633 1,731 730 423 488 261	3,676 1,760 729 433 490 264
Percent distribution of brand/generic mix: Brand drugsGeneric drugs	Percent Percent	59.8 40.2	57.6 42.4	54.1 45.9	50.6 49.4	44.8 55.2	40.8 59.2	35.5 64.5	32.6 67.4	28.8 71.2
Retail sales. Traditional chain. Independent. Mass merchant. Supermarkets. Mail order.	Bil. dol. Bil. dol. Bil. dol. Bil. dol. Bil. dol. Bil. dol.	72.2 27.8 22.0 7.7 7.4 7.4	145.6 59.1 33.4 13.5 17.4 22.1	216.7 86.7 44.2 16.8 26.4 42.7	226.1 90.7 45.4 17.5 26.9 45.5	243.2 96.0 46.7 21.6 28.1 50.9	249.2 100.5 45.3 23.6 27.3 52.5	249.2 101.2 43.3 24.2 25.2 55.4	261.3 105.3 43.6 25.6 25.9 61.3	266.4 106.6 44.7 26.6 25.9 62.6
Average prices ¹ All prescriptions Brand drugs Generic drugs	Dollars	30.01 40.22 14.84	45.79 65.29 19.33	62.64 91.80 28.23	63.87 97.65 29.21	66.97 112.24 30.17	68.77 121.26 32.60	71.69 137.98 35.21	75.66 151.06 39.25	79.39 166.61 44.14

¹ Excludes mail order.

Table 163. Annual Revenue for Health Care Industries: 2008 to 2010

[In millions of dollars (1,757,926 represents \$1,757,926,000,000). For taxable and tax-exempt employer firms. Estimates have been adjusted to the results of the 2007 Economic Census. Based on the Service Annual Survey and administrative data; see Appendix III. All firms in NAICS 6211, 6212, 6213, and 6215 are defined as taxable]

Kind of business	2002 NAICS	To	otal, all firms	2	Taxab	e employer f	īrms
	code 1	2008	2009	2010	2008	2009	2010
Health care and social assistance. Ambulatory health care services ³ . Offices of physicians. Offices of dentists. Offices of other health practitioners. Offices of chiropractors. Offices of propractors. Offices of mental health practitioners. Offices of PT/OT/speech therapy & audiology ⁴ . Outpatient care centers. Medical & diagnostic laboratories. Home health care services. Other ambulatory health care services. Hospitals ³ . General medical & surgical hospitals. Psychiatric & substance abuse hospitals. Other specialty hospitals. Nursing and residential care facilities ³ . Nursing care facilities. Residential mental retardation/health facilities. Residential mental retardation facilities. Community care facilities for the elderly. Continuing care retirement communities. Homes for the elderly. Other residential care facilities. Social assistance ³ . Individual and family services. Community food and housing, and emergency	62 621 621 6211 6212 6213 62131 62132 62133 62134 6214 6215 6216 6219 622 6221 6221	2008 1,757,926 707,502 352,834 98,917 54,609 10,151 11,097 5,575 19,973 79,150 42,533 51,200 28,259 738,197 689,356 18,029 30,812 177,506 97,357 29,071 19,788 42,641 26,914 15,727 8,437 134,721 66,123	2009 1,842,674 731,930 361,897 99,175 57,333 10,383 11,414 6,222 21,263 84,234 44,944 55,367 28,980 787,121 735,136 18,500 33,485 183,916 100,832 30,490 20,933 44,502 28,437 16,065 8,092 139,707 68,551	2010 1,917,183 756,477 372,579 101,619 60,003 10,642 11,684 6,702 22,363 88,821 45,318 58,116 30,021 822,590 767,738 19,216 35,636 192,035 105,297 31,948 21,307 46,594 29,332 17,262 8,196 146,081 71,847	2008 872,425 641,236 352,834 98,917 54,609 10,151 11,097 5,575 19,973 39,840 42,533 35,224 17,279 88,993 72,795 3,986 12,212 108,504 74,846 8,855 5,581 23,446 11,044 12,402 1,357 33,692 12,741	2009 907,384 662,037 361,897 99,175 57,333 10,383 11,414 6,222 21,263 42,452 44,944 38,496 17,740 97,458 79,159 4,331 13,968 112,422 77,499 9,348 5,899 24,242 11,516 12,726 1,333 35,467 13,922	2010 938,503 683,658 372,579 101,619 60,003 10,642 11,684 6,702 22,363 45,344 45,318 40,204 18,591 99,860 79,912 4,620 15,328 118,453 81,648 9,885 6,184 25,608 11,780 13,828 1,312 36,532 14,832
and other relief services	6242 6243 6244	25,819 11,986 30,793	26,709 12,610 31,837	28,569 13,220 32,445	500 1,800 18,651	477 1,872 19,196	468 1,980 19,252
	L	1	45.25	,		-,,	

¹ North American Industry Classification System (NAICS), 2002; see text, Section 15. ² Excludes taxable nonemployer firms. ³ Includes other kinds of business, not shown separately. ⁴ Offices of physical, occupational, and speech therapists, and audiologists.

Source: National Association of Chain Drug Stores, Alexandria, VA, NACDS Foundation Chain Pharmacy Industry Profile, 2011-12, (copyright). See also http://www.nacds.org.

Source: U.S. Census Bureau, "2010 Annual Services Report: Health Care and Social Assistance Sector Services," February 2012, http://www.census.gov/services/index.html>.

Table 164. Revenue for Selected Health Care Industries by Source of Revenue: 2009 and 2010

[In millions of dollars (361,897 represents \$361,897,000,000). For taxable and tax-exempt employer firms. Estimates have been adjusted to the results of the 2007 Economic Census. Based on Service Annual Survey and administrative data; see Appendix III]

Source of revenue			Offices of o		Hospi (NAICS		Nursing and care fact (NAICS)	ilities
	2009	2010	2009	2010	2009	2010	2009	2010
Total. Medicare. Medicaid. Other government ² . Worker's compensation. Private insurance. Patient (out-of-pocket) ³ . Other patient care sources n.e.c ⁴ . Nonpatient care revenue.	361,897 73,590 18,277 5,881 7,476 186,306 35,922 19,342 15,103	372,579 76,322 19,801 6,276 7,690 187,950 37,502 20,275 16,763	99,063 925 4,402 767 (S) 45,142 42,338 4,483 1,006	101,503 931 4,709 901 (S) 46,049 42,603 5,392 918	197,456 77,256 40,110 7,374 336,708 36,943	822,590 205,009 81,901 42,287 7,172 353,153 39,857 24,346 68,865	183,513 31,391 66,269 13,674 (S) 9,161 44,214 7,294 11,510	191,542 33,582 68,889 14,620 (S) 9,580 44,864 7,972 12,035

S Figure does not meet publication standards. ¹ North American Industry Classification System (NAICS), 2002; see text Section 15. ² Veterans, National Institute of Health, Indian Affairs, etc. ³ Represents payment from patients and their families plus patients' assigned social security benefits for NAICS 623. ⁴ n.e.c. (not elsewhere classified).

Table 165. Employment in the Health Service Industries: 1990 to 2011

[In thousands (9,296 represents 9,296,000). See headnote, Table 643. Based on the 2007 North American Industry Classification System (NAICS); see text, Section 15. For more information on the NAICS changes, please see https://stats.bls.gov/ces/ces/acenaics07.htm

Industry	2007 NAICS code	1990	2000	2005	2007	2008	2009	2010	2011
Health care and social assistance ¹ . Ambulatory health care services ¹ . Offices of physicians. Offices of dentists. Offices of other health practitioners. Medical and diagnostic laboratories. Home health care services.	621 6211 6212 6213	9,296 2,842 1,278 513 276 129 288	12,718 4,320 1,840 688 438 162 633	14,536 5,114 2,094 774 549 198 821	15,380 5,474 2,202 808 600 211 914	15,798 5,647 2,253 818 627 217 961	16,103 5,793 2,279 818 647 219 1,027	16,375 5,975 2,313 828 671 228 1,085	16,643 6,146 2,355 842 697 232 1,139
Hospitals ¹	6221	3,513 3,305 113 95	3,954 3,745 86 123	4,345 4,096 93 156	4,515 4,242 99 174	4,627 4,337 102 188	4,667 4,367 104 196	4,679 4,357 109 213	4,731 4,375 120 236
Nursing and residential care facilities ¹		1,856 1,170	2,583 1,514	2,855 1,577	2,958 1,603	3,016 1,619	3,082 1,645	3,124 1,657	3,169 1,668

¹ Includes other industries, not shown separately.

Table 166. Osteopathic Physicians: 2002 to 2011

[As of May 31. Osteopathic physicians are fully qualified physicians licensed to practice medicine and to perform surgery. Osteopathic medicine has a strong emphasis on the interrelationship of the body's nerves, muscles, bones and organs. Doctors of osteopathic medicine, or D.O.s, apply the philosophy of treating the whole person to the prevention, diagnosis and treatment of illness, disease, and injury]

Characteristics	2002	2006	2011	Characteristics	2002	2006	2011
Total number of DOs Female	14,993 13,434 5,305	58,940 16,416 42,524 13,241 16,970 15,391 7,605 5,305 428	73,977 24,323 49,654 16,979 21,243 15,913 12,237 7,062 543	Family and general practice	33,452 14,929 2,700 985 1,293 334 423 12,292 496	40,378 18,610 3,468 1,325 1,543 365 498 14,020 549	58,510 22,834 7,481 3,284 2,698 NA 811 21,402 NA

NA Not available ¹ DOs are assumed to be in active practice if they are under age 65 and have not informed the AOA that they have retired or are inactive. DOs are assumed to be in postdoctoral training (internship, residency or fellowship) if they graduated within the last 3 years or if the AOA has received information that they are in a postdoctoral program. ² "Pediatric and adolescent medicine" includes all specialties where the patient is a child or adolescent and includes both general pediatricians and pediatric specialties. ³ Beginning in 2009, separate data for "Pediatric specialties" are no longer available. ⁴ Osteopathic self-identified practice specialties include FOM (Family Practice/OMT), FPO (Family Practice/OMM), NMO (Neuromusculoskeletal Med/OMM), NMS (Neuromusculoskeletal Med/OMT), OM1 (Osteopathic Manipulative Med +1), OMM (Spec Prof in Osteo Manip Med), OMS (Sports Medicine-OMM), and OMT (Osteo Manipulative Medicine). OMT is the therapeutic application of manually guided forces by an osteopathic physician to improve physiologic function and/or support homeostasis that has been altered by somatic dysfunction. OMM is the application of osteopathic philosophy, structural diagnosis, and use of OMT in the patient's diagnosis and management.

Source: American Osteopathic Association, Chicago, IL, AOA Annual Statistics, Osteopathic Medical Profession Report, annual, (copyright). See also http://www.osteopathic.org.

Source: U.S. Census Bureau, "2010 Annual Services Report: Health Care and Social Assistance Sector Services," February 2012, http://www.census.gov/services/index.html.

Source: U.S. Bureau of Labor Statistics, Current Employment Statistics, "Employment, Hours, and Earnings—National," http://www.bls.gov/ces/data.htm, accessed July 2012.

Table 167. Physicians by Sex and Specialty: 1980 to 2010

[In thousands (467.7 represents 467,700). As of Dec. 31, except 1990 as of Jan. 1, and as noted. Includes Puerto Rico and Island Areas]

	1980)	1990	0	200	0	2010)
Activity	Total	Office- based	Total	Office- based	Total	Office- based	Total	Office- based
Doctors of medicine, total ¹ Place of medical education:	467.7	272.0	615.4	361.0	813.8	490.4	985.4	565.0
U.S./Canadian medical graduatesInternational medical graduates ²	370.0 97.7	226.2 45.8	483.7 131.8	286.2 74.8	616.8 197.0	376.5 113.9	731.0 254.4	424.8 140.2
Sex: Male Female	413.4 54.3	251.4 20.6	511.2 104.2	311.7 49.2	618.2 195.5	382.3 108.1	688.5 296.9	399.4 165.6
Allergy/immunology. Anesthesiology. Cardiovascular diseases. Child psychiatry. Dermatology. Diagnostic radiology. Emergency medicine. Family practice. Gastroenterology. General practice. General surgery. Internal medicine. Neurological surgery. Neurology. Obstetrics and gynecology. Ophthalmology. Orthopedic surgery. Otolaryngology. Pathology. Pathology. Pediatrics. Physical med./rehab. Plastic surgery. Psychiatry. Pulmonary diseases. Radiology. Urological surgery. Urological surgery. Unspecified.	1.5 16.0 9.8 3.3 5.7 7.0 5.7 27.5 4.0 32.5 34.0 71.5 3.3 5.7 26.3 13.0 14.0 6.6 13.6 29.5 2.1 3.0 27.5 3.7 11.7 7.7	1.4 11.3 6.7 2.0 4.4 4.2 3.4 18.4 22.6 22.4 40.6 2.5 3.3 19.5 10.6 10.7 5.3 18.2 1.0 2.0 7.8 6.0 6.0 6.0	3.4 26.0 15.9 4.3 7.6 15.4 14.2 47.6 7.5 22.8 38.4 98.3 4.4 9.2 33.7 16.1 19.1 8.1 16.6 41.9 4.1 4.6 35.2 6.1 8.5 9.4 8.1	2.5 17.8 10.7 2.6 6.0 9.8 8.4 37.5 5.2 20.5 58.0 3.1 5.5 13.1 14.2 67.5 27.1 2.2 3.7 6.1 7.6	4.0 35.7 21.0 6.2 9.7 21.1 23.1 71.6 10.6 15.2 36.7 134.5 5.0 12.3 40.2 18.1 22.3 9.4 18.8 63.9 6.5 6.2 39.5 8.7 8.7	3.1 27.6 16.3 4.3 8.0 14.5 54.2 8.5 124.5 8.7 15.6 17.4 7.6 43.2 4.3 55.9 6.7 8.8	4.3 43.4 22.9 7.4 11.3 26.1 33.3 87.6 13.2 8.6 37.1 161.3 5.8 18.5 25.2 10.3 19.0 76.4 9.0 7.4 39.7 11.1 9.4 10.7 9.5	3.4 31.8 17.5 5.4 9.3 17.5 20.7 69.9 10.5 24.3 110.6 4.0 10.5 34.1 15.7 19.3 8.0 10.7 53.1 6.5 6.5 25.7 7.8 7.0 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6 8.6
Not classifiedOther categories ³	20.6 32.1	(X) (X)	12.7 55.4	(X) (X)	45.1 75.2	(X) (X)	64.2 126.4	(X) (X)

X Not applicable. NA Not available. ¹ Includes other categories not shown. ² International medical graduates received their medical education in schools outside the United States and Canada. ³ Includes inactive and address unknown.

Table 168. Active Physicians and Nurses by State: 2010

[As of December 31. Excludes doctors of osteopathy, physicians with inactive status. Includes all physicians not classified according to activity status. As of May. Nurses data comes from the Bureau of Labor Statistics]

State	Physici	ans	Nurs	es	State	Physicians		Nurs	es
State	Total	Rate 1	Total	Rate 1	State	Total	Rate 1	Total	Rate 1
United States	846,468	274	2,655,000	860	Missouri	15,071	252	66,810	1,116
Alabama	10,311	216	44,300	927	Montana	2,108	213	8,500	859
Alaska	1,617	228	5,150	725	Nebraska	4,522	248	18,780	1,028
Arizona	14,291	224	41,730	653	Nevada	5,003	185	16,780	621
Arkansas	5,908	203	23,730	814	New Hampshire	3,877	294	13,850	1,052
California	101,206	272	240,030	644	New Jersey	27,151	309	76,680	872
Colorado	13,325	265	41,960	834	New Mexico	4,918	239	13,780	669
Connecticut	13,379	374	35,310	988	New York	76,178	393	169,710	876
Delaware	2,221	247	9,900	1,103	North Carolina	24,425	256	90,730	951
District of Columbia	5,275	877	9,510	1,580	North Dakota	1,616	240	6,880	1,023
Florida	47,251	251	158,390	842	Ohio	31,735	275	122,300	1,060
Georgia	21,608	223	65,390	675	Oklahoma	6,575	175	28,260	753
Hawaii	4,107	302	9,390	690	Oregon	10,925	285	31,950	834
ldaho	2,689	172	10,820	690	Pennsylvania	39,132	308	130,930	1,031
Illinois	37,094	289	120,810	942	Rhode Island	4,098	389	12,430	1,181
Indiana	14,014	216	60,300	930	South Carolina	10,661	230	40,520	876
lowa	5,770	189	32,090	1,053	South Dakota	1,799	221	10,690	1,313
Kansas	6,505	228	28,070	984	Tennessee	16,858	266	61,890	975
Kentucky	10,133	234	44,920	1,035	Texas	54,887	218	176,330	701
Louisiana	12,191	269	40,780	900	Utah	6,030	218	18,230	660
Maine	3,685	277	14,730	1,109	Vermont	2,311	369	5,980	956
Maryland	24,164	419	50,480	874	Virginia	22,111	276	62,020	775
Massachusetts	31,875	487	85,120	1,300	Washington	18,432	274	52,490	781
Michigan	25,837	261	86,040	871	West Virginia	4,313	233	17,650	953
Minnesota	15,950	301	56,010	1,056	Wisconsin	14,986	264	52,880	930
Mississippi	5,321	179	28,200	950	Wyoming	1,019	181	4,790	850

¹ Per 100,000 resident population. Based on U.S. Census Bureau estimates as of April 1.

Source: Physicians: American Medical Association, *Physician Characteristics and Distribution in the U.S.*, Chicago, IL, annual (copyright). Nurses: Bureau of Labor Statistics, Occupational Employment Statistics, Occupational Employment and Wages, "May 2010 Wage and Employment Statistics," https://www.bls.gov/oes/home.htm#data.

Source: American Medical Association, *Physician Characteristics and Distribution in the U.S.*, Chicago, IL, annual (copyright). For more information, see http://www.ama-assn.org/>.

Table 169. Percent Distribution of Number of Visits to Health Care Professionals by Selected Characteristics: 2000 and 2010

[Covers ambulatory visits to doctor's offices and emergency departments, and home health care visits during a 12-month period. Based on the redesigned National Health Interview Survey, a sample survey of the civilian noninstitutionalized population]

Characteristic	None		1–3 vis	sits	4–9 vis	its	10 or more visits		
Characteristic	2000	2010	2000	2010	2000	2010	2000	2010	
All persons 1, 2	16.7	15.6	45.4	45.4	24.6	25.8	13.3	13.2	
MaleFemale.	21.7 11.9	20.4 10.9	45.9 44.8	46.4 44.4	22.3 27.0	22.7 28.8	10.1 16.3	10.5 15.9	
AGE Under 18 years old	15.0 9.0	8.1 24.2 14.8 6.3 4.1	53.8 45.2 43.4 34.5 29.3	55.6 43.9 42.8 36.1 31.0	26.2 19.1 25.7 34.5 39.3	28.2 20.6 26.1 35.7 38.0	7.6 12.2 15.9 22.1 25.6	8.2 11.3 16.4 21.9 27.0	
RACE ^{2, 3} Race alone: White. Black or African American. American Indian or Alaska Native. Asian. Two or more races.	16.1 17.2 21.3 20.3 12.1	15.3 15.7 19.4 20.4 13.9	45.1 46.7 43.0 49.2 41.7	44.9 47.2 40.3 49.9 42.3	25.2 23.4 20.0 20.8 28.2	26.1 24.7 28.1 22.1 25.2	13.6 12.6 15.7 9.7 18.0	13.7 12.4 12.2 7.6 18.6	
HISPANIC ORIGIN AND RACE ^{2, 3, 4} Hispanic or Latino Mexican. Not Hispanic or Latino White, non-Hispanic Black, non-Hispanic.	26.8 31.0 15.2 14.5 17.1	23.5 25.2 14.0 13.2 15.6	41.8 40.8 45.9 45.4 46.8	43.2 43.3 45.8 45.3 47.3	19.8 17.8 25.3 25.9 23.5	22.6 21.4 26.5 27.1 24.9	11.6 10.3 13.6 14.1 12.6	10.7 10.1 13.7 14.4 12.2	

¹ Includes other categories not shown separately. ² Estimates are age adjusted to the year 2000 standard using six age groups: Under 18 years, 18–44 years, 45–54 years, 55–64 years, 65–74 years, and 75 years and over. ³ Estimates by race and Hispanic origin are tabulated using the 1997 standards for federal data on race and ethnicity. Estimates for specific race groups are shown when they meet requirements for statistical reliability and confidentiality. The categories "White only," "Black or African American only," "American Indian and Alaska Native (Al/AN) only," and "Asian only" include persons who reported only one racial group; and the category "2 or more races" includes persons who reported more than one of the five racial groups in the 1997 standards or one of the five racial groups and "Some other race." ⁴ Persons of Hispanic or Latino origin may be any race.

Source: U.S. National Center for Health Statistics, Health, United States, 2011. See also <www.cdc.gov/nchs/hus.htm>.

Table 170. Adults 18 Years and Over Who Used Complementary and Alternative Medicine (CAM) in the Past 12 Months by Type of Therapy: 2002 and 2007

[The denominators for statistics shown exclude persons with unknown CAM information. Estimates were age adjusted to the year 2000 U.S. standard population using four age groups: 18 to 24 years, 25 to 44 years, 45 to 64 years, and 65 years and over]

Number (1,000) Percent Number (1,000) Percent		2002	2002 2007				
Acupuncture	Therapy		Percent		Percent		
Acupuncture	Alternative medical systems:						
Homeopathic treatment		2,136	1.1	3,141	1.4		
Nonvitamin, nonmineral, natural products ¹ . 38,183 18.9 38,797 17.7 Diet-based therapies ^{2, 3} . 7,099 3.5 7,893 3.6 Vegetarian diet. 3,184 1.6 3,351 1.5 Atkins diet. 3,417 1.7 2,673 1.2	Homeopathic treatment	3,433	1.7	3,909	1.8		
Vegetarian diet. 3,184 1.6 3,351 1.5 Atkins diet. 3,417 1.7 2,673 1.2	Biologically based therapies:						
Vegetarian diet. 3,184 1.6 3,351 1.5 Atkins diet. 3,417 1.7 2,673 1.2	Nonvitamin, nonmineral, natural products 1	38,183					
Atkins diet	Diet-based therapies ^{2, 3}	7,099					
					1.2		
	South Beach	(X)	(X)	2,334	1.1		
Megavitamin therapy	Megavitamin therapy	5,739	2.8	(X)	(X)		
Manipulative and body-based therapies:	Chiragonatic age 4	15 226	7.5	(V)	(V)		
Chiropractic care 4	Chiropractic or esteppethic manipulation 4	15,226					
					0.0		
	Movement theranies		0.0				
Movement therapies	Pilatos		\\ \\				
Mind-body therapies:	Mind-body therapies:	(71)	(71)	0,010	1.7		
Meditation		15.336	7.6	20.541	9.4		
Guided imagery							
Progressive relaxation	Progressive relaxation	6,185	3.0	6,454	2.9		
Deep breathing exercises 23,457 11.6 27,794 12.7	Deep breathing exercises	23,457		27,794			
Yoga 10,386 5.1 13,172 6.1	Yoga	10,386					
Tai chi							
Energy healing therapy/Reiki 1,080 0.5 1,216 0.5	Energy healing therapy/Reiki	1,080	0.5	1,216	0.5		

X Not applicable. While questions were asked about nonvitamin, nonmineral, natural products in both 2002 and 2007, the data are not comparable due primarily to question order and the specific nonvitamin, nonmineral, natural product covered. The totals of the numbers and percents of the categories listed under "Diet-based therapies" are greater than the number and percent of their respective category heading because respondents could choose more than one of the categories. While questions were asked about Diet-based therapies in both 2002 and 2007, the data are not comparable because respondents were asked about the South Beach Diet in 2007, but not in 2002. While questions were asked about chiropractic therapy in both 2002 and 2007, the data are not comparable because respondents were asked about chiropractic care in 2002 and chiropractic or osteopathic manipulation in 2007.

Source: U.S. National Center for Health Statistics, Complementary and Alternative Medicine Use Among Adults and Children: United States, 2007, National Health Statistics Reports, Number 12, 2008. See also http://www.cdc.gov/nchs/products/nhsr.htm>.

Table 171. Ambulatory Care Visits to Physicians' Offices and Hospital Outpatient and Emergency Departments: 2009

[1,270.0 represents 1,270,000,000. Based on the annual National Ambulatory Medical Care Survey and National Hospital Ambulatory Medical Care Survey and subject to sampling error; see source for details]

		Number of vi	sits (mil.)	Visits per 100 persons				
Characteristic	Total	Physician offices	Out- patient dept.	Emer- gency dept.	Total	Physician offices	Out- patient dept.	Emer- gency dept.
Total	1,270.0	1,037.8	96.1	136.1	421.1	344.1	31.9	45.1
Age: Under 15 years old. 15 to 24 years old. 25 to 44 years old. 45 to 64 years old. 65 to 74 years old. 75 years old and over. Sex: Male. Female. Race: ² White. Black/African American.	206.2 105.8 268.8 374.8 153.9 160.5 526.3 743.7	158.9 74.1 208.9 316.4 137.5 142.1 426.7 611.1 877.2 113.0	19.0 10.6 22.3 29.1 8.0 7.1 38.0 58.1 69.9 22.1	28.3 21.1 37.6 29.3 8.4 11.4 61.5 74.5 97.6 32.3	333.4 251.7 332.2 475.4 748.9 923.2 356.4 483.5 434.4 438.3	257.0 176.3 258.1 401.3 668.9 816.9 288.9 397.2 364.7 296.0	30.7 25.3 27.6 36.9 39.1 40.6 25.8 37.8	45.7 50.1 46.5 37.2 40.9 65.7 41.7 48.5
Expected sources of payment: ³ Private insurance. Medicare. Medicaid/SCHIP ⁴	758.4 303.6	664.4 262.7	41.5 17.8	52.5 23.1	(X) (X)	(X) (X)	(X) (X)	(X) (X) (X)
Medicaid/SCHIP ⁴ Worker's compensation. No insurance: ⁵ Self pay. No charge. Other. Unknown.	208.4 16.6 72.2 64.3 8.5 39.4 37.6	140.3 14.2 40.1 37.6 2.7 30.9 25.0	28.2 0.8 10.9 6.8 1 4.3 3.9 3.5	39.9 1.6 21.2 19.8 1.5 4.6 9.1	(X) (X) (X) (X) (X) (X) (X) (X) (X) (X)	(X) (X) (X) (X) (X) (X)	(X) (X) (X) (X) (X) (X) (X)	(X) (X) (X) (X) (X) (X)

X Not applicable. ¹ Figure does not meet standards of reliability or precision. ² Race data were missing for 24.0 percent of ambulatory care visits, including 24.4 percent of visits to physician offices, 10.4 percent of visits to hospital outpatient departments, and 10.6 percent of visits to emergency departments. Missing data were imputed, and readers are advised to treat the resulting estimates with caution. More information is available at the Web site below. ³ Estimates include all expected sources of payment reported at the visit. ⁴ SCHIP is State Children's Health Insurance Program. ⁵ "No insurance" is defined as having only "self-pay" or "no charge/charity" as payment sources.

Source: U.S. National Center for Health Statistics, National Health Statistics Reports, http://www.cdc.gov/nchs/ahcd.htm>.

Table 172. Visits to Office-Based Physicians and Hospital Outpatient Departments by Diagnosis: 2003 and 2008

[405.5 represents 405,500,000. Based on the International Classification of Diseases, 9th Revision, Clinical Modification, (ICD-9-CM). See headnote, Table 171]

Leading diagnosis	Num (mi		Rate 1,00 perso	jo	Leading diagnosis	Number (mil.)		Rate per 1,000 persons ¹	
	2003	2008	2003	2008		2003	2008	2003	2008
Male, all ages Under 15 years old ² Routine infant or child	405.5 89.1	425.8 89.6	2,908 2,870	2,911 2,869	Female, all ages	595.1 78.0	640.1 79.9	4,074 2,630	4,199 2,679
health check	16.8	23.1	541	740	health check	14.0	21.9	472	733
Acute upper respiratory infections ³ Otitis media and Eustachian	7.8	8.1	250	259	Acute upper respiratory infections ³	7.8	7.1	262	239
tube disordersAcute pharyngitis	8.4 2.1	7.4 3.4	269 66	236 107	tube disordersAcute pharyngitis	6.4 3.3	6.2 3.1	217 110	209 105
15 to 44 years old ²	104.0 4.4	93.4 4.8	1,710 72	1,524 78	15 to 44 years old ²	208.3 25.6 9.8	212.8 24.7 10.1	3,386 415 160	3,458 401 165
infections ³	4.0 3.4 2.1	3.2 3.2 2.8	65.0 56 35	53.0 52 46	Complications of pregnancy, childbirth, and puerperium	7.4	7.7	121	124
45 to 64 years old ² Essential hypertension Diabetes mellitus	112.6 7.6 5.2	127.2 8.6 6.4	3,404 231 156	3,376 227 171	45 to 64 years old ² Essential hypertension Arthropathies and related	167.9 8.2	188.1 12.0	4,781 234	4,720 302
Spinal disorders Arthropathies and related disorders	4.7 4.5	5.4 4.1	143 135	144 110	disordersRheumatism, excluding back	8.1 6.0	7.9 6.4	231 170	198 161
65 years old and over ² Essential hypertension Heart disease ⁴	99.8 7.2 3.7	115.5 8.8 6.7	6,881 496 256	7,211 546 416	65 years old and over ² Essential hypertension Arthropathies and related	140.9 11.1	159.3 15.4	7,123 563	7,509 728
Malignant neoplasmslschemic heart disease	6.3 3.6	6.3 6.0	434 250	392 376	disorders Heart disease ⁴	8.1 4.3	7.7 6.9	408 218	364 328

¹ Based on U.S. Census Bureau estimated civilian population as of July 1. ² Includes other first-listed diagnoses, not shown separately. ³ Excluding pharyngitis. ⁴ Excluding ischemic.

Source: U.S. National Center for Health Statistics, National Health Statistics Reports, http://www.cdc.gov/nchs/ahcd.htm.

Table 173. Visits to Hospital Emergency Departments by Diagnosis: 2009

[61,534 represents 61,534,000. See headnote, Tables 171 and 172]

Leading diagnosis	Number (1,000)	Rate per 1,000 persons ¹	Leading diagnosis	Number (1,000)	Rate per 1,000 persons ¹
MALE All ages Under 15 years old ² Acute upper respiratory infections ³ Pyrexia of unknown origin Otitis media and eustachian tube disorders Open wound of head.	, ,	408 493 52 31 29 20		(, ,	478 431 49 30 28
Unspecified viral and chlamydial infections.	557	18	infections	410 397	14 13
15 to 64 years old ² Open wound, excluding head Chest pain. Contusion with intact skin surfaces Spinal disorders. Abdominal pain.	38,036 1,842 1,765 1,592 1,533 1,385	371 18 17 16 15	15 to 64 years old ² Abdominal pain. Chest pain. Contusion with intact skin surface. Spinal disorders. Acute respiratory infections ³ .	49,945 3,090 2,099 1,753 1,712 1,700	483 30 20 17 17 16
65 years old and over ²	8,106 567 422 265 236 232	476 33 25 16 14		11,713 655 551 440 415 412	518 29 24 19 18

¹ Based on U.S. Census Bureau estimated civilian noninstitutional population as of July 1. ² Includes other first-listed diagnosis, not shown separately. 3 Excluding pharyngitis.

Table 174. Procedures for Inpatients Discharged From Short-Stay Hospitals: 1990 to 2008

[23,051 represents 23,051,000. Procedure categories are based on the International Classification of Diseases, 9th Revision, Clinical Modification. See headnote, Table 179]

Cay and time of precedure	Numl	per of proce	edures (1,0	00)	Rate	per 1,000	population	1
Sex and type of procedure	1990	1995	2000	2008	1990	1995	2000	2008
Surgical procedures, total ² . Cesarean section. Repair of current obstetric laceration. Cardiac catheterization. Reduction of fracture ³ . Male, total ² . Cardiac catheterization. Coronary artery bypass graft ⁴ . Reduction of fracture ³ . Female, total ² . Cesarean section. Repair of current obstetric laceration. Hysterectomy.	23,051 945 795 995 609 8,538 620 286 300 14,513 945 795	22,530 785 964 1,068 577 8,388 660 423 251 14,142 785 964 583	23,244 855 1,136 1,221 628 8,689 732 371 285 14,556 855 1,136 633	28,704 1,351 1,325 1,108 716 11,317 648 329 362 17,387 1,351 1,325 584	92.4 3.8 3.2 4.0 2.4 70.6 5.1 2.4 2.5 113.0 7.4 6.2 4.6	86.2 3.0 3.7 4.1 2.2 65.9 5.2 3.3 2.0 105.3 5.8 7.2 4.3	83.6 3.1 4.1 4.4 2.3 63.9 5.4 2.7 2.1 102.4 6.0 8.0 4.5	94.8 4.5 4.4 3.7 2.4 76.0 4.4 2.2 2.4 112.9 8.8 8.6 3.8
Diagnostic and other nonsurgical procedures 5. Angiocardiography and arteriography 6. Respiratory therapy Manual assisted delivery Diagnostic ultrasound. Fetal electrocardiogram (EKG) and fetal monitoring Male, total 5. Angiocardiography and arteriography 6. Respiratory therapy Computerized Axial Tomographic scan 7. Female, total 5. Manual assisted delivery. Fetal electrocardiogram (EKG) and fetal monitoring. Respiratory therapy. Diagnostic ultrasound.	17,455 1,735 1,164 750 1,608 1,377 7,378 1,051 586 736 10,077 750 1,377 578 941	17,278 1,834 1,127 866 1,181 935 7,261 1,076 572 473 10,016 866 935 555 682	16,737 2,005 991 898 886 750 6,965 1,157 345 9,772 898 750 484 501	18,634 1,996 1,182 1,308 895 1,024 7,473 1,094 610 278 11,161 1,308 1,024 572 476	70.0 7.0 4.7 3.0 6.4 5.6 61.0 8.7 4.9 6.1 78.5 5.9 10.8 4.5 7.3	66.1 7.0 4.3 3.3 4.5 3.6 57.1 8.5 4.5 3.7 74.6 6.5 7.0 4.1 5.1	60.2 7.2 3.6 3.2 2.7 51.2 8.5 3.7 2.5 68.8 6.3 5.5 3.4 3.5	61.5 6.6 3.9 4.3 3.0 3.4 50.2 7.3 4.1 1.9 72.5 8.5 6.7 3.7 3.1

¹ Based on Census Bureau estimated civilian population as of July 1. Population estimates based on the 1990 census were used to calculate rates for 1990 through 2000. Population estimates based on the 2000 census were used to calculate rates for 2001 through 2008. ² Includes other types of surgical procedures, not shown separately. ³ Excluding skull, nose, and jaw. ⁴ It is possible for a discharge to have more than one of these recorded. ⁵ Includes other nonsurgical procedures, not shown separately. ⁶ Using contrast material. ⁷ Also known as CAT scan.

Source: U.S. National Center for Health Statistics, Vital and Health Statistics, Series 13, and unpublished data, http://www.cdc.gov/nchs/ products/series.htm> and http://www.cdc.gov/nchs/nhds.htm>..

Source: U.S. National Center for Health Statistics, National Health Statistics Reports, https://www.cdc.gov/nchs/ahcd.htm.

Table 175. Hospitals—Summary Characteristics: 1990 to 2009

[For beds, (1,213 represents 1,213,000). Covers hospitals accepted for registration by the American Hospital Association; see text, this section. Short-term hospitals have an average patient stay of less than 30 days; long-term, an average stay of longer duration. Special hospitals include obstetrics and gynecology; eye, ear, nose, and throat; rehabilitation; orthopedic; chronic and other special hospitals except psychiatric, tuberculosis, alcoholism, and chemical dependency hospitals]

Item	1990	1995	2000	2004	2005	2006	2007	2008	2009
Number: All hospitals With 100 beds or more. Nonfederal 1 Community hospitals 2 Nongovernmental nonprofit For profit State and local government. Long term general and special. Psychiatric. Tuberculosis. Federal.	6,649 3,620 6,312 5,384 3,191 749 1,444 131 757 4 337	6,291 3,376 5,992 5,194 3,092 752 1,350 112 657 3 299	5,810 3,102 5,565 4,915 3,003 749 1,163 131 496 4 245	5,759 2,972 5,520 4,919 2,967 835 1,117 108 466 4 239	5,756 2,942 5,530 4,936 2,958 868 1,110 115 456 3 226	5,747 2,928 5,526 4,927 2,919 889 1,119 127 462 2 2221	5,708 2,901 5,495 4,897 2,913 873 1,111 135 444 1 213	5,815 2,884 5,602 5,010 2,923 982 1,105 128 447 1 213	5,795 2,861 5,584 5,008 2,918 998 1,092 115 444 2
Beds (1,000): ³ All hospitals. Rate per 1,000 population ⁴ . Beds per hospital. Nonfederal ¹ . Community hospitals ² . Rate per 1,000 population ⁴ . Nongovernmental nonprofit. For profit. State and local government. Long term general and special. Psychiatric. Tuberculosis. Federal.	1,213 4.9 182 1,113 927 3.7 657 102 169 25 158 (Z) 98	1,081 4.1 172 1,004 873 3.3 610 106 157 19 110 (Z) 78	984 3.5 169 931 824 2.9 583 110 131 18 87 (Z) 53	956 3.3 166 908 808 2.8 567 112 127 15 86 (Z) 47	947 3.2 165 901 802 2.7 561 114 128 15 82 (Z)	947 3.2 165 901 802 2.7 559 115 128 16 84 (Z) 46	945 3.1 166 899 801 2.7 554 116 131 17 79 (Z) 46	951 3.1 164 905 808 2.7 557 121 131 16 79 (Z) 46	944 3.1 163 900 806 2.6 556 122 127 16 76 (Z)
Average daily census (1,000): ⁵ All hospitals Community hospitals ² Nongovernmental nonprofit For profit State and local government	844 619 455 54 111	710 548 393 55 100	650 526 382 61 83	658 541 388 68 84	656 540 388 68 85	653 538 384 67 86	645 533 380 66 87	649 536 380 70 86	641 528 375 70 83
Expenses (bil. dol.): ⁶ All hospitals Nonfederal ¹ Community hospitals ² Nongovernmental nonprofit For profit State and local government Long term general and special. Psychiatric Tuberculosis. Federal	234.9 219.6 203.7 150.7 18.8 34.2 2.7 12.9 0.1 15.2	320.3 300.0 285.6 209.6 26.7 49.3 2.2 11.7 0.4 20.2	395.4 371.5 356.6 267.1 35.0 54.5 2.8 11.9 (Z) 23.9	533.8 499.0 481.2 359.4 48.9 72.8 3.6 13.8 (Z) 34.8	570.5 533.7 515.7 386.0 51.8 77.9 3.6 13.9 (Z) 36.8	607.3 569.8 551.8 412.8 54.9 83.9 4.0 15.0 (Z) 37.5	638.5 599.7 581.0 435.5 55.8 89.8 3.9 14.5 (Z) 38.8	690.0 646.1 626.6 468.1 61.8 96.7 4.5 14.7 (Z)	726.7 676.6 656.2 492.9 64.4 98.9 4.2 15.1 (Z) 50.1
Personnel (1,000): ⁷ All hospitals	4,063 3,760 3,420 2,533 273 614 55 280 1 303 368.2 92.8	4,273 3,971 3,714 2,702 343 670 38 215 1 301 483.2 99.9	4,454 4,157 3,911 2,919 378 614 41 200 1 297 592.7 106.9	4,695 4,379 4,147 3,076 405 665 42 185 1 315 662.1 116.9	4,790 4,479 4,260 3,154 421 681 38 182 1 311 673.7 118.9	4,907 4,569 4,343 3,207 423 713 43 180 1 339 690.4 122.6	5,024 4,699 4,465 3,286 432 747 44 187 1 325 693.5 124.7	5,116 4,775 4,550 3,340 450 760 41 182 (Z) 341 710.0 126.7	5,178 4,814 4,585 3,369 464 751 37 183 (Z) 364 742.0 131.4

Z Less than 500 or \$50 million. ¹ Includes hospital units of institutions. ² Short-term (average length of stay less than 30 days) general and special (e.g., obstetrics and gynecology; eye, ear, nose and throat; rehabilitation, etc. except psychiatric, tuberculosis, alcoholism, and chemical dependency). Excludes hospital units of institutions. ³ Number of beds at end of reporting period. ⁴ Based on Census Bureau estimated resident population as of July 1. 1990 and 2000 based on enumerated resident population as of April 1. Other years are estimates, which reflect revisions based on the 2000 Census of Population. ⁵ The average number of people served on an inpatient basis on a single day during the reporting period. ⁶ Excludes new construction. ⁷ Includes full-time equivalents of part-time personnel.

Source: Health Forum, An American Hospital Association Company, Chicago, IL, AHA Hospital Statistics 2011 Edition, and prior years (copyright). See also <www.ahadata.com>.

Table 176. Average Cost to Community Hospitals Per Patient: 1990 to 2009

[In dollars, except percent. Covers non-federal short-term general or special hospitals (excluding psychiatric or tuberculosis hospitals and hospital units of institutions). Total cost per patient based on total hospital expenses (payroll, employee benefits, professional fees, supplies, etc.). Data have been adjusted for outpatient visits]

Annual percent change 1	5 2006 2007 2008 200	2005	200	2003	2000	1995	1990	Type of expense and hospital
State and local government 635 878 1,064 1,238 1,291 1,5 Average cost per stay, total 4,947 6,216 6,649 7,796 8,166 8,7 Nongovernmental nonprofit 5,001 6,279 6,717 7,905 8,266 8,6 For profit 4,727 5,425 5,642 6,590 7,139 7,3	2 1,612 1,690 1,782 1,856 0 5.9 4.8 5.4 4. 5 1,686 1,772 1,876 1,95 2 1,472 1,519 1,556 1,57 9 1,400 1,460 1,552 1,61 3 8,970 9,342 9,788 10,04 0 9,190 9,574 10,081 10,37 1 7,422 7,740 7,985 8,03	1,522 5.0 1,585 1,412 1,329 8,793 8,670 7,351 8,793	1,49 5 1,50 1,30 1,29 8,10 8,20 7,13	1,379 6.9 1,429 1,264 1,238 7,796 7,905 6,590	1,149 4.2 1,182 1,057 1,064 6,649 6,717 5,642	968 4.0 994 947 878 6,216 6,279 5,425	687 7.8 692 752 635 4,947 5,001 4,727	Average cost per day, total Annual percent change ¹ Nongovernmental nonprofit For profit State and local government Average cost per stay, total Nongovernmental nonprofit. For profit

¹ Change from immediate prior year.

Table 177. Community Hospitals—States: 2000 and 2009

[In thousands, (823.6 represents 823,600). For definition of community hospitals see footnote 2, Table 175]

¹ The average number of people served on an inpatient basis on a single day during the reporting period.

Source: Health Forum, An American Hospital Association Company, Chicago, IL, AHA Hospital Statistics 2011 Edition, and prior years (copyright). See also <www.ahadata.com>.

Source: Health Forum, An American Hospital Association Company, Chicago, IL, AHA Hospital Statistics 2011 Edition, and prior years (copyright). See also <www.ahadata.com>.

Table 178. Hospital Utilization Rates by Type of Hospital: 1990 to 2009

Type of hospital	1990	1995	2000	2005	2006	2007	2008	2009
Community hospitals: ¹ Admissions per 1,000 population ² Admissions per bed Average length of stay (days) ³ . Outpatient visits per admission Outpatient visits per 1,000 population ² . Surgical operations (million ⁴) Number per admission	125	116	117	119	118	117	118	116
	34	35	40	44	44	43	44	44
	7.2	6.5	5.8	5.6	5.5	5.5	5.5	5.4
	9.7	13.4	15.8	16.6	16.9	17.1	17.5	18.1
	1,207	1,556	1,852	1,976	2,002	2,000	2,053	2,091
	21.9	23.2	26.1	27.5	28.1	28.1	27.5	27.5
	0.7	0.7	0.8	0.8	0.7	0.8	0.8	0.8
Nonfederal psychiatric: Admissions per 1,000 population ² Days in hospital per 1,000 population ²	2.9	2.7	2.4	2.5	2.3	2.3	2.4	2.5
	190	122	93	89	83	82	80	80

¹ Short term (average length of stay less than 30 days) general and special (e.g., obstetrics and gynecology; eye, ear, nose and throat; rehabilitation, etc., except psychiatric, tuberculosis, alcoholism and chemical dependency). Excludes hospital units of institutions. ² Based on U.S. Census Bureau estimated resident population as of July 1. Estimates reflect revisions based on the 2000 Census of Population. 1990 and 2000 based on enumerated resident population as of April 1. ³ Number of inpatient days divided by number of admissions. ⁴ 21.9 represents 21,900,000.

Source: Health Forum, An American Hospital Association Company, Chicago, IL, AHA Hospital Statistics 2011 Edition, and prior years (copyright). See also <www.ahadata.com>.

Table 179. Hospital Utilization Rates by Sex: 1990 to 2009

[30,788 represents 30,788,000. Represents estimates of inpatients discharged from noninstitutional, short-stay hospitals, exclusive of federal hospitals. Excludes newborn infants. Based on sample data collected from the National Hospital Discharge Survey, a sample survey of hospital records of patients discharged in year shown; subject to sampling variability]

Item and sex	1990	1995	2000	2004	2005	2006	2007	2008	2009
Patients discharged (1,000)	30,788	30,722	31,706	34,864	34,667	34,854	34,369	35,697	36,120
total ¹	122	116	113	119	117	117	114	118	118
	100	94	91	97	96	95	94	97	98
	143	136	134	141	138	138	134	139	138
Days of care per 1,000 persons, total ¹	784	620	555	574	562	558	554	577	575
Male	694	551	486	505	498	495	494	518	518
Female	869	686	620	641	624	619	612	635	630
Average stay (days)	6.4	5.4	4.9	4.8	4.8	4.8	4.8	4.9	4.9
	6.9	5.8	5.3	5.2	5.2	5.2	5.3	5.4	5.3
	6.1	5.0	4.6	4.5	4.5	4.5	4.6	4.6	4.6

NA Not available. ¹ Rates are computed using Census Bureau estimates of the civilian population as of July 1. Rates for 1990 and 1995 were based on population estimates adjusted for the net underenumeration in the 1990 census. Rates for 2000 and later were calculated using 2000-based postcensal estimates.

Source: U.S. National Center for Health Statistics, Vital and Health Statistics, Series 13, National Hospital Discharge Survey, http://www.cdc.gov/nchs/nhds/nhds_tables.htm#average, and unpublished data.

Table 180. Hospital Utilization Measures for HIV Patients: 1990 to 2008

[HIV represents human immunodeficiency virus. See headnote, Table 179]

¹ Per 10,000 population. Based on Census Bureau estimated civilian population as of July 1. Rates for 1990 and 1995 were based on population estimates adjusted for the net undernumeration in the 1990 census. Populations for 2000 and later were 2000-based postcensal

Source: U.S. National Center for Health Statistics, Vital and Health Statistics, Series 13 and unpublished data. See also http://www.cdc.gov/nchs/products/series.htm#sr13 and http://www.cdc.gov/nchs/products/series.htm and http://www.cdc.gov/nchs/series.htm and http://www.cdc.gov/nchs/series.htm and http://www.cd

Table 181. Hospital Discharges and Days of Care: 2003 and 2008

[(34,738 represents 34,738,000). See headnote, Table 179. For composition of regions, see map, inside front cover]

		Discha	arges		Dove of on	ro nor	Average stay	
Age, race, and region	Numb (1,00		Per 1,00 persons		Days of ca 1,000 pers		(days)	
	2003	2008	2003	2008	2003	2008	2003	2008
Total ²	34,738	35,697	120	118	578	577	4.8	4.9
Age: Under 1 year old	833 751 986 3,138 4,011 3,683 8,120 4,861 8,356	715 563 707 2,950 4,066 3,453 9,341 5,094 8,808	208 48 24 77 102 83 118 265 475	166 34 18 70 100 82 120 253 470	1,218 149 108 268 353 359 582 1,429 2,776	940 102 75 233 346 331 628 1,391 2,735	5.9 3.1 4.5 3.5 3.5 4.3 4.9 5.4	5.7 3.0 4.3 3.3 3.4 4.0 5.2 5.5 5.8
White Black. Asian/Pacific Islander. American Indian/Eskimo/Aleut	21,292 4,102 550 120	20,487 4,665 591 3 194	91 111 44 43	85 120 42 ³ 63	437 611 231 224	421 642 ³ 213 ³ 259	4.8 5.5 5.2 5.2	5.0 5.3 5.1 4.1
Region: Northeast. Midwest. South. West.	7,267 7,786 13,055 6,631	7,574 8,062 13,366 6,695	134 119 126 100	138 121 120 95	735 520 610 455	771 543 584 450	5.5 4.4 4.9 4.5	5.6 4.5 4.9 4.7

¹ Rates were calculated using U.S. Census Bureau 2000-based postcensal estimates of the civilian population as of July 1. ² Includes other races not shown separately. ³ Figure does not meet standard of reliability or precision.

Table 182. Hospital Discharges and Days of Care by Selected Diagnosis: 2008

[(14,371 represents 14,371,000). Represents estimates of inpatients discharged from noninstitutional, short-stay hospitals, exclusive of federal hospitals. Excludes newborn infants. Diagnostic categories are based on the International Classification of Diseases, Ninth Revision, Clinical Modification. See headnote, Table 179]

	Disch	arges			Discha	irges	
Sex, age, and selected		Per	Average	Sex, age, and selected		Per	Average
first-listed diagnosis 1	Number	1,000	stay	first-listed diagnosis 1	Number	1,000	stay
	(1,000) ²	persons ²	(days) ²		(1,000) ² p	ersons ²	(days) ²
MALE				FEMALE			
MALE All ages 3 Under 18 years 3	14,371	96.5	5.4	All ages ³	21,326	138.5	4.6
Under 18 years 3	1,336	35.3	4.7	Under 18 years 3	1,203	33.3	3.9
Injury	131	3.5	3.4	Chilabirth	138	3.8	2.7
Pneumonia	95	2.5	5.2	Injury	76	2.1	2.4
Asthma	82	2.2	2.3	Schizophrenia, mood disorders,			
18-44 years	2,486	43.9	4.7	delusional disorders,	⁴ 67	⁴ 1.8	7.5
Injury	399	7.1	4.6	nonorganic psychoses 5			7.5 3.2
Schizophrenia, mood disorders, delusional disorders,				18-44 years 3	7,430 3,998	133.9 72.0	3.2 2.7
nonorganic psychoses 5	263	4.6	7.2	Schizophrenia, mood disorders,	3,990	72.0	2.1
Heart disease	157	2.8	3.7	delusional disorders,			
Alcohol and drug ⁶	118	2.1	3.8	nonorganic psychoses ⁵	293	5.3	7.2
45-64 years ³	4.619	121.4	5.4	Injury	175	3.1	4.3
Heart disease	774	20.3	3.9	InjuryUterine fibroids	108	1.9	2.2
Injury	271	7.1	5.2	45-64 years ³	4.722	118.2	5.1
Cancer. all	255	6.7	6.3	Heart disease	436	10.9	4.3
Cancer, all	2,410	260.2	5.6	Cancer, all	267	6.7	5.9
Heart disease	491	53.0	4.4	Osteoarthritis	225	5.6	3.3
Cancer, all	152	16.4	6.9	65-74 years ³	2,683	247.1	5.4
Stroke	110	11.8	5.1	Heart disease	424	39.0	4.5
Pneumonia	.93	10.0	6.1	Osteoarthritis	178	16.4	4.0
Pneumonia75-84 years ³	2,400	449.8	5.8	Cancer, all	141	13.0	6.5
Heart disease	475	89.0	4.8	Pneumonia	93	8.6	6.0
Cancer, all	130	24.4	7.6	75-84 years ³	3,087	401.5	5.8
Pneumonia	130	24.3	5.6	I leaft disease	526	68.5	5.1
Stroke85 years and over ³	126 1.119	23.6 600.4	4.8 6.2	Injury Pneumonia	204 160	26.5 20.8	5.2 6.0
Heart disease	230	123.4	4.9	Ctroko	160	20.8	5.2
Pneumonia.	90	48.2	6.4	Stroke	2,202	570.6	5.2 5.7
Injury	69	37.0	6.6	Heart disease	384	99.5	5.3
myary		37.0	0.0	Injury	239	62.0	5.3
				Pneumonia	123	31.9	5.4

¹ The first-listed diagnosis is the one specified as the principal diagnosis or the first diagnosis listed on the face sheet or discharge summary of the medical record. It is usually the main cause of the hospitalization. The number of first-listed diagnoses is the same as the number of discharges. ² Crude estimates. ³ Includes discharges with first-listed diagnoses not shown in table. ⁴ Estimates are considered unreliable. ⁵ These estimates are for nonfederal short-stay hospitals only and do not include mental illness discharges from other types of facilities such as Veterans Affairs hospitals. ⁶ Includes abuse, dependence, and withdrawal. These estimates are for non-federal short-stay hospitals only and do not include alcohol and drug discharges from other types of facilities or programs such as the Department of Veterans Affairs or day treatment programs. Affairs or day treatment programs.

Source: U.S. National Center for Health Statistics, Vital and Health Statistics, Series 13 and unpublished data. See also http://www.cdc.gov/nchs/products/series.htm#sr13>.

Source: Centers for Disease Control and Prevention, National Center for Health Statistics, National Hospital Discharge Survey, http://www.cdc.gov/nchs/nhds.htm">..

Table 183. Medicare-Certified Hospices, Utilization, and Costs: 1993 to 2010

[215 represents 215,000]

			Covered Days	Program Pa	Payments ¹		
Year	Total Hospices, Number	Persons Served (1,000)	Number (1,000)	Per Person Served	Total (mil. dol.)	Per Person Served (dol.) ²	
1993 1994 1995 1996 1997 1998 2000 2001 2001 2002 2003 2004 2005	1,445 1,726 1,992 2,161 2,344 2,317 2,326 2,267 2,275 2,323 2,434 2,645 2,872	215 266 309 349 383 421 474 534 595 662 731 800 874	12,649 16,038 18,197 18,884 19,166 20,308 21,657 25,958 30,684 36,195 45,512 50,530 57,437	59 60 59 54 50 48 47 52 55 60 64 66	1,250 1,614 1,873 1,991 2,058 2,206 2,525 2,926 3,690 4,539 5,630 6,716 7,902	5,817 6,071 6,058 5,704 5,374 5,242 5,324 5,476 6,208 6,863 7,724 8,428 9,118	
2006	3,071 3,255 3,346 3,405	942 1,000 1,055 1.094	64,997 70,552 74,017 77,410	70 71 71 71	9,236 10,343 11,196 12.084	9,837 10,385 10,662 11.089	
2010	3,509	1,163	81,655	71	12,950	11,175	

¹ Medicare program payments represent fee-for-service only and exclude amounts paid for managed care services. ² Excludes persons who received covered services, but for whom no program payments were reported during the reporting year.

Table 184. Organ Transplants: 1990 to 2010

[As of end of year. Based on reports of procurement programs and transplant centers in the United States, except as noted]

Procedure		N	lumber of p	rocedures		Number of centers		Number of people	1-year patient survival rates.	
	1990	1995	2000	2005	2009	2010	1990	2010	waiting, 2010	2009 (percent)
Transplant: ¹ Heart	2,095	2,342	2,172	2,125	2,212	2,333	148	132	3,182	86.7
Heart-lung Lung	203	69 869	47 955	35 1,406	29 1,661	41 1,770	79 70	50 66	67 1,774	67.6 80.6
Liver Kidney	2,631 9,358 459	3,818 10,957 915	4,816 13,258 910	6,443 16,481 903	6,320 16,829 854	6,291 16,898 828	85 232 (NA)	132 238 (NA)	16,954 94,598 2.281	86.4 94.6 94.7
Kidney-pancreas Pancreas Intestine	60	103 21	420 29	541 178	379 180	350 151	(NA) 84 (NA)	144 43	1,385 266	93.4 74.4
Multi-organ	71	124	213	518	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)

NA Not available. ¹ Kidney-pancreas and heart-lung transplants are each counted as one procedure. All other multiorgan transplants, excluding kidney-pancreas and heart-lung, are included in the multiorgan row. Based on the Organ Procurement and Transplant Network (OPTN) as of May 20, 2011. The data have been supplied by UNOS under contract with Health and Human Services (HHS). This work was supported in part by Health Resources and Services Administration contract 231-00-0015. The authors alone are responsible for the reporting and interpretation of these data. Data subject to change based on future data submission or correction.

Source: U.S. Department of Health and Human Services, Health Resources and Services Administration, Office of Special Programs, Division of Transplantation, Rockville, MD; United Network for Organ Sharing (UNOS), Richmond, VA; University Renal Research and Education Association, Ann Arbor, MI; American Association of Tissue Banks, McLean, VA; and unpublished data. See also http://optn.transplant.hrsa.gov/>.

Source: Centers for Medicare & Medicaid Services (HHS), Medicare and Medicaid Statistical Supplement, 2011. See also .

Table 185. Selected Cosmetic Plastic Surgical and Nonsurgical Procedures: 2005 to 2011

[In thousands (11,428.8 represents 11,428,800). As of December 31. The final data are projected to reflect nationwide statistics and are based on a survey of doctors who have been certified by the American Board of Medical Specialties recognized boards, including but not limited to the American Board of Plastic Surgery. Data for the procedures include but are not limited to those performed by American Society for Aesthetic Plastic Surgery (ASAPS) members. ASAPS members are plastic surgeons certified by the American Board of Plastic Surgery who specialize in cosmetic surgery of the face and the entire body]

Procedure	2005	2006	2007	2008	2009	2010	2011
	11.428.8	11.456.8	11.701.0	10.258.6	9.964.4	9.183.2	9.194.5
Total all procedures Total surgical procedures ¹	2,131.0	1,922.8	2,079.0	1,766.7	1,491.9	1,624.3	1,638.5
Linoplasty (Linosuction)	455.5	403.7	456.8	341.1	283.7	289.0	325.3
Lipoplasty (Liposuction) Breast augmentation	364.6	383.9	399.4	355.7	312.0	318.1	316.8
Abdominoplasty (tummy tuck)	169.3	172.5	185.3	147.4	127.9	144.9	149.4
Blepharoplasty (evelid surgery)	231.5	210.0	240.8	195.1	149.9	152.1	147.5
Rhinoplasty (nose reshaping)	200.9	141.9	151.8	152.4	138.3	133.5	126.1
Rhinoplasty (nose reshaping)	9,297.7	9,534.0	9,622.0	8,491.9	8,472.6	7,558.9	7,556.0
Botox injection ² Hyaluronic acid ³	3,294.8	3,181.6	2,775.2	2,464.1	2,557.1	2,437.2	2,619.7
Hyaluronic acid ³	1,194.2	1,593.6	1,448.7	1,262.8	1,313.0	1,315.1	1,206.2
Laser hair removal	1,566.9	1,475.3	1,412.7	1,281.0	1,280.0	936.3	919.8
	1,023.9	993.1	829.7	557.1	621.9	450.7	499.4
Chemical peel	556.2	558.4	575.1	591.8	529.3	493.9	384.2
_Total female procedures	10,443.8	10,516.7	10,602.5	9,394.8	9,058.5	8,586.7	8,398.4
Total surgical procedures '	1,918.1	1,730.5	1,877.1	1,600.7	1,310.7	1,479.7	1,493.6
Breast augmentation	364.6	383.9	399.4	355.7	312.0	318.1	316.8
Lipoplasty (Liposuction)	402.9	350.4	398.8	309.7	243.2	251.8	283.7
Abdominoplasty (tummy tuck)	164.1	164.8	180.5	143.0	123.0	137.9	142.7
Blepharoplasty (eyelid surgery)	198.1	182.4	208.2	166.4	124.9	131.4	124.6
Breast reduction	160.5	145.8	153.1	139.9	113.5	138.2	113.0
Total nonsurgical procedures	8,525.7	8,786.2	8,725.4	7,794.1	7,747.8	7,107.1	6,904.8
Botox injection ²	2,990.7 1.149.2	2,881.1 1.519.9	2,445.7 1.364.5	2,239.0 1.200.4	2,299.3 1.221.8	2,211.9 1.245.3	2,355.5 1,127.2
Lagor hair removal	1,149.2	1,319.9	1,304.5	1,200.4	1,221.0	817.4	812.4
Microdermahrasion 4	939.5	922.0	743.7	517.3	565.0	416.3	468.5
Laser hair removal. Microdermabrasion ⁴ IPL laser treatment ⁵	(X)	(X)	584.5	479.9	404.5	345.5	396.9
Chemical neel	533.0	530.1	536.0	554.5	492.3	469.6	360.3
Chemical peelSclerotherapy (Spider veins)	548.0	541.3	467.8	417.5	442.0	435.0	348.5
Laser skin resurfacing	432.6	528.1	479.8	532.0	463.3	518.3	319.8
Total male procedures	984.9	940.0	1,098.6	863.7	935.2	750.1	796.1
Total male procedures Total surgical procedures ¹	212.9	192.3	202.0	166.0	160.9	142.6	144.9
Lipoplasty (Liposuction)	52.5	53.3	58.0	31.5	40.5	37.2	41.7
Lipoplasty (Liposuction)	45.9	33.1	31.7	30.2	32.7	30.1	24.5
Blepharoplasty (eyelid surgery)	33.4	27.6	32.6	28.7	25.0	20.7	22.9
Gynecomastia (male breast reduction)	17.7	23.7	20.3	19.1	16.8	18.3	17.6
Hair transplantation	11.2	11.2	16.5	18.1	13.1	(NA)	(NA)
Facelift	13.0	14.1	12.4	13.4	10.5	10.4	(NA)
Facelift Total nonsurgical procedures ¹	772.0	747.7	896.6	697.8	774.4	607.4	651.2
Botox injection *	304.1	300.5	329.5	225.1	257.8	225.2	264.3
Laser hair removal	232.2	166.6	185.7	179.7	166.0	118.9	107.5
Hyaluronic acid ³ IPL laser treatment ⁵ Microdermabrasion ⁴	45.0	73.6	84.2	62.4	91.2	69.8	79.0
Migradormobracion 4	(X)	(X) 71.1	63.2	46.9	47.7	35.9	42.3
WICCOGETMADIASION	84.4 43.1		85.9 20.1	39.8	56.9	34.4	31.0
Laser skin resurfacing	43.1	48.5	30.1	38.9	49.0	44.4	25.8

X Not applicable. NA Not available. ¹ Totals include procedure not shown separately. ² As of 2009, includes Dysport. ³ In 2003, the FDA has approved hyaluronan injections for filling soft tissue defects such as facial wrinkles. ⁴ Procedure for reducing fine lines, "crow's feet," age spots, and acne scars. ⁵ IPL is intense pulse light. One of the procedures available for facial rejuvenation.

Source: The American Society for Aesthetic Plastic Surgery, Statistics, annual (copyright), http://www.surgery.org/media/statistics.

Table 186. Cancer—Estimated New Cases, 2012, and Survival Rates: 1990-2008

[1,639 represents 1,639,000. The 5-year relative survival rate, which is derived by adjusting the observed survival rate for expected mortality, represents the likelihood that a person will not die from causes directly related to their cancer within 5 years. Survival data shown are based on those patients diagnosed while residents of an area listed below during the time periods shown. Data are based on information collected as part of the National Cancer Institute's Surveillance, Epidemiology and End Results (SEER) program, a collection of 9 population-based registries in 18 areas.]

	Estimate	ed new ca	ases. 1			5-year rela	ative surv	ival rates (percent)		
Site	20	12 (1,000))		Wh	ite			Blad	ck	
	Total	Male	Female	1990– 1992	1996– 2000	2001– 2007	2002- 2008	1990– 1992	1996– 2000	2001– 2007	2002- 2008
All sites ² Lung	1,639 226 229 143 103 40 242 74 47 70	848 116 2 73 50 24 242 56 (X) 38	791 110 227 70 53 17 (X) 18 47 32	61.5 14.0 86.6 62.2 63.0 60.2 94.4 80.6 86.4 51.7	65.4 15.2 90.2 64.5 64.4 65.0 98.9 80.3 86.6 61.4	68.6 16.7 91.4 67.1 66.5 68.7 99.9 81.1 86.3 70.7	66.0 16.3 90.2 65.0 64.4 66.5 99.6 78.2 84.8 68.8	47.9 10.4 71.7 53.0 53.5 51.3 84.6 63.4 56.0 42.1	56.0 12.6 77.5 53.8 53.5 54.8 95.6 62.6 63.4 53.6	59.4 13.3 77.4 56.3 54.8 60.9 97.9 64.1 62.0 62.1	58.3 13.0 77.6 56.8 56.1 58.9 96.2 64.2 61.3 61.3
Oral cavity and pharynx Leukemia ⁴ Melanoma of skin Pancreas Kidney Stomach Ovary Cervix uteri ⁵	40 47 76 44 65 21 22 12	29 27 44 22 40 13 (X) (X)	12 20 32 22 25 8 22 12	58.1 46.4 89.3 4.4 60.8 18.8 40.5 70.9	60.9 49.0 91.5 4.3 63.0 21.0 42.9 73.8	65.1 57.1 93.0 5.9 71.0 26.1 43.3 70.3	63.3 55.2 90.9 5.7 70.9 25.4 43.5 69.2	32.5 36.0 61.8 3.7 57.2 22.9 36.2 57.9	39.8 38.3 72.7 4.6 65.6 22.1 37.6 66.6	44.7 50.3 73.4 3.8 68.4 27.2 36.0 60.9	42.1 48.0 72.0 5.0 68.1 26.5 36.0 58.5

X Not applicable. ¹ Estimates provided by American Cancer Society, <www.cancer.org>, are based on rates from the National Cancer Institute's SEER program. ² Includes other sites, not shown separately. ³ Survival rates for female only. ⁴ All types combined. ⁵ Invasive cancer

Table 187. Cancer—Estimated New Cases and Deaths by State: 2012

[Excludes basal and squamous cell skin cancers and in situ carcinomas, except urinary bladder]

	Ne	ew cases 1			Deaths			Ne	w cases	1		Deaths	
State	Total ²	Female breast	Lung & bron- chus	Total ²	Female breast	Lung & bron- chus	State	Total ²	Female breast	Lung & bron- chus	Total ²	Female breast	Lung & bron- chus
U.SALAKAZARCA	1,638,910 26,440 3,640 31,990 16,120 165,810	226,870 3,450 470 4,470 2,150 25,040	226,160 4,440 490 3,970 2,760 18,060	577,190 10,290 930 11,090 6,570 56,620	39,510 710 70 780 420 4,110	160,340 3,240 260 2,850 2,160 12,830	MO MT NE NV NH NJ	33,440 5,550 9,030 13,780 8,350 50,650	4,440 740 1,270 1,770 1,160 6,970	5,370 700 1,230 1,930 1,130 5,990	12,710 2,010 3,450 4,590 2,700 16,650	900 110 210 350 180 1,340	3,970 580 900 1,490 750 4,200
CO	22,820	3,420	2,400	7,190	510	1,690	NM	9,640	1,310	1,090	3,530	240	780
CT	21,530	3,140	2,720	6,940	480	1,780	NY	109,440	14,730	13,620	34,140	2,420	8,880
DE	5,340	740	800	1,930	120	580	NC	51,860	7,090	7,950	18,440	1,290	5,600
DC	2,980	460	370	1,010	80	250	ND	3,510	490	460	1,300	90	320
FL	117,580	15,540	17,860	42,170	2,600	12,200	OH	66,560	8,990	10,270	25,030	1,750	7,350
GAIDILIN	48,130	6,970	6,570	15,790	1,140	4,650	OK	19,210	2,630	3,370	7,800	500	2,440
	6,610	1,120	860	2,380	140	580	OR	21,370	3,200	2,920	7,790	510	2,120
	7,720	1,000	920	2,640	170	660	PA	78,340	10,290	10,890	28,790	1,950	7,750
	65,750	9,090	9,190	23,970	1,650	6,590	RI	6,310	870	860	2,190	130	620
	35,060	4,490	5,460	13,240	850	4,140	SC	26,570	3,570	4,270	9,670	660	2,970
IA	17,010	2,350	2,330	6,410	400	1,790	SD	4,430	600	620	1,630	110	450
KS	14,090	1,990	1,910	5,400	370	1,580	TN	35,610	4,680	6,140	13,880	890	4,570
KY	25,160	3,160	4,430	9,890	570	3,530	TX	110,470	15,050	14,810	36,820	2,650	9,780
LA	23,480	3,320	3,660	9,150	660	2,730	UT	10,620	1,480	880	2,780	250	460
ME	8,990	1,170	1,340	3,230	180	970	VT	4,060	560	550	1,300	80	370
MD	31,000	4,700	4,250	10,440	810	2,850	VA	41,380	6,190	5,550	14,610	1,110	4,150
	38,470	5,480	4,920	12,930	800	3,570	WA	35,790	5,240	4,700	12,170	800	3,270
	57,790	7,710	8,210	20,430	1,350	5,910	WV	11,610	1,430	2,070	4,600	280	1,460
	28,060	4,110	3,750	9,490	600	2,500	WI	31,920	4,270	4,220	11,240	690	3,000
	15,190	1,990	2,550	6,330	440	1,960	WY	2,650	360	330	940	60	250

¹ Estimates are offered as a rough guide and should be interpreted with caution. ² Includes other types of cancer, not shown separately. Source: American Cancer Society, Inc., Cancer Facts and Figures—2012, Atlanta, GA, (copyright). See also http://www.cancer.org/ Research/CancerFactsFigures/index>.

Source: U.S. National Institutes of Health, National Cancer Institute, http://seer.cancer.gov/csr/1975 2009/>.

Table 188. Selected Notifiable Diseases—Cases Reported: 1980 to 2010

[190.9 represents 190,900. As of June 1, 2012. Figures should be interpreted with caution. Although reporting of some of these diseases is incomplete, the figures are of value in indicating trends of disease incidence. Includes cases imported from outside the United States]

Disease	1980	1990	1995	2000	2005	2007	2008	2009	2010
AIDS ¹ Botulism ³ Brucellosis (undulant fever) Chickenpox (Varicella) ⁴ (1,000) Coccidoidomycosis Cryptosporidiosis Domestic arboviral diseases: ⁵	(2)	41,595	71,547	40,758	41,120	37,503	39,202	(1)	(1)
	89	92	97	138	135	144	145	118	112
	183	85	98	87	120	131	80	115	115
	190.9	173.1	120.6	27.4	32.2	40.1	30.4	20.5	15.4
	(2)	(2)	(2)	2,867	6,542	8,121	7,523	12,926	(2)
	(2)	(2)	(2)	3,128	5,659	11,170	9,113	7,654	8,944
West Nile: neuroinvasive. nonneuroinvasive. Enterohemorrhagic Escherichia coli 0157:H7. Giardiasis. Haemophilus influenza. Hansen disease (Leprosy). Hepatitis: A (infectious) (1,000) 6. B (serum) (1,000). C/Non-A, non-B. Legionellosis. Lyme disease. Malaria. Meningococcal infections. Mumps (1,000). Pertussis 7 (1,000). Pertussis 7 (1,000). Psittacosis. Rabies, animal. Rocky Mountain spotted fever. Rubella 8. Salmonellosis 9 (1,000). Shigellosis 10 (1,000). Streptococcal disease, invasive, Group A. Streptococcus pneumoniae, invasive:	19.0 (2) (2) (2) 2,062 2,840	(2) (2) (2) (2) (2) (198 31.4 21.1 2,600 1,370 (2) 1,292 2,451 5.3 4.6 651 1,125 48.6 27.1 (2)	(2) (2) 2,139 (2) 1,180 144 31.6 10.8 4,576 1,241 11,700 1,419 3,243 0.9 5.1 64 7,811 590 128 46.0 32.1 (2)	(2) (2) 4,528 (2) 1,398 91 13.4 8.0 3,197 1,127 17,730 1,560 2,256 0.3 7.9 17 6,934 495 176 39.6 22.9 3,144	1,309 1,691 2,621 19,733 2,304 87 4.5 5.1 652 2,301 23,305 1,245 0.3 25.6 5,915 1,936 11 45.3 16.2 4,715	1,227 2,403 (²) 19,417 2,541 101 3.0 4.5 845 2,716 27,444 1,077 0.8 10.5 5,862 2,221 12 48.0 19.8 5,294	689 667 (²) 18,908 2,886 80 2.6 4,0 877 3,181 35,198 1,255 1,172 0.5 13.3 8 4,196 2,563 16 51.0 22.6 5,674	386 334 (²) 19,399 3,022 103 2.0 3,522 38,468 1,451 980 2.0 16.9 5,343 1,815 3 49.2 15.9 5,279	629 392 (²) 19,811 3,151 98 1.7 3.4 849 3,346 30,158 1,773 833 2.6 27.6 4,331 1,985 54.4 14.8 (²)
Drug-resistant. Age less than 5 years. Tetanus. Toxic-shock syndrome. Trichinosis Tuberculosis 11 (1,000). Typhoid fever.	(2)	(2)	(2)	4,533	2,996	3,329	3,448	3,370	16,569
	(2)	(2)	(2)	(²)	1,495	563	532	583	2,186
	95	64	41	35	27	28	19	18	26
	(2)	322	191	135	90	92	71	74	82
	131	129	29	16	16	5	39	13	7
	27.7	25.7	22.9	16.4	14.1	13.3	12.9	11.5	11.2
	510	552	369	377	324	434	449	397	467
Sexually transmitted diseases: Chlamydia (1,000)	(²)	(²)	478	702	976	1,108	1,211	1,244	1,308
	1,004	690	393	359	340	356	337	301	309
	69	134	69	32	33	41	46	45	46

¹ Acquired immunodeficiency syndrome was not a notifiable disease until 1984. Includes all cases reported to the Division of HIV/AIDS Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention. In 2008 CDC published a revised HIV case definition, see Table 189. ² Disease was not notifiable. ³ Includes foodborne, infant, wound, and unspecified cases. ⁴ Chickenpox was taken off the nationally notifiable list in 1991 but many states continue to report. ⁵ The national surveillance case definitions for the arboviral diseases was revised in 2005, and nonneuroinvasive arboviral diseases were added to the list of nationally notifiable infectious diseases. ⁶ Data on chronic hepatitis B and hepatitis C virus infection (past or present) are not included because they are undergoing data quality review. ⁷ Whooping cough. ⁸ German measles. Excludes congenital syndrome. ⁹ Excludes typhoid fever. ¹⁰ Bacillary dysentery. ¹¹ Newly reported active cases.

Source: Centers for Disease Control and Prevention, Summary of Notifiable Diseases, United States, 2010, Morbidity and Mortality Weekly Report, Vol. 59, No. 53, 2012. See also http://www.cdc.gov/mmwr/mmwr_nd/index.html>.

Table 189. HIV Diagnoses, Chlamydia, and Lyme Disease Cases Reported by State: 2010

State	HIV diagno- ses 1	Chla- mydia ²	Lyme disease	State	HIV diagno- ses ¹	Chla- mydia ²	Lyme disease	State	HIV diagno- ses 1	Chla- mydia ²	Lyme disease
U.S. AL. AK. AZ. AR. CA. CO. CT. DE. DC. FL. GA. HI. ID. II. IN.	35,741 570 35 544 202 3,786 408 356 122 638 4,862 1,170 51 36 1,068 413 108	1,307,893 27,041 6,019 26,861 15,424 150,443 19,447 12,649 4,464 5,589 74,744 45,147 6,015 4,208 60,672 22,825 10,542	30,158 2 7 2 129 3 3,068 656 42 84 10 (NA) 9 135 78	KSKYLAMEMAMIMNMSMOMTNVNJNJNJNJNJNMNY	110 270 1,164 55 1,195 446 650 336 486 533 12 95 344 51 941 135 3,693	9,601 16,376 29,151 2,586 26,192 21,080 49,478 15,294 21,417 26,049 3,082 5,114 9,666 2,462 26,142 11,706 99,920	10 5 3 751 1,617 3,263 95 1,960 4 4 4 8 8 2 1,339 3,712 5 3,425	NCNDOHOHOKORPARISCSDTNTXUTVYVAWAWAWAWWWYWAWWWYW	1,324 11 913 247 198 1,377 108 750 32 826 3,232 68 7 918 494 75 255 21	42,048 2,404 51,150 14,302 12,352 47,518 3,480 26,525 3,192 28,327 119,872 6,690 1,257 30,797 21,348 3,876 23,236 2,113	82 33 44 39 3,805 181 29 1 36 142 356 1,245 16 145 3,488

⁻ Represents zero. NA Not available. ¹ Total number of HIV diagnoses reported to the Division of HIV/AIDS Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention (NCIRD), as of December 31, 2010. ² As of June 8, 2011.

Source: Centers for Disease Control and Prevention, Summary of Notifiable Diseases, United States, 2010, Morbidity and Mortality Weekly Report, Vol. 59, No. 53, 2012. See also http://www.cdc.gov/mmwr/mmwr nd/index.html>.

Table 190. Estimated Numbers of AIDS Diagnoses Among Adults and Adolescents by Sex and Transmission Category: 2007 to 2010

[All data are provisional. Data are included for 50 states, the District of Columbia, Puerto Rico, the U.S. Virgin Islands, Guam, and the U.S. Pacific Islands. Estimated numbers resulted from statistical adjustment that accounted for reporting delays and missing risk-factor information, but not for incomplete reporting. Acquired immunodeficiency syndrome (AIDS) is a specific group of diseases or conditions which are indicative of severe immunosuppression related to infection with the human immunodeficiency virus (HIV). Data are subject to retrospective changes and may differ from those data in Table 188. For information on HIV death rates, go to Table 131]

Transmission category	2007	2008	2009	2010	Cumulative through 2010 1
Persons 13 years old and over, total ²	35,081	34,347	33,628	33,607	1,153,677
Males, total Male-to-male sexual contact Injection drug use Male-to-male sexual contact and injection drug use. Heterosexual contact ³ Other ⁴	25,534 16,120 3,573 1,828 3,863 150	25,278 16,067 3,346 1,738 3,960 167	24,992 16,470 2,918 1,577 3,887 139	25,186 16,935 2,906 1,474 3,738 133	918,581 547,061 199,428 81,567 78,497 12,028
Females, total Injection drug use. Heterosexual contact ³ . Other ⁴ .	9,547 2,367 7,016 164	9,068 2,145 6,805 118	8,636 1,927 6,576 134	8,422 1,790 6,506 127	235,096 91,415 137,253 6,428

¹ From the beginning of the epidemic through 2010. ² Because column totals for estimated numbers were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total. ³ Heterosexual contact with a person known to have, or to be at high risk for, HIV infection. ⁴ Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.

Table 191. Estimated Numbers of Persons Living With an AIDS Diagnosis by Selected Characteristics: 2000 to 2009

[See headnote, Table 190]

Age and characteristic	2000	2005	2007	2008	2009
Total ^{1, 2}	323,679	432,846	456,313	472,560	487,968
AGE AS OF END OF YEAR					
Less than 13 years old	2,954	1,506	933	711	554
13 and 14 years old	528	811	702	629	491
15 to 24 years old	5,158	7,806	8,791	9,399	10,049
25 to 34 years old	56,129	45,923	43,809	44,290	44,999
35 to 44 years old	146,206	164,551	151,582	144,336	136,107
45 to 54 years old	85,474	149,284	169,788	181,636	191,944
55 to 64 years old	21,717	50,376	64,457	72,976	82,529
65 years old and over	5,513	12,589	16,251	18,584	21,294
RACE/ETHNICITY					
American Indian/Alaska Native	1,035	1,506	1,529	1,602	1,659
Asian ³	2,293	3,777	4,367	4,751	5,112
Black/African American	131,826	183,083	192,006	199,472	206,488
Hispanic/Latino 4	66,271	90,836	98,122	102,208	106,396
Native Hawaiian/Other Pacific Islander	174	331	407	437	481
White	118,189	147,585	152,855	156,807	160,402
Multiple races	3,719	5,566	6,925	7,184	7,335
Transmission category:					
MALE ADULT/ADOLESCENT					
Males 13 years old and over, total	251,286	330,239	346,250	358,174	369,674
Male-to-male sexual contact	143,594	196,973	211,381	220,844	230,389
Injection drug use	58,437	65,366	63,309	63,346	63,075
Male-to-male sexual contact and injection drug use	25,635	30,289	30,974	31,281	31,326
Heterosexual contact 5	20,922	34,563	37,858	39,923	42,076
Other ⁶	2,698	3,048	2,728	2,781	2,808
FEMALE ADULT/ADOLESCENT					
Females 13 years old and over, total	68,423	98,500	106,032	110,379	114,322
Injection drug use	28,644	34,207	34,352	34,510	34,679
Heterosexual contact 5	38,269	62,252	69,846	73,988	77,698
Other ⁶	1,510	2,041	1,834	1,881	1,945
CHILD (LESS THAN 13 YEARS OLD AT DIAGNOSIS)					
Total	3,971	4,107	4,031	4,007	3,972
Perinatal	3,756	3,889	3,826	3,801	3,772
Other ⁶	215	218	205	206	201

¹ Total numbers include persons of unknown race/ethnicity. ² Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total. ³ Includes Asian/Pacific Islander legacy cases. ⁴ Hispanics/ Latinos can be of any race. ⁵ Heterosexual contact with a person known to have, or to be at high risk for, HIV infection. ⁶ Includes hemophilia, blood transfusion, perinatal exposure, and risk factor not reported or not identified.

Source: U.S. Centers for Disease Control and Prevention, Atlanta, GA, HIV Surveillance Report, 2010, Vol. 22, http://www.cdc.gov/hiv/ surveillance/resources/reports/2010report>.

Source: U.S. Centers for Disease Control and Prevention, Atlanta, GA, HIV Surveillance Report, 2010, Vol. 22, http://www.cdc.gov/hiv/ surveillance/resources/reports/2010report>.

Table 192. Learning Disability or Attention Deficit Hyperactivity Disorder for Children 3 to 17 Years of Age by Selected Characteristics: 2010

[In thousands, except percent (61,655 represents 61,655,000). Learning disability is based on the question, "Has a representative from a school or a health professional ever told you that (child's name) had a learning disability?" Attention Deficit Hyperactivity Disorder is based on the question, "Has a doctor or health professional ever told you that (child's name) had Attention Hyperactivity Disorder or Attention Deficit

			Ever tole	d had—	
Selected characteristic		Learning d	isability	Attention of hyperactivity	
	Total	Number ¹	Percent ²	Number ¹	Percent ²
Total ³	61,655	4,838	7.9	5,161	8.4
SEX ⁴ MaleFemale	31,519 30,137	2,917 1,921	9.3 6.4	3,511 1,649	11.2 5.5
AGE 3 to 4 years old		267 2,291 2,280	3.2 8.0 9.3	139 2,181 2,840	⁶ 1.7 7.6 11.6
RACE Race Alone 4, 5 White. Black or African American. American Indian or Alaska Native. Asian. Native Hawaiian or Other Pacific Islander. Two or more races 4, 7 Black or African American and White. American Indian or Alaska Native and White.	59,155 46,607 9,106 541 2,746 155 2,500 1,082 425	4,598 3,532 904 ⁶ 57 95 (B) 240 ⁶ 142 40	7.8 7.6 10.0 6 10.2 3.5 (B) 9.3 11.5 6 10.6	4,948 3,920 939 6 43 6 38 (B) 213 144 (B)	8.4 8.4 10.5 6 7.6 6 1.4 (B) 8.9 14.1 6 4.3
HISPANIC ORIGIN AND RACE 4, 8 Hispanic or Latino. Mexican or Mexican American. Not Hispanic or Latino. White, single race. Black or African American, single race.	9,480 47,809 34,175	895 607 3,942 2,765 860	6.7 6.6 8.2 8.0 10.1	589 319 4,572 3,391 917	4.4 3.5 9.5 9.8 10.8

B Base figure too small to meet statistical standards for reliability of a derived figure. ¹ Unknowns for the columns are not included in the frequencies, but they are included in the "Total" column. ² Unknowns for the column variables are not included in the denominators when calculating percentages. ³ Includes other races not shown separately. ⁴ Percents are age-adjusted to the 2000 projected U.S. standard population using age groups 3–4 years, 5–11 years, and 12–17 years. ⁵ Refers to persons who indicated only a single race group. ⁶ Figures do not meet standard of reliability or precision. ⁷ Refers to all persons who indicated more than one race group. ⁸ Persons of Hispanic or Latino origin may be any race.

Source: National Center for Health Statistics, Summary Health Statistics for U.S. Children: National Health Interview Survey, 2010, Vital and Health Statistics, Series 10, Number 250, 2011. See also http://www.cdc.gov/nchs/nhis.htm.

Table 193. Children and Youth With Disabilities Served by Type of Disability: 1995 to 2010

[In thousands (5,078.8 represents 5,078,800). As of fall. For children and youth aged 6 to 21 served under the Individuals with Disabilities Education Act (IDEA) Part B. Includes outlying areas]

Disability	1995	2000	2005	2006	2007	2008	2009	2010
Total	5,078.8	5,773.9	6,109.6	6,081.9	6,007.8	5,889.8	5,882.2	5,822.8
Specific learning disabilities Speech or language impairments Mental retardation Emotional disturbance Multiple disabilities Hearing impairments Orthopedic impairments	2,601.8	2,881.6	2,780.2	2,710.5	2,620.2	2,525.9	2,486.4	2,415.6
	1,026.9	1,093.4	1,157.2	1,160.9	1,154.2	1,122.0	1,107.4	1,090.4
	585.6	613.4	545.5	523.2	498.2	476.1	461.3	445.3
	439.2	474.3	472.4	458.9	440.2	418.1	405.5	387.6
	94.5	122.9	133.9	134.2	132.6	124.1	124.5	123.6
	68.0	70.8	72.4	72.6	72.2	70.8	70.7	69.8
	63.2	73.0	63.1	61.9	60.5	62.4	58.0	55.7
Other health impairments. Visual impairments. Autism. Deaf-blind. Traumatic brain injury. Developmental delay ¹	134.2	294.0	561.0	599.5	631.2	648.4	679.0	704.3
	25.5	26.0	26.0	26.4	26.4	25.8	25.8	25.7
	29.1	79.6	193.6	224.6	258.3	292.8	333.2	370.0
	1.4	1.3	1.6	1.5	1.4	1.7	1.4	1.3
	9.6	14.9	23.5	23.9	23.9	24.9	24.4	24.6
	(X)	28.6	79.1	83.9	88.6	96.9	104.5	109.1

X Not applicable. 1 States had the option of reporting children aged 3 to 9 under developmental delay beginning 1997. Source: U.S. Department of Education, Office of Special Education, http://www.ideadata.org/PartBData.asp.

Table 194. Children Under 18 Years of Age Receiving Special Education or Early **Intervention Services: 2010**

[In thousands, except percent (74,625 represents 74,625,000). Receiving special education or early intervention services is based on the question, "Do any of the following (family members under 18 years of age) receive special education or early intervention services?"]

Selected Characteristic		Persons under 18 years v special education early in	
	Total	Number ¹	Percent ²
Total ³	74,625	5,162	6.9
SEX ⁴ MaleFemale		3465 1,697	9.1 4.7
AGE Under 12 years12 to 17 years	50,457 24,168	3,177 1,985	6.3 8.2
RACE Race Alone 4, 5 White. Black or African American. American Indian or Alaska Native. Asian. Native Hawaiian or Other Pacific Islander. Two or more races 4, 7	56,223 11,085 772 3,374 168	4,962 3,922 862 54 105 6 19 200	7.0 7.0 7.8 7.0 3.1 6 11.2 7.0
HISPANIC ORIGIN AND RACE ^{4, 8} Hispanic or Latino Mexican or Mexican American Not Hispanic or Latino White, single race Black or African American, single race	57,459 40.804	878 537 4,284 3,151 818	5.2 4.7 7.5 7.7 7.8

B Base figure too small to meet statistical standards for reliability of a derived figure. ¹ Unknowns for the columns are not included in the frequencies, but they are included in the "Total" column. ² Unknowns for the column variables are not included in the denominators when calculating percentages. ³ Includes other races not shown separately. ⁴ Percents are age-adjusted to the 2000 projected U.S. standard population using two age groups 0-11 years, and 12-17 years. ⁵ Refers to persons who indicated only a single race group. ⁶ Figures do not meet standard of reliability or precision. ⁷ Refers to all persons who indicated more than one race group. ⁸ Persons of Hispanic or Latino origin

Source: National Center for Health Statistics, Summary Health Statistics for the U.S. Population: National Health Interview Survey, 2010, Vital and Health Statistics, Series 10, Number 251, 2011. See also http://www.cdc.gov/nchs/nhis.htm.

Table 195. Disabilities Tallied by Age Group and by State: 2010

[In thousands (35,475 represents 35,475,000). Based on data from the American Community Survey (ACS). Disability data limited to civilian noninstitutionalized population. People aged 5 to 14 were classified as having a disability if they were reported to have any one of the five limitations: hearing difficulty, vision difficulty, cognitive difficulty, ambulatory difficulty, or self-care difficulty. People aged 15 and over were classified as having a disability if they reported any one of the five limitations listed above or independent living difficulty. Based on a sample and subject to sampling variability. See text, Section 1 and Appendix III]

State	Total	5 to 17 years	18 to 64 years	65 years and over	State	Total	5 to 17 years	18 to 64 years	65 years and over
U.S	35,475	2,733	18,670	14,071	МО	811	60	440	311
AL	758	54	423	281	MT	125	8	64	52
AK	74	6	48	20	NE	205	16	104	85
AZ	703	52	364	287	NV	282	19	152	110
AR	466	37	255	173	NH	145	14	77	54
CA	3,620	263	1,818	1,539	NJ	842	69	398	375
CO	496	38	273	185	NM	268	16	140	112
CT	367	28	179	159	NY	2,013	142	1,012	858
DE	108	8	60	39	NC	1,229	95	673	460
DC	66	6	37	23	ND	69	4	32	32
FL	2,359	148	1,115	1,096	OH	1,501	128	804	569
GA	1,108	96	615	397	OK	574	39	323	212
<u>H</u> I	140	<u>11</u>	.66	63	OR	521	.37	287	198
ID	194	17	103	74	PA	1,633	132	824	677
<u> </u>	1,285	101	640	544	RI	139	12	75	53
IN	797	66	435	295	SC	627	37	352	237
IA	335	25	172	138	<u>SD</u>	90	6	_43	40
KS	340	26	178	136	<u>TN</u>	944	66	530	348
KY	708	51	423	233	TX	2,851	273	1,549	1,029
LA	668	58	378	232	UT	231	22	124	85
ME	197	15	104	78	VT	82	_7	.45	30
MD	578	48	298	231	VA	842	59	447	336
MA	697	.57	354	285	WA	788	56	425	307
MI	1,320	109	715	496	WV	344	21	197	126
MN	520	45	266	209	WI	603	51	306	246
MS	471	36	267	168	WY	65	5	36	25

Source: U.S. Census Bureau, 2010 American Community Survey, B18101, "Sex by Age by Disability Status," http://www.factfinder.census. gov/>, accessed April 2012.

Table 196. Children Immunized Against Specified Diseases: 1995 to 2010

[In percent. Covers civilian noninstitutionalized population aged 19 months to 35 months. Based on estimates from the National Immunization Survey. The health care providers of the children are contacted to verify and/or complete vaccination information. Results are based on race/ethnic status of the child]

					20	10 ¹		
Vaccination	1995, total	2000, total	Total	White ²	Black ²	Hispanic ³	American Indian/ Alaska Native only ²	Asian ²
Diphtheria-tetanus-pertussis (DTP) diphtheria-tetanus: 3+ doses. 4+ doses. Polio: 3+ doses. Measles, mumps, rubella vaccine. Hib: 3+ doses 4. Hepatitis B: 3+ doses. Varicella 5. PCV: 3+ doses 6. 4+ DTP/3+ polio/1+ MMR/3+ Hib 7. 4+ DTP/3+ polio/1+ MMR/3+ Hib/3+	(NA) (X) 74.0	94.0 82.0 90.0 91.0 93.0 90.0 68.0 (X) 76.0	95.0 84.4 93.3 91.5 90.4 91.8 90.4 92.6 80.3	95.1 84.5 93.2 90.6 90.3 91.4 88.9 92.8 79.8	95.3 83.7 94.0 92.1 89.4 92.1 91.5 92.6 79.3	95.1 84.4 93.8 92.9 92.0 92.5 92.3 93.4 81.6	97.3 81.8 94.6 93.4 93.9 97.2 95.7 94.5 80.2	95.7 88.3 92.8 91.7 85.7 91.7 92.5 87.8 80.2
HepB ⁸	55.1	72.8	⁹ 76.3	⁹ 75	⁹ 75.7	⁹ 78.3	⁹ 77.8	⁹ 76.9

NA Not available. X Not applicable. ¹ Children in the first quarter 2010—fourth quarter 2010 National Immunization Survey were born between January 2007 and July 2009. ² Non-Hispanic. ³ Children of Hispanic origin may be any race. ⁴ Haemophilus influenzae type B. ⁵ Data collection for varicella (chicken pox) began in July 1996. ⁶ PCV = Pneumococcal conjugate vaccine. ⁷ MMR = Measles, mumps, and rubella. ⁸ Children are considered immunized with this series. ⁹ 4+ DTP/3+ polio/1+ MMR/3+ Hib/3+ HepB/1+ Varicella

Source: U.S. Centers for Disease Control and Prevention, Atlanta, GA, National Immunization Program, Data and Statistics, *Immunization Coverage in the U.S.* See also http://www.cdc.gov/vaccines/stats-surv/imz-coverage.htm#nis.

Table 197. Asthma Incidence Among Children Under 18 Years of Age by Selected Characteristics: 2010

[In thousands, except percent (74,626 represents 74,626,000). Based on the National Health Interview Survey, a sample survey of the civilian noninstitutionalized population; see Appendix III]

Calastad sharestaristic		Ever told had	asthma	Still have asthma		
Selected characteristic	Total	Number ¹	Percent ²	Number ¹	Percent ²	
Total ³	74,626	10,133	13.6	6,976	9.4	
SEX ⁴ MaleFemale	38,135	5,827	15.5	3,991	10.6	
	36,491	4,307	11.9	2,986	8.3	
AGE 0 to 4 years old	21,414	1,714	8.0	1,285	6.0	
	28,666	4,200	14.7	3,020	10.5	
	24,546	4,219	17.2	2,672	10.9	
RACE Race Alone 4, 5. White. Black or African American. American Indian or Alaska Native. Asian. Native Hawaiian or Other Pacific Islander. Two or more races 4, 7.	71,490	9,581	13.5	6,605	9.3	
	56,170	6,747	12.1	4,544	8.2	
	11,030	2,331	21.4	1,742	16.0	
	768	⁶ 65	6 9.6	6 33	⁶ 4.9	
	3,354	428	13.0	281	8.5	
	168	(B)	(B)	(B)	(B)	
	3,136	553	18.7	372	12.5	
HISPANIC ORIGIN AND RACE ^{4, 8} Hispanic or Latino. Mexican or Mexican American. Not Hispanic or Latino. White, single race. Black or African American, single race.	17,167	2,099	12.7	1,385	8.3	
	11,590	1,243	11.1	793	7.1	
	57,460	8,034	14.0	5,591	9.8	
	40,766	4,936	12.1	3,347	8.2	
	10,430	2,206	21.4	1,654	16.1	

B Figure too small to meet statistical standards for reliability of a derived figure. ¹ Unknowns for the columns are not included in the frequencies, but they are included in the "Total" column. ² Unknowns for the column variables are not included in the denominators when calculating percentages. ³ Includes other races, not shown separately. ⁴ Estimates are age-adjusted to the 2000 projected U.S. standard population using age groups 0–4 years, 5–11 years, and 12–17 years. ⁵ Refers to persons who indicated only a single race group. ⁶ Figures do not meet standard of reliability or precision. ⁷ Refers to all persons who indicated more than one race group. ⁸ Persons of Hispanic or Latino origin may be any race or combination of races.

Source: National Center for Health Statistics, Summary Health Statistics for U.S. Children: National Health Interview Survey, 2010, Vital and Health Statistics, Series 10, Number 250, 2011. See also http://www.cdc.gov/nchs/data/series/sr_10/sr10_250.pdf>.

Table 198. Nursing Homes, Beds, Residents, and Occupancy Rate by State: 2010

[Based on a census of certified nursing facilities]

State	Nursing homes	Beds	Residents	Occupancy rate 1	State	Nursing homes	Beds	Residents	Occupancy rate 1
U.SALAKAZARCA	15,690 227 15 139 232 1,239	1,703,398 26,656 682 16,460 24,548 121,167	1,396,473 22,968 641 11,878 17,864 102,591	82.0 86.2 94.0 72.2 72.8 84.7	MONENVNHNJ	514 88 222 50 79 360	55,393 6,991 16,065 5,856 7,692 51,101	37,839 4,943 12,630 4,735 6,932 45,917	68.3 70.7 78.6 80.9 90.1 89.9
CO CT DE DC FL	213 239 47 19 678	20,259 29,255 4,990 2,775 82,226	16,302 25,972 4,145 2,595 71,907	83.1	NM NY NC ND.	70 635 424 85 960	6,769 117,984 44,392 6,438 93,043	5,555 109,044 37,199 5,629 79,234	82.1 92.4 83.8 87.4 85.2
GAIDILIN.	360 48 79 787 506	39,960 4,303 6,153 101,061 57,721	34,704 3,880 4,388 75,224 39,167	86.8 90.2 71.3 74.4 67.9	OK OR PA RI SC	314 137 710 86 184	28,932 12,218 88,829 8,802 19,474	19,227 7,549 81,014 8,043 17,133	66.5 61.8 91.2 91.4 88.0
IA KS KY LA ME	443 340 285 281 109	32,842 25,598 26,063 36,098 7,127	25,463 18,985 23,252 25,198 6,417	77.5 74.2 89.2 69.8 90.0	SDTNTXUTVT	110 318 1,173 99 40	7,932 37,279 130,665 8,255 3,276	6,497 31,927 91,099 5,361 2,931	81.9 85.6 69.7 64.9 89.5
MD	231 427 428 385 203	29,004 49,175 47,054 32,339 18,589	24,816 42,880 39,894 29,434 16,489	85.6 87.2 84.8 91.0 88.7	VA	286 229 127 392 38	32,152 21,837 10,840 36,113 2,965	28,314 18,065 9,557 30,618 2,427	88.1 82.7 88.2 84.8 81.9

NA Not available. 1 Percentage of beds occupied (number of nursing home residents per 100 nursing home beds). Source: U.S. National Center for Health Statistics, Health, United States, 2011. See also http://www.cdc.gov/nchs/hus.htm.

Table 199. Insufficient Rest or Sleep by Number of Days and Selected **Characteristics: 2008**

[In percent, except as noted. Age-adjusted to 2000 projected U.S. population. Respondents were asked, "During the past 30 days, for about how many days have you felt you did not get enough sleep?"]

Characteristic			Days without enoug	h rest or sleep	
Characteristic	Number ¹	0 days	1–13 days	14–29 days	30 days
Total	403,981	30.7	41.3	16.8	11.1
Sex: MaleFemale	152,513	33.6	40.9	15.6	9.9
	251,468	28.1	41.5	18	12.4
Age: 18 to 24 years old. 25 to 34 years old. 35 to 44 years old. 45 to 64 years old. 65 years old or over.	13,881	23.2	45.5	19.7	11.6
	38,978	21.8	44.1	20.4	13.8
	61,350	22.8	45.2	20.1	12.0
	169,906	30.5	42.4	16.3	10.9
	119,866	56.7	28.3	7.6	7.4
Race/ethnicity: White, non-Hispanic. Black, non-Hispanic. Other, non-Hispanic ² . Hispanic ³ .	318,694	27.9	42.7	18.2	11.2
	31,513	30.4	40.4	16.0	13.3
	22,108	35.4	37.2	15.8	11.6
	28,045	38.8	37.7	13.0	10.5
Employment status: Employed Unemployed. Retired Unable to work. Homemaker or student.	215,127	28.7	44.2	17.1	9.9
	16,797	32.5	36.7	16.9	13.9
	106,325	43.8	33.2	13.4	9.5
	25,956	24.3	28.4	21.6	25.8
	38,395	31.3	41.7	15.9	11.1
Education: Less than high school High school or GED ⁴ Some college or college graduate	39,395	37.9	33.6	14.2	14.3
	121,346	33.8	37.3	15.7	13.2
	242,194	28.0	44.5	17.9	9.6
Marital status: Married Divorced, widowed, or separated Member of unmarried couple. Never married.	226,418	30.9	42.1	15.9	11.1
	119,372	30.4	35.1	18.6	16.0
	8,945	28.4	42.8	16.7	12.1
	48,016	31.6	41.0	16.7	10.6

¹ Unweighted sample. Categories may not sum to total due to missing responses. ² Asian, Hawaiian or other Pacific Islander, American Indian/Alaska Native, or multiracial. ³ Persons of Hispanic origin may be any race. ⁴ General Education Development certificate.

Source: U.S. Centers for Disease Control and Prevention, Atlanta, GA, Morbidity and Mortality Weekly Report, Vol. 58, No. 42, 2009. See also http://www.cdc.gov/mmwr/index2009.html>.

Table 200. Persons 18 Years of Age and Over With Selected Diseases and **Conditions by Selected Characteristics: 2010**

[In thousands (229,505 represents 229,505,000). Based on National Health Interview Survey, a sample survey of the civilian noninstitutionalized population; see Appendix III)

			Persons wit	h selected dis	eases and c	onditions	
Selected characteristics	Total persons	Diabe- tes 1, 2	Ulcers ¹	Kidney dis- ease ^{3, 4}	Liver dis- ease ³	Arthritis diag- nosis ⁵	Chronic joint symp- toms ⁵
Total ⁶	229,505	20,974	14,992	3,931	3,288	51,948	67,024
SEX Male Female AGE	110,929 118,576	10,804 10,170	6,703 8,289	1,775 2,156	1,721 1,567	21,152 30,796	30,141 36,883
18 to 44 years. 45 to 64 years. 65 to 74 years. 75 years and over.	110,615 80,198 21,291 17,401	3,022 9,676 4,563 3,713	4,591 6,418 2,241 1,742	804 1,578 740 809	978 1,835 309 167	7,838 24,292 10,426 9,391	18,794 30,801 9,572 7,857
RACE Race alone ⁷ White Black or African American American Indian or Alaska Native Asian Native Hawaiian or other Pacific Islander Two or more races ⁹ HISPANIC ORIGIN ¹⁰	226,314 185,330 27,807 1,795 11,096 284 3,191	20,640 16,180 3,257 266 891 (B) 335	14,701 12,449 1,620 170 449 (B) 291	3,904 3,093 704 8 23 85 - 8 27	3,263 2,615 426 8 47 175 (B)	51,203 43,703 5,855 429 1,186 8 31 744	65,868 56,151 7,364 598 1,717 8 38 1,156
Hispanic or Latino	32,094 19,712	3,178 1,977	1,510 898	549 369	569 342	3,774 2,100	6,033 3,603

⁻ Represents zero. B Figure too small to meet statistical standards for reliability of a derived figure. 1 Respondents were asked if they had – Represents zero. B Figure too small to meet statistical standards for reliability of a derived figure. ¹ Respondents were asked if they had ever been told by a health professional that they had an ulcer or diabetes. A person may be represented in more than one column. ² Excludes borderline diabetes. ³ Respondents were asked if they had been told in the last 12 months by a health professional that they had weak or failing kidneys or any kind of liver condition. ⁴ Excludes kidney stones, bladder infections, or incontinence. ⁵ Respondents were asked if they had ever been told by a health professional that they had some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia. Those that answered "yes" were classified as having an arthritis diagnosis. Respondents with joint symptoms (excluding back and neck) that began more than 3 months prior to interview were classified as having chronic joint symptoms. ⁶ Total includes other races not shown separately. ႛ Refers to persons who indicated only a single race group. ⁸ Figures do not meet standard of reliability or precision. ⁹ Refers to all persons who indicated more than one race group. ¹⁰ Persons of Hispanic or Latino origin may be of any race or combination of races.

Source: National Center for Health Statistics, Summary Health Statistics for U.S. Adults: National Health Interview Survey, 2010, Vital and Health Statistics, Series 10, Number 252, 2012, https://www.cdc.gov/nchs/nhis.htm.

Table 201. Persons 18 Years of Age and Over With Selected Circulatory Diseases by Selected Characteristics: 2010

[In thousands (229,505 represents 229,505,000). In separate questions, respondents were asked if they had ever been told by a doctor or other health professional that they had: hypertension (or high blood pressure); coronary heart disease, angina (or angina pectoris); heart attack (or myocardial infarction); any other heart condition or disease not already mentioned; or a stroke. A person may be represented in more than one column. Based on National Health Interview Survey, a sample survey of the civilian noninstitutionalized population; see Appendix III]

		Selected circulatory diseases						
Characteristic	Total	Heart dise	ease	Hyper-				
	persons	All types 1	Coronary ²	tension ³	Stroke			
Total ⁴	229,505	27,066	15,262	59,259	6,226			
SEX MaleFemale	110,929	13,705	8,872	28,018	3,002			
	118,576	13,361	6,391	31,241	3,223			
AGE 18 to 44 years	110,615	4,897	1,494	10,303	664			
	80,198	10,568	5,803	27,531	2,403			
	21,291	5,173	3,508	11,485	1,302			
	17,401	6,428	4,457	9,940	1,856			
RACE Race alone ⁵ White Black or African American. American Indian or Alaska Native Asian. Native Hawaiian or Other Pacific Islander. Two or more races ⁷	226,314	26,664	15,008	58,575	6,130			
	185,330	22,903	12,829	46,999	4,912			
	27,807	2,798	1,577	8,973	951			
	1,795	224	104	482	⁶ 72			
	11,096	696	458	2,040	180			
	284	(B)	(B)	⁶ 81	(B)			
	3,191	402	254	684	⁶ 96			
HISPANIC ORIGIN ⁸ Hispanic or Latino	32,094	2,020	1235	5,681	590			
	19,712	1,178	708	3,395	321			

B Figure too small to meet statistical standards for reliability of a derived figure.

Heart disease includes coronary heart disease, angina pectoris, heart attack, or any other heart condition or disease.

Coronary heart disease includes coronary heart disease, angina pectoris, or heart attack.

Persons had to have been told on two or more different visits that they had hypertension, or high blood pressure, to be classified as hypertensive.

Includes other races not shown separately.

Refers to persons who indicated only a single race group.

Persons of Hispanic or Latino origin may be any race or combination of races.

Source: National Center for Health Statistics, Summary Health Statistics for the U.S. Population: National Health Interview Survey, 2010, Vital and Health Statistics, Series 10, Number 252, 2012. See also http://www.cdc.gov/nchs/nhis.htm.

Table 202. Selected Respiratory Diseases Among Persons 18 Years of Age and Over by Selected Characteristics: 2010

[In thousands (229,505 represents 229,505,000). Respondents were asked in two separate questions if they had ever been told by a doctor or other health professional that they had emphysema or asthma. Respondents who had been told they had asthma were asked if they still had asthma. Respondents were asked in three separate questions if they had been told by a doctor or other health professional in the past 12 months that they had hay fever, sinusitis, or bronchitis. Based on the National Health Interview Survey, a sample survey of the civilian noninstitutionalized population; see Appendix III]

		Selected respiratory conditions ¹					
Selected characteristic	Total	Emphy-	Asthi	ma	Hay		Chronic
	persons	sema	Ever	Still	fever	Sinusitis	bronchitis
Total ²	229,505	4,314	29,057	18,734	17,937	29,821	9,883
SEX							
Male	110,929	2,248	11,869	6,418	7,513	11,021	3,399
FemaleAGE	118,576	2,066	17,188	12,316	10,424	18,800	6,484
18 to 44 years	110,615	361	15,020	8,902	6,656	11,584	3,265
45 to 64 years	80,198 21,291	1,703 1,153	9,723 2,492	6,704 1,849	8,638 1,684	13,025 3,240	4,247 1,279
75 years and over	17,401	1,097	1,822	1,279	958	1,973	1,092
RACE							
Race alone ³	226,314	4,214	28,406	18,235	17,600	29,309	9,656
WhiteBlack or African American	185,330 27.807	3,822 281	22,837 4.285	14,528 2,950	14,969 1,802	24,261 3,929	8,324 1,115
American Indian or Alaska Native	1.795		234	2,930	1,002	238	^{1,113}
Asian	11,096	(B) 4 88	1,014 4 36	546	724	862	137
Native Hawaiian or other Pacific Islander	284	4 400		(B)	(B)	(B) 511	(B) 227
Two or more races ⁵	3,191	⁴ 100	651	499	336	511	227
HISPANIC ORIGIN AND RACE 6	32.094	224	2 200	2 224	1 110	2.783	878
Hispanic or LatinoMexican or Mexican American	32,094 19.712	231 112	3,289 1,686	2,224 1.173	1,440 804	2,763 1.545	509
Not Hispanic or Latino	197,411	4,083	25,768	16,510	16,497	27,038	9,005
White, single race	156,119	3,600	19,926	12,552	13,659	21,752	7,525
Black or African American, single race	26,689	279	4,118	2,841	1,744	3,833	1,074

B Figure too small to meet statistical standards for reliability of a derived figure. ¹ A person may be represented in more than one column. ² Total includes other races not shown separately. ³ Refers to persons who indicated only a single race group. ⁴ Figure does not meet standard of reliability or precision. ⁵ Refers to all persons who indicated more than one race group. ⁶ Persons of Hispanic or Latino origin may be any race or combination of races.

Source: National Center for Health Statistics, Summary Health Statistics for the U.S. Population: National Health Interview Survey, 2010, Vital and Health Statistics, Series 10, Number 252, 2012. See also http://www.cdc.gov/nchs/nhis.htm.

Table 203. Injury and Poisoning Episodes by Age and Sex: 2010

[34,895 represents 34,895,000. Covers all medically attended injuries and poisonings occurring during the 5-week period prior to the survey interview. Age adjustment is used to adjust for differences in the age distribution of populations being compared. There may be more than one condition per episode. Based on the National Health Interview Survey, a sample survey of the civilian noninstitutionalized population; see Appendix III]

			Е	3oth sexes					
External cause and nature of injury	Total	Total, age- adjusted ¹	Under 12 years	12 to 21 years	22 to 44 years	45 to 64 years	65 years and over	Male	Female
EPISODES Number (1,000) Annual rate per 1,000 population, total ²	34,895	(X)	4,574 90.7	4,341 179.6	11,686 105.7	9,273 115.6	5,022 265.4	17,943 121.0	16,952 108.4
Fall Struck by or against a person or an object Transportation ³ Overexertion. Cutting, piercing instruments Poisoning ⁵	13,042 4,325 3,672 4,891 2,517 4 575	42.66 14.42 12.07 15.97 8.42 4 1.82	2,119 863 4 503 4 191 185 (B)	1,485 917 ⁴ 343 ⁴ 444 283 (B)	2,843 1,226 1,454 2,183 1,292 4 164	3,420 898 931 1,725 602 (B)	3,175 ⁴ 266 ⁴ 402 ⁴ 301 (B) (B)	4,957 2,436 1,971 2,571 1,629 (B)	8,085 1,889 1,701 2,321 888 4 238

X Not applicable. ¹ Data were age-adjusted using the 2000 standard population using five age groups: under 12 years, 12-17 years, 18-44 years, 45-64 years, and 65 years and over. ² Includes other items not shown separately. ³ Includes the categories "Motor vehicle traffic"; "Pedal cycle, other"; "Pedestrian, other"; and "Transport, other." ⁴ Figure does not meet standard of reliability or precision. ⁵ Poisoning episodes are assumed to have a single condition resulting from the episode.

Source: National Center for Health Statistics, Summary Health Statistics for the U.S. Population: National Health Interview Survey, 2010, Vital and Health Statistics, Series 10, Number 251, 2012. See also http://www.cdc.gov/nchs/nhis.htm.

Table 204. Persons 18 Years of Age and Over With Migraines and Pains in the Neck, Lower Back, Face, or Jaw by Selected Characteristics: 2010

[In thousands (229,505 represents 229,505,000). Based on National Health Interview Survey, a sample survey of the civilian noninstitutionalized population, Appendix III)

		Migraine and pain ¹					
Selected characteristic	Total persons	Migraine or severe headache ²	Pain in neck ³	Pain in lower back ³	Pain in face or jaw ³		
Total ⁴	229,505	37,529	36,177	66,106	11,460		
MaleFemale.	110,929 118,576	12,171 25,358	14,796 21,381	29,577 36,529	3,792 7,667		
AGE 18 to 44 years	110,615 80,198 21,291 17,401	22,580 12,485 1,578 886	14,459 16,002 3,292 2,425	27,811 26,007 6,923 5,365	5,460 4,779 725 496		
RACE Race alone ⁵ White. Black or African American. American Indian or Alaska Native. Asian. Native Hawaiian or other Pacific Islander. Two or more races ⁷	226,314 185,330 27,807 1,795 11,096 284 3,191	36,815 30,106 5,168 355 1,151 6 35 713	35,537 30,434 3,725 306 1,061 (B) 640	65,046 54,857 7,536 543 2,054 6 55 1,060	11,298 9,834 1,063 102 298 —		
HISPANIC ORIGIN AND RACE ⁸ Hispanic or Latino. Mexican or Mexican American. Not Hispanic or Latino. White, single race. Black or African American, single race.	32,094 19,712 197,411 156,119 26,689	5,475 3,274 32,053 25,135 4,999	4,595 2,722 31,583 26,277 3,577	8,429 4,970 57,677 47,256 7,223	1,411 859 10,048 8,562 1,024		

B Figure to small to meet statistical standards for reliability of a derived figure. ¹ A person may be represented in more than one B Figure to small to meet statistical standards for reliability of a derived figure. A person may be represented in more than one column. Respondents were asked, "During the past 3 months, did you have a severe headache or migraine?" Respondents were instructed to report pain that had lasted a whole day or more and, conversely, not to report fleeting or minor aches or pains. Respondents were asked, "During the past 3 months, did you have a neck pain; or low back pain; or facial ache or pain in the jaw muscles or the joint in front of the ear?" Respondents were instructed to report pain that had lasted a whole day or more and, conversely, not to report fleeting or minor aches or pains. Total includes other races not shown separately. Refers to persons who indicated only a single race group. Figure does not meet standard of reliability or precision. Refers to all persons who indicated more than one race group. Persons of Hispanic or Latino origin may be any race or combination of races.

Source: National Center for Health Statistics, Summary Health Statistics for the U.S. Adults: National Health Interview Survey, 2010, Vital and Health Statistics, Series 10, Number 252, 2012. See also http://www.cdc.gov/nchs/nhis.htm>.

Table 205. Use of Mammography for Women 40 Years Old and Over by Patient Characteristics: 2000 to 2010

[Percent of women having a mammogram within the past 2 years. Covers civilian noninstitutional population. Based on National Health Interview Survey; see Appendix III]

Characteristic	2000 ¹	2005 ¹	2010 ¹	Characteristic	2000 ¹	2005 ¹	2010 ¹
Total ²	70.4	66.8	67.1	Years of school completed: No high school diploma or			
40 to 49 years old	64.3	63.5	62.3	GED	57.7	52.8	53.0
50 years old and over		68.4	69.2	High school diploma or GED	69.7	64.9	64.4
50 to 64 years old	78.7	71.8	72.6	Some college or more	76.2	72.7	72.1
65 years old and over	67.9	63.8	64.4	_			
White, non-Hispanic	72.2	68.4	67.8	Poverty status: 4			
Black, non-Hispanic	67.9	65.2	67.4	Below poverty	54.8	48.5	51.4
Hispanic origin ³	61.2	58.8	64.2	At or above poverty	72.1	68.8	(NA)

NA Not available. ¹ Adjusted data—data have been reweighted using the 2000 Census population controls. ² Includes other races not shown separately and unknown education level and poverty status. ³ Persons of Hispanic origin may be any race or combination of races. ⁴ For explanation of poverty level, see text, Section 13.

Source: U.S. National Center for Health Statistics, Health, United States, 2011. See also http://www.cdc.gov/nchs/hus.htm.

Table 206. Current Cigarette Smoking: 1990 to 2010

[In percent. Prior to 1992, a current smoker is a person who has smoked at least 100 cigarettes and who now smokes. Beginning 1992, definition includes persons who smoke only "some days." Excludes unknown smoking status. For definition of age adjustment, see text, Section 2. Based on National Health Interview Survey; for details, see Appendix III]

Sex, age, and race	1990 ¹	2000	2005	2010	Sex, age, and race	1990 ¹	2000	2005	2010
Total smokers, age-adjusted ² Male	25.3 28.0 22.9	23.1 25.2	20.8 23.4 18.3	19.3 21.2 17.5	Black, total	32.5 21.3 33.8 42.0	26.2 20.9 23.2	26.5 21.6 29.8 23.3	24.3 18.8 25.7 22.6
FemaleWhite maleBlack male	27.6 32.8	21.1 25.4 25.7	23.3 25.9	21.4 23.3	35 to 44 years	36.7 21.5 22.8	30.7 32.2 14.2 20.9	32.4 16.8 18.1	31.8 10.0 17.3
White female	23.5 20.8	22.0 20.7	19.1 17.1	18.3 16.6	18 to 24 years. 25 to 34 years. 35 to 44 years.	22.5 28.2 24.8	24.9 22.3 26.2	20.7 21.5 21.3	17.4 20.6 19.0
Total smokers ³	25.5 28.4	23.2 25.6	20.9 23.9	19.3 21.5	45 to 64 years. 65 years and over. White, total.	24.8 11.5 23.4	21.7 9.3 21.4	18.8 8.3 18.7	19.1 9.3 17.9
18 to 24 years	26.6 31.6	28.1 28.9 30.2	28.0 27.7 26.0	22.8 26.1 22.5	18 to 24 years. 25 to 34 years. 35 to 44 years.	25.4 28.5 25.0	28.5 24.9 26.6	22.6 23.1 22.2	18.4 22.0 20.5
45 to 64 years	29.3 14.6	26.4 10.2 25.7	25.2 8.9 23.6	23.2 9.7 21.4	45 to 64 years	25.4 11.5 21.2	21.4 9.1 20.8	18.9 8.4 17.3	19.5 9.4 17.0
18 to 24 years. 25 to 34 years. 35 to 44 years. 45 to 64 years.	27.4 31.6 33.5 28.7	30.4 29.7 30.6 25.8	29.7 27.7 26.3 24.5	23.8 26.6 23.1 22.5	18 to 24 years	⁴ 10.0 29.1 25.5 22.6	14.2 15.5 30.2 25.6	14.2 16.9 19.0 21.0	14.2 19.3 17.2 19.8
65 years and over	13.7	9.8	7.9	9.6	65 years and over	11.1	10.2	10.0	9.4

¹ Data prior to 1997 are not strictly comparable with data for later years due to the 1997 questionnaire redesign. ² Data are age-adjusted to the year 2000 standard using five age groups: 18–24 years, 25–34 years, 35–44 years, 45–64 years, 65 years and over. ³ Crude, not age-adjusted. ⁴ Figure does not meet standard of reliability or precision.

Table 207. Substance Abuse Treatment Facilities and Clients: 1995 to 2010

[As of October 2 (1995), as of October 1 (1997–2000), as of March 31 (2003–2006), as of March 30 (2007), and as of March 31 (2008–2010). Based on the Uniform Facility Data Set (UFDS)/National Survey of Substance Abuse Treatment Services (N-SSATS) survey, a census of all known facilities that provide substance abuse treatment in the United States and associated jurisdictions. Selected missing data for responding facilities were imputed]

Primary focus	Number	Primary focus	Number	Type of care and type of problem	Number of clients
FACILITIES 1995	13,428 13,454 13,371 13,771 13,648	2010, total	1,072,251 1,081,049 1,130,881 1,135,425 1,192,490	Regular. Intensive. Detoxification. Residential (non-hospital). Hospital inpatient. Detoxification. Treatment. Drug only. Alcohol only. Both alcohol & drug.	1,175,462 1,056,532 593,077 138,188 13,216 103,692 15,238 6,476 8,762 459,069 215,101 498,671 479,699

¹ Includes clients at facilities that did not provide data on type of substance abuse problem treated.

Source: U.S. Substance Abuse and Mental Health Services Administration, Uniform Facility Data Set (UFDS), 1995–1999, and Center for Behavioral Health Statistics and Quality, Substance Abuse and Mental Health Services Administration, National Survey of Substance Abuse Treatment Services (N-SSATS), 2000–2010, http://www.samhsa.gov/dataOutcomes/>.

Source: U.S. National Center for Health Statistics, Health, United States, 2011. See also http://www.cdc.gov/nchs/hus.htm>.

Table 208. Current Cigarette Smoking by Sex and State: 2010

[In percent. Current cigarette smoking is defined as persons 18 years and older who reported having smoked 100 or more cigarettes during their lifetime and who currently smoke every day or some days. Based on the Behavioral Risk Factor Surveillance System, a telephone survey of health behaviors of the civilian, noninstitutionalized U.S. population, 18 years old and over; for details, see source]

State	Total	Male	Female	State	Total	Male	Female	State	Total	Male	Female
U.S. ¹	17.3	18.5	15.8	KS	17.0	18.2	15.9	NC	19.8	23.4	16.4
AL	21.9	25.5	18.7	KY	24.8	26.3	23.4	ND	17.4	18.2	16.6
AK	20.4	22.5	18.1		22.1	25.3	19.1	OH	22.5	23.0	22.1
AZ	15.0	16.1	14.0		18.2	19.2	17.3	OK	23.7	25.1	22.3
AR	22.9	26.2	19.8		15.2	17.3	13.4	OR	15.1	15.5	14.7
CA	12.1	15.0			14.1	14.8			18.4	18.5	18.4
CO	16.0	18.0	14.0		18.9	21.0		RI	15.7	17.9	13.7
CT	13.2	15.4		MN	14.9	15.5		SC	21.0	25.5	17.0
DE	17.3	19.9	14.9	MS	22.9	26.5		SD	15.4	17.1	13.7
DC	15.6	18.0	13.6		21.1	20.7	21.4	TN	20.1	21.7	18.6
FL	17.1	18.4	16.0		18.8	19.7	17.9	TX	15.8	18.3	13.4
GA	17.6	20.0	15.4		17.2	18.3		UT	9.1	10.6	7.7
HI	14.5	16.0	13.0	NV	21.3	22.4	20.2	VT	15.4	15.7	15.0
ID	15.7	16.8			16.9	18.0	15.8	VA	18.5	22.2	15.1
IL	16.9	20.3	13.7		14.4	15.7	13.2	WA	15.2	16.2	14.2
IN	21.2	23.3		NM	18.5	21.8	15.3	WV	26.8	28.3	25.4
IA	16.1	17.5	14.8	NY	15.5	18.1	13.0	WI	19.1	20.7	17.4
								WY	19.5	20.2	18.9

¹ Represents median value among the states and DC. For definition of median, see Guide to Tabular Presentations.

Table 209. Drug Use by Type of Drug and Age Group: 2008 and 2009

[In percent. Data comes from the National Survey on Drug Use and Health (NSDUH). Current users are those who used drugs at least once within month prior to this study. Based on a representative sample of the U.S. population 12 years old and over, including persons living in households and in some group quarters such as dormitories and homeless shelters. Estimates are based on computer-assisted interviews of about 68 000 represendants. Subject to campling verificially accorded. about 68,000 respondents. Subject to sampling variability; see source]

A	Ever u	sed	Current	user	And and two of days	Ever u	ısed	Curren	t user
Age and type of drug	2008	2009	2008	2009	Age and type of drug	2008	2009	2008	2009
12 YEARS OLD AND OVER Any illicit drug 1	47.0 41.0 14.7 3.4 1.5 14.4 9.4 5.2 8.9 20.8 14.0	47.1 41.5 14.5 3.3 1.5 14.8 9.4 5.7 8.9 20.6 13.9	8.0 6.1 0.7 0.1 0.1 0.4 0.1 0.2 0.3 2.5	8.7 6.6 0.7 0.2 0.1 0.5 0.1 0.3 0.2 2.8 2.1	18 TO 25 YEARS OLD Any illicit drug ¹	56.6 50.4 14.4 17.7 10.4 29.2 85.6 (NA) 64.2 20.3 41.4	58.1 52.2 14.8 19.0 10.7 (NA) 85.8 (NA) 63.7 21.0 41.7	19.6 16.5 1.5 1.7 0.3 5.9 61.2 41.8 35.7 5.4 11.3	21.2 18.1 1.4 1.8 0.4 (NA) 61.8 41.7 35.8 6.1 11.4
Tranquilizers. Stimulants ³ Methamphetamine ³ Sedatives. Alcohol. "Binge" alcohol use ⁴ Cigarettes. Smokeless tobacco. Cigars. Pipe tobacco.	8.6 8.5 5.0 3.6 82.2 (NA) 65.1 18.4 35.8 14.6	8.6 8.7 5.1 3.4 82.8 (NA) 64.6 17.8 35.8 13.9	0.7 0.4 0.1 51.6 23.3 23.9 3.5 5.3 0.8	0.8 0.5 0.2 0.1 51.9 23.7 23.3 3.4 5.3 0.8	35 YEARS OLD AND OVER	58.2 51.3 16.7 22.2 12.8 28.0	59.3 53.0 18.1 23.9 13.7 29.2	11.2 8.8 1.5 0.6 0.1 3.2	12.3 9.6 1.0 0.9 0.2 3.8
12 TO 17 YEARS OLD Any illicit drug ¹	26.2 16.5 1.9 3.9 9.3	26.8 17.0 1.6 4.1 9.2	9.3 6.7 0.4 1.0 1.1	10.0 7.3 0.3 0.9 1.0	Any illicit drug ¹	45.7 40.6 16.4 13.6 7.7 18.9	45.2 40.4 15.7 13.5 7.4 18.2	4.7 3.2 0.4 0.0 0.1 1.6	4.9 3.4 0.5 0.1 0.1 1.7
Inhalants. Any psychotherapeutic ^{2, 3} . Alcohol. "Binge" alcohol use ⁴ . Cigarettes. Smokeless tobacco. Cigars.	7.2 12.4	(NA) 38.1 (NA) 22.2 7.6 12.4	2.9 14.6 8.8 9.1 2.2 3.8	(NA) 14.7 8.8 8.9 2.3 4.0	26 YEARS OLD AND OVER Alcohol "Binge" alcohol use ⁴ Cigarettes Smokeless tobacco Cigars	87.3 (NA) 70.7 19.5 37.8	88.0 (NA) 70.1 18.5 37.7	54.8 22.1 23.8 3.3 4.4	54.9 22.4 23.0 3.1 4.4

NA Not available. – Represents or rounds to zero. ¹ Illicit drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. ² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs. ³ Includes data from new methamphetamine items added in 2006 and 2007. Previous estimates have been adjusted to be comparable with new data and differ from those in reports prior to the 2007 data year. ⁴ Binge alcohol use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: U.S. Substance Abuse and Mental Health Services Administration, National Survey on Drug Use and Health, 2008 and 2009, http://oas.samhsa.gov/nhsda.htm.

Source: U.S. Centers for Disease Control and Prevention, "Behavioral Risk Factor Surveillance System," 2010. See also http://www.cdc.gov/brfss/>.

Table 210. Estimated Use of Selected Drugs by State: 2008 to 2009

[20,945 represents 20,945,000. Data in this table cover a 2-year period. Data is based on the National Survey on Drug Use and Health (NSDUH). Current users are those persons 12 years old and over who used drugs at least once within month prior to this study. Based on national sample of respondents (see also headnote, Table 209). The state estimates were produced by combining the prevalence rate based on the state sample data and the prevalence rate based on a national regression model applied to local-area county and census block group/tract-level estimates from the state (i.e., a survey-weighted hierarchical Bayes estimation approach). The parameters of the regression model are estimated from the entire national sample. For comparison purposes, the data shown here display estimates for all 50 states and the District of Columbia utilizing the modeled estimates for all 51 areas]

the District of C			current users		ouo ₁	С	urrent users	s as percent of	population	
State	Any illicit drug ¹	Mari- juana	Any illicit drug other than mari- juana ¹	Ciga- rettes	Binge alcohol ²	Any illicit drug ¹	Mari- juana	Any illicit drug other than mari- juana ¹	Ciga- rettes	Binge alcohol ²
U.S	20,945	15,960	8,861	59,217	58,827	8.4	6.4	3.5	23.6	23.5
AL	272	195	148	1,033	791	7.1	5.1	3.8	26.8	20.5
AK	74	63	21	133	132	13.5	11.5	3.8	24.2	24.2
AZ	498	353	219	1,159	1,221	9.5	6.7	4.2	22.0	23.2
AR	183	142	87	711	482	7.8	6.1	3.7	30.3	20.5
CA	3,007	2,307	1,207	5,798	6,657	10.0	7.7	4.0	19.3	22.2
CO	460	399	147	908	1,068	11.3	9.8	3.6	22.3	26.3
	261	212	100	629	792	8.9	7.2	3.4	21.5	27.0
	63	51	29	185	191	8.7	7.0	4.0	25.5	26.2
	54	43	20	122	151	10.6	8.5	4.0	24.0	29.7
	1,239	892	522	3,491	3,377	8.0	5.8	3.4	22.7	21.9
GA	617	473	245	1,904	1,672	7.9	6.1	3.2	24.4	21.4
HI	125	89	53	213	240	11.9	8.5	5.1	20.2	22.8
ID	101	73	47	284	248	8.2	5.9	3.8	23.1	20.2
IL	823	625	343	2,641	2,800	7.8	5.9	3.2	24.9	26.4
IN.	444	320	209	1,405	1,204	8.5	6.1	4.0	26.8	23.0
IA	132	111	50	619	710	5.3	4.5	2.0	24.9	28.6
KS	159	114	75	569	571	7.0	5.0	3.3	25.0	25.1
KY	262	170	139	1,130	717	7.4	4.8	3.9	32.0	20.3
LA	259	186	136	957	852	7.2	5.2	3.8	26.5	23.6
ME	126	111	38	289	249	11.2	9.9	3.4	25.6	22.1
MD	320	253	125	942	980	6.8	5.4	2.7	20.1	20.9
MA	602	480	226	1,162	1,374	10.9	8.7	4.1	21.1	24.9
MI	791	626	316	2,180	2,110	9.5	7.5	3.8	26.2	25.3
MN	300	259	123	1,019	1,169	6.9	6.0	2.8	23.5	26.9
MS	147	106	74	622	479	6.2	4.5	3.1	26.4	20.3
MO	370	291	153	1,291	1,187	7.6	5.9	3.1	26.4	24.2
MT	78	66	28	200	219	9.6	8.1	3.5	24.7	27.0
NE	97	78	41	353	376	6.7	5.4	2.8	24.3	25.8
NV	213	149	103	523	556	10.0	7.0	4.8	24.6	26.1
NH	126	108	47	261	284	11.2	9.7	4.2	23.3	25.4
NJ	490	363	201	1,519	1,766	6.8	5.0	2.8	21.0	24.4
NM	147	107	62	368	371	9.1	6.6	3.8	22.7	22.9
NY	1,596	1,267	597	3,491	3,943	9.8	7.7	3.7	21.3	24.1
NC	616	473	275	1,997	1,574	8.2	6.3	3.6	26.4	20.8
ND	30	25	11	131	159	5.6	4.7	2.1	24.6	29.8
OH	719	568	309	2,551	2,420	7.5	6.0	3.2	26.7	25.3
OK	264	166	146	834	660	8.9	5.6	5.0	28.2	22.3
OR	393	296	156	796	764	12.3	9.3	4.9	25.0	24.0
PA	711	538	317	2,613	2,529	6.8	5.1	3.0	24.9	24.1
RI.	113	89	49	200	242	12.7	10.0	5.5	22.5	27.2
SC	330	219	150	993	807	8.9	5.9	4.1	26.9	21.8
	41	34	15	164	195	6.2	5.2	2.2	25.0	29.7
	387	282	184	1,461	967	7.5	5.5	3.6	28.3	18.7
	1,291	918	619	4,365	4,686	6.7	4.7	3.2	22.5	24.2
	133	76	80	349	300	6.3	3.6	3.8	16.4	14.1
VTVAWAWYWVWVWY	66	58	21	119	139	12.3	10.8	3.9	22.3	26.0
	395	338	170	1,483	1,502	6.2	5.3	2.7	23.3	23.6
	497	395	186	1,252	1,170	9.1	7.2	3.4	22.9	21.4
	121	85	68	472	309	7.9	5.5	4.4	30.7	20.1
	374	292	159	1,209	1,364	8.0	6.2	3.4	25.7	29.0
	28	24	12	117	103	6.4	5.4	2.8	26.5	23.3
	inaluda mariiua		acceine (incl			lucinosono in		araaarintian tu		

¹ Illicit drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. ² Binge alcohol use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: U.S. Substance Abuse and Mental Health Services Administration, National Survey on Drug Use and Health, 2008 and 2009. See also http://www.oas.samhsa.gov/nhsda.htm.

Table 211. Cumulative Percent Distribution of Population by Height and Sex: 2007 to 2008

[Data are based on National Health and Nutrition Examination Survey (NHANES), a sample of the civilian noninstitutional population. For this survey, the respondent participates in an interview and a physical examination. For persons 20 years old and over. Height was measured without shoes. Based on sample and subject to sampling variability; see source]

			Mal	es					Fema	ales		
Height	20–29	30–39	40–49	50–59	60–69	70–79	20–29	30–39	40–49	50–59	60–69	70–79
	years	years	years	years	years	years	years	years	years	years	years	years
Percent under— 4'10"4'11"	_ _ (B)	= =	= =	(B) (B) (B)	(B) (B)	-	1 2.6 5.7	¹ 1.7 3.1 6.0	1 1.6 5.0	¹ 1 2.1 8.0	1 3.6 9.0	¹ 3.3 8.7 16.0
5'1"	(B)	(B)	(B)	(B)	1 0.4	(B)	12.3	11.6	10.8	16.7	14.7	26.0
	(B)	(B)	(B)	(B)	(B)	(B)	20.8	19.7	19.8	23.3	23.4	36.9
	(B)	1 3.1	1 1.9	(B)	1 2.3	(B)	30.4	31.3	30.8	36.3	38.4	51.9
	3.7	1 4.4	3.8	1 4.3	4.4	5.8	43.5	46.6	46.0	50.7	52.8	69.9
	7.2	6.7	5.6	7.6	7.8	12.8	54.1	61.2	58.0	68.4	66.6	82.8
	11.6	13.1	9.8	12.2	14.7	23.0	72.4	74.0	72.2	79.7	83.3	89.3
5'7"	20.6	19.6	19.4	18.6	23.7	35.1	82.3	84.9	83.0	88.4	93.3	95.4
	33.1	32.2	30.3	30.3	37.7	47.7	90.3	91.8	91.2	95.2	97.0	98.4
	42.2	45.4	40.4	41.2	50.2	60.3	94.1	96.1	94.7	97.3	97.8	99.6
	58.6	58.1	54.4	54.3	65.2	75.2	97.6	98.9	97.8	98.9	99.6	99.6
	70.7	69.4	69.6	70.0	75.0	85.8	99.6	98.9	99.4	100.0	99.8	100.0
	79.9	78.5	79.1	81.2	84.3	91.0	100.0	99.4	99.5	100.0	99.9	100.0
6'1"	89.0 94.1 98.3 100.0 100.0 100.0	89.0 94.0 95.8 97.6 99.4 99.5	87.4 92.5 97.7 99.0 99.4 99.9	91.6 93.7 96.6 99.5 99.6 100.0	93.6 97.8 99.9 100.0 100.0	94.9 98.6 100.0 100.0 100.0 100.0	100.0 100.0 100.0 100.0 100.0 100.0	99.9 100.0 100.0 100.0 100.0 100.0	99.5 99.5 99.5 99.5 100.0 100.0	100.0 100.0 100.0 100.0 100.0 100.0	99.9 100.0 100.0 100.0 100.0 100.0	100.0 100.0 100.0 100.0 100.0 100.0

⁻ Represents zero. B Base figure too small to meet statistical standards of reliability of a derived figure. 1 Figure does not meet standard for reliability or precision.

Table 212. Cumulative Percent Distribution of Population by Weight and Sex:

[See headnote, Table 211. Data are based on National Health and Nutrition Examination Survey (NHANES). Weight was measured without shoes. Pregnant females were excluded from the analyses. Based on sample and subject to sampling variability; see source]

			Male	es					Fema	ales		
Weight	20–29	30–39	40–49	50–59	60–69	70–79	20–29	30–39	40–49	50–59	60–69	70–79
	years	years	years	years	years	years	years	years	years	years	years	years
Percent under— 100 lbs	(B) (B) 4.3 11.1 20.9 31.3 43.6 55.7 65.0	(B) 1 2.1 6.4 11.5 20.4 30.5 40.9 50.6	(B) (B) (B) 1 2.5 4.7 7.6 15.1 21.3 33.6 43.7	(B) (B) 11.1 12.3 5.6 8.6 13.9 22.0 33.2 44.5	(B) (B) 2.8 5.3 10.0 16.5 24.9 33.4 42.6	(B) 1.5 3.5 5.2 9.7 17.7 27.4 40.1 50.1	1 2 4.9 16.3 27.8 39.4 49.7 57.5 63.2 72.6 76.3	1.3 4.7 10.5 18.9 29.8 40.6 51.1 59.8 68.7 73.6	(B) 3.7 7.8 16.0 26.4 37.5 49.8 59.3 65.6 75.0	1 0.4 1 4 7.9 17.1 27.3 38.7 49.7 56.9 63.7 70.3	0.2 (B) 7.2 13.5 27.4 37.4 46.1 58.9 72.4 79.4	(B) 6.1 12.4 22.5 30.1 43.1 53.7 65.6 74.0 81.2
200 lbs	73.5	59.3	58.0	55.7	55.5	65.7	80.0	79.4	80.0	75.3	84.6	87.3
	79.4	70.0	66.2	64.6	64.4	71.6	82.8	83.7	82.8	81.9	88.4	90.5
	83.8	76.1	75.6	74.0	73.4	80.0	84.9	89.0	87.2	85.9	91.1	93.4
	86.5	81.7	84.6	78.8	81.2	83.5	88.6	91.3	90.6	89.5	93.7	96.4
	89.7	85.5	88.1	85.6	85.1	87.3	90.0	94.1	93.0	91.4	95.6	97.0
	93.2	89.6	89.7	88.0	88.2	90.6	92.3	95.2	95.5	92.9	96.7	98.4
	94.7	92.0	92.8	91.3	90.7	93.1	93.3	95.8	96.7	96.5	97.6	98.6
	95.1	93.3	94.6	93.5	93.0	96.4	95.7	96.4	97.5	97.2	98.0	98.6
	96.1	95.1	95.4	94.2	94.8	97.5	97.0	97.2	97.8	98.2	99.0	99.4
	96.8	96.4	96.4	95.8	97.2	98.5	97.2	97.5	98.2	98.9	99.0	99.6
300 lbs.	97.5	96.9	98.1	98.1	97.8	99.4	97.7	98.4	98.3	99.4	99.3	100.0
320 lbs.	98.1	98.2	98.8	99.0	98.5	99.4	98.9	99.1	98.7	99.7	99.9	100.0
340 lbs.	99.5	98.8	98.8	99.1	99.0	100.0	99.6	99.5	99.4	99.8	99.9	100.0
360 lbs.	99.5	99.4	99.3	99.8	99.0	100.0	99.6	99.7	99.8	99.9	99.9	100.0
380 lbs.	99.7	99.7	99.5	99.8	99.1	100.0	99.6	99.9	99.8	100.0	100.0	100.0
400 lbs	99.7	99.7	99.5	99.9	99.5	100.0	99.6	100.0	99.8	100.0	100.0	100.0
	99.7	99.7	99.5	100.0	99.5	100.0	99.6	100.0	99.9	100.0	100.0	100.0
	99.8	99.9	99.5	100.0	99.5	100.0	99.6	100.0	100.0	100.0	100.0	100.0

⁻ Represents zero. B Base figure too small to meet statistical standards of reliability of a derived figure. ¹ Figure does not meet standard of

Source: U.S. National Center for Health Statistics, unpublished data, http://www.cdc.gov/nchs/nhanes.htm.

Source: U.S. National Center for Health Statistics, unpublished data, http://www.cdc.gov/nchs/nhanes.htm.

Table 213. Age-Adjusted Percent Distribution of Body Mass Index (BMI) Among Persons 18 Years Old and Over by Selected Characteristics: 2007 to 2008

[See headnote, Table 211. Body Mass Index (BMI) is a measure that adjusts body weight for height. It is calculated as weight in kilograms divided by height in meters squared. For both men and women, underweight is indicated by a BMI under 18.5; healthy weight is indicated by a BMI greater than or equal to 18.5 and less than 25.0; overweight is greater than or equal to 25.0 and less than 30.0; obesity is indicated by a BMI greater than or equal to 30.0. BMI is calculated from the measurement of the participants' weight and height during the examination. For definition of age adjustment, see text, Section 2. Based on the National Health and Nutrition Examination Survey (NHANES)]

Selected characteristic		Healthy	Abo	ve healthy weigh	t
Selected characteristic	Underweight	weight	Total	Overweight	Obese
Total ¹ (age-adjusted). Total ¹ (crude)	1.8 1.8	31.6 31.2	66.6 67.0	33.9 34.0	32.6 33.0
Age: ² 18 to 44 years old	2.1 ³ 1.6 (B)	35.5 26.9 25.7 30.3	62.4 71.5 73.3 68.0	32.2 34.2 36.5 41.7	30.3 37.3 36.8 26.2
MaleFemaleRace/ethnicity and sex:	1.1 2.5	28.2 34.8	70.7 62.7	39.9 28.2	30.8 34.5
Not Hispanic or Latino: White, male	2.6 ³ 1.6 2.8	27.8 37.3 31.4 21.1 20.9 25.2	71.1 60.0 67.0 76.0 78.6 73.6	40.5 27.7 31.1 27.9 44.0 31.0	30.5 32.3 36.0 48.1 34.6 42.6
Less than a high school diploma. High school diploma or GED ⁵ . Some college, bachelor's degree, or higher.	2.2 1.5 1.0	25.1 27.6 31.6	72.6 70.9 67.4	34.4 36.1 35.1	38.3 34.8 32.3

B Base figure too small to meet statistical standards for reliability of a derived figure. ¹ Total includes other race/ethnicities not shown separately and persons with unknown race/ethnicity. ² Estimates for age groups are not age adjusted. ³ Figure does not meet standard of reliability or precision. ⁴ Education is shown only for persons 25 years old and over. ⁵ General Education Development certificate.

Source: U.S. National Center for Health Statistics, unpublished data, http://www.cdc.gov/nchs/nhanes.htm.

Table 214. Age-Adjusted Percentage of Persons Engaging in Physical Activity and Fitness by Selected Characteristics: 2008

[In percent. Covers persons 18 years old and over. Based on the National Health Interview Survey, a sample survey of the civilian noninstitutionalized population. Leisure-time physical activity is assessed by asking respondents a series of questions about participation in moderate and vigorous-intensity physical activities. For definition of age adjustment, see text, Section 2. To assess muscle-strengthening activities, respondents were asked about leisure-time physical activities specifically designed to strengthen their muscles]

Characteristic	No leisure- time physical activity ¹	Regular physical activity- moderate or vigorous ²	Muscular strength and endur- ance ³	Characteristic	No leisure- time physical activity ¹	Regular physical activity- moderate or vigorous ²	Muscular strength and endur- ance ³
Total	36.2	32.5	21.9	Two or more races	32.3	29.2	23.0
SEX Male Female	33.9 38.2	34.7 30.5	25.7 18.3	HISPANIC ORIGIN AND RACE Hispanic or Latino 5 Not Hispanic or Latino	47.4 34.3	25.1 33.8	15.0 23.2
AGE ⁴				White, non-Hispanic	31.9	35.8	23.2 24.2
18 to 29 years old		38.4	29.3	Black, non-Hispanic	47.9	24.8	19.2
30 to 44 years old 45 to 64 years old 65 to 74 years old	37.2	35.5 31.7 26.1	24.6 19.9 16.3	EDUCATION 7			
75 years old and over		18.4	11.5	Less than 9th grade Grades 9 thru 11	64.3 56.3	14.6 18.0	6.3 9.2
RACE Race alone				High School graduate Some college or AA	47.0	25.0	14.4
White Black or African	34.6	33.8	22.6		33.0	31.8	22.4
American Indian or	47.3	25.0	19.4	above	20.7	45.2	31.8
Alaska Native Asian or Pacific	49.2	25.0	11.2				
Islander	(NA)	(NA)	(NA)				

NA Not available. 1 Persons with no moderate- or vigorous-intensity activity for at least 10 minutes at a time. 2 Regular physical activity is moderate-intensity physical activity at least 5 times a week for 30 minutes at a time or vigorous-intensity physical activity for at least 3 times a week for 20 minutes at a time. ³ Persons who participated in muscle strengthening activities at least 2 times a week. ⁴ Age data are not age-adjusted. ⁵ Persons of Hispanic or Latino origin may be any race. ⁶ Associate of Arts degree. ⁷For persons aged 25 and over.

Source: National Center for Health Statistics, National Health Interview Survey-United States, 2008, Hyattsville, MD. See also http://wonder.cdc.gov/data2010/>.

Table 215. High School Students Engaged in Physical Activity by Sex: 2011

[In percent. For students in grades 9 to 12. Based on the Youth Risk Behavior Survey, a school-based survey and subject to sampling error; for details, see source]

Characteristic	Participated in 60+ min. of physical activity on 5 of last 7 days 1	Participated in 60+ min. of physical activity on all 7 days ²	Did not participate in 60+ min. of physical activity on any day ³	Attended educatio		Played on at least one sports team ⁶	Used computers 3 or more hours/	Watched three or more hours/ day of TV ⁸
All students Male	49.5 59.9 61.0 62.3 58.5 57.3 38.5 44.5 40.3 35.7 32.0	28.7 38.3 38.8 42.6 36.2 34.9 18.5 22.2 18.1 18.0 14.9	13.8 10.0 8.7 10.0 10.5 10.8 17.7 13.9 17.9 20.6	51.8 56.7 70.8 59.2 49.2 44.7 46.7 65.3 49.8 36.3 32.1	31.5 35.5 44.0 36.7 31.6 27.9 27.2 38.6 29.3 18.4 20.4	58.4 64.0 65.6 68.2 60.9 60.2 52.6 57.1 56.1 51.3 44.5	31.1 35.3 35.5 36.1 36.7 32.4 26.6 29.5 26.7 24.6 25.0	32.4 33.3 33.9 35.3 30.9 31.6 33.8 31.7 30.4 29.9

¹ Were physically active doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time for a total of at least 60 minutes/day for at least 5 or more days out of the 7 days preceding the survey. ² Participate in 60 or more minutes of any kind of physical activity that increased their heart rate and made them breathe hard some of the time on all 7 days before the survey. ³ Did not participate in 60 or more minutes of any kind of physical activity that increased their heart rate and made them breather and made them breather hard some of the time on at least 1 day during the 7 days before the survey. 4 On one or more days in an average week when they were in school. 5 Five days in an average week when they were in school. 6 Run by their school or community groups during the 12 months before the survey. 7 Played video or computer games or used computer for something that was not school work on an average school day. 8 On an average school day.

Source: U.S. Centers for Disease Control and Prevention, Atlanta, GA, "Youth Risk Behavior Surveillance— United States, 2011," Surveillance Series, June 2012, Morbidity and Mortality Weekly Report 2012, Vol. 61 (SS-4). See also http://www.cdc.gov/mmwr/pdf/ss/

Table 216. Households and Persons Having Problems With Access to Food: 2005 to 2010

[114,437 represents 114,437,000. Food-secure means that a household had access at all times to enough food for an active healthy life for all household members, with no need for recourse to socially unacceptable food sources or extraordinary coping behaviors to meet their basic food needs. Food-insecure households had limited or uncertain ability to acquire acceptable foods in socially acceptable ways. Households with very low food security (a subset of food-insecure households) were those in which food intake of one or more household members was reduced and normal eating patterns disrupted due to inadequate resources for food. The severity of food insecurity in households is measured through a series of questions about experiences and behaviors known to characterize households that are having difficulty meeting basic food needs. These experiences and behaviors generally occur in an ordered sequence as the severity of food insecurity increases. As resources become more constrained, adults in typical households first worry about having enough food, then they stretch household resources and juggle other necessities, then decrease the quality and variety of household members' diets, then decrease the frequency and quantity of adults' food intake, and finally decrease the frequency and quantity of children's food intake. All questions refer to the previous 12 months and include a qualifying phrase reminding respondents to report only those occurrences that resulted from inadequate financial resources. Restrictions to food intake due to dieting or busy schedules are excluded. The omission of homeless persons may be a cause of underreporting. Data are from the Food Security Supplement to the Current Population Survey (CPS); for details about the CPS, see text, Section 1 and Appendix III]

Llausahald faad		Nu	mber (1,00	00)			Perce	nt distribu	tion	
Household food	2005	2007	2008	2009	2010	2005	2007	2008	2009	2010
Households, total Food-secure Food-insecure With low food security ¹ With very low food security ²	114,437 101,851 12,586 8,158 4,428	117,100 104,089 13,011 8,262 4,749	117,565 100,416 17,149 10,426 6,723	118,174 100,820 17,354 10,601 6,753	118,756 101,527 17,229 10,872 6,357	100.0 89.0 11.0 7.1 3.9	100.0 88.9 11.1 7.0 4.1	100.0 85.4 14.6 8.9 5.7	100.0 85.3 14.7 9.0 5.7	100.0 85.5 14.5 9.1 5.4
Adult members. In food-secure households. In food-insecure households. With low food security. With very low food security ² .	217,897 195,172 22,725 15,146 7,579	223,467 199,672 23,795 15,602 8,193	225,461 193,026 32,435 20,320 12,115	227,543 194,579 32,964 20,741 12,223	229,129 196,505 32,624 21,357 11,267	100.0 89.6 10.4 7.0 3.5	100.0 89.4 10.6 7.0 3.7	100.0 85.6 14.4 9.0 5.4	100.0 85.5 14.5 9.1 5.4	100.0 85.8 14.2 9.3 4.9
Households with children with very low food security among children 3	270	323	506	469	386	0.7	0.8	1.3	1.2	1.0
Child members In food-secure households In food-insecure households With very low food security among children ³	73,604 61,201 12,403 606	73,575 61,140 12,435 691	74,106 57,433 16,673 1,077	74,207 57,010 17,197 988	74,905 58,697 16,208 976	100.0 83.1 16.9	100.0 83.1 16.9	100.0 77.5 22.5	100.0 76.8 23.2	100.0 78.4 21.6

¹ Prior to 2006, USDA described these households as food insecure without hunger. ² Food intake of one or more members in these households was reduced and normal eating patterns disrupted at some time during the year because of the household's food insecurity. Prior to 2006, USDA described these households as food insecure with hunger. ³ Percentages omit households with no children. The food security survey measures food security status at the household level. Not all children residing in food-insecure households were directly affected by the households' food insecurity. Similarly, not all children in households classified as having very low food security among children were subject to the reductions in food intake and disruptions in eating patterns that characterize this condition. Young children, in particular, are often protected from effects of the households' food insecurity.

Source: U.S. Department of Agriculture, Economic Research Service, Household Food Security in the United States, 2010, Economic Research Report Number 125, September 2011. See also http://www.ers.usda.gov/topics/food-nutrition-assistance/food-security-in-the-us. aspx>.

Table 217. Children Who Are Obese by Age, Sex, Race, and Hispanic Origin: 1976

[In percent. For children aged 6-17. Data are from U.S. National Center for Health Statistics, National Health and Nutrition Examination Surveys, a program of studies that combines interviews and physical examinations to assess the health and nutritional status of adults and children. Children classified as obese have a body mass index (BMI) at or above the 95th percentile of the sex-specific BMI growth charts]

Selected characteristic	1976– 1980	1988– 1994	1999– 2000	2001– 2002	2003– 2004	2005– 2006	2007– 2008	2009– 2010
Total Race and Hispanic Origin: ¹	5.7	11.2	15.0	16.5	18.0	16.5	19.2	18.0
White, non-Hispanic Black, non-Hispanic. Hispanic origin ^{2, 3} Mexican-American ^{2, 3}	4.9 8.2 (NA)	10.5 14.0 (NA)	11.3 21.1 (NA)	14.6 20.4 (NA)	17.3 21.7 (NA)	13.8 21.3 (NA)	17.4 22.4 24.4	14.6 25.7 23.1
Mexican-American ^{2 3} Sex: Male	(NA) 5.5	15.4 11.8	24.1 15.7	21.5 18.0	19.6 19.1	25.6 17.2	24.2 21.0	23.4 19.7
Female	5.8	10.6	14.3	15.1	16.8	15.9	17.3	16.2
Ages 6-11MaleFemale	6.5 6.7 6.4	11.3 11.6 11.0	15.1 15.7 14.3	16.3 17.5 14.9	18.8 19.9 17.6	15.1 16.2 14.1	19.6 21.2 18.0	18.0 20.1 15.7
Ages 12-17MaleFemale	5.0 4.5 5.4	11.1 12.0 10.2	14.9 15.6 14.2	16.8 18.4 15.2	17.2 18.3 16.0	17.8 18.1 17.5	18.8 20.8 16.7	18.0 19.4 16.5

NA Not available. 1 Includes other races not shown separately. 2 Persons of Hispanic and Mexican origin may be any race. 3 From 1976 to 2006, the survey sample was designed to provide estimates specifically for persons of Mexican origin. Beginning in 2007, the survey allows for reporting of both total Hispanics and Mexican Americans.

Table 218. Youth with a Major Depressive Episode in the Past Year by Selected Characteristics: 2004 to 2010

[In percent. Data are from Sustance Abuse and Mental Health Services Administration, National Survey on Drug Use and Health. Data collection is through in-person interviews with sampled persons. Major Depressive Episode is defined as a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had at least four additional symptoms (such as problems with sleep, eating, energy, concentration, and feelings of self-worth)]

Item	2004	2005	2006	2007	2008	2009	2010
Total	9.0	8.8	7.9	8.2	8.3	8.1	8.0
Age: 12-13 years. 14-15 years. 16-17 years. Sex:	5.4	5.2	4.9	4.3	4.8	4.6	4.3
	9.2	9.5	7.9	8.4	8.4	8.8	8.9
	12.3	11.5	10.7	11.5	11.1	10.4	10.6
MaleFemale	5.0	4.5	4.2	4.6	4.3	4.7	4.4
	13.1	13.3	11.8	11.9	12.4	11.7	11.8
Race and Hispanic Origin: 1 White	9.2	9.1	8.1	8.7	8.7	8.3	8.5
	7.7	7.6	6.4	7.8	7.0	7.9	6.8
	7.8	6.1	9.3	4.6	10.1	7.5	7.4
	8.3	6.0	7.6	6.8	7.6	7.6	5.6
	11.7	10.5	13.0	10.0	12.0	7.9	9.4
	9.1	9.1	8.0	7.1	7.5	7.7	7.8
Poverty status: Below 100% poverty	(NA)	8.1	7.6	7.6	7.8	7.4	7.2
	(NA)	9.6	9.0	8.9	9.0	8.6	9.0
	(NA)	8.7	7.6	8.0	8.1	8.1	7.8

NA Not available. 1 Respondents could choose more than one race. Those reporting more than one race were classified as "Two or more races." Data on Hispanic origin are collected separately. Persons of Hispanic origin may be of any race. Included in the total but not shown separately are persons of Native Hawaiian or Other Pacific Islander origin.

Source: Federal Interagency Forum on Child and Family Statistics. "America's Children in Brief: Key National Indicators of Well-Being, 2012," accessed September 2012, http://www.childstats.gov/americaschildren/index.asp.

Source: Federal Interagency Forum on Child and Family Statistics. "America's Children in Brief: Key National Indicators of Well-Being, 2012," accessed September 2012, http://www.childstats.gov/americaschildren/index.asp.

Table 219. Injuries Associated With Selected Consumer Products: 2010

[Estimates are based on a national probability sample of hospitals in the U.S. and its territories. Patient information is collected from each participating hospital for every emergency visit involving an injury associated with consumer products. From this sample, the total number of product-related injuries treated in hospital emergency rooms nationwide is estimated]

Product Type	Number	Product Type	Number
Items for infants/children: All nursery equipment	15,294 10,620 248,673	Drinking glasses	288,622 86,665 413,230 97,980
Toys. Sports & recreational equipment ATV's, mopeds, minibikes, etc. Bicycles & accessories. Exercise equipment. Nonpowder guns, bb's, pellets. Skateboards.	241,745 230,666 541,746 61,196	Tools & garden equipment: Chain saws. Hand garden tools. Lawn mowers. Power home tools (excl. saws).	30,928 79,528 89,518 23,625 80,688 131,762
Skateboards. Snowskiing, snowboarding. Trampolines. Water slides. Home entertainment equipment Computers (equipment and electronic games).	103,274 92,159 14,235	Cooking ranges, ovens, etc Heating stoves, space heaters Small kitchen appliances. Washers, dryers.	49,745 25,280 47,410 22,861
Television sets & stands Personal use items Crutches, canes or walkers Grooming devices Razors, shavers, razor blades. Wheelchairs	73,040 133,527 43,852	Home furnishings & fixtures Bathroom structures & fixtures. Bathtubs or showers. Beds, mattresses, pillows. Carpets, rugs. Chairs, sofas, sofa beds.	294,865 714,873 154,240 590,118 8,371

¹ Excludes baby-changing and television tables or stands.

Source: Consumer Product Safety Commission, National Electronic Injury Surveillance System (NEISS), http://www.cpsc.gov/library/neiss. html>, accessed September 2012.

Table 220. Per Capita Consumption of Selected Beverages by Type: 1980 to 2010

[In gallons. See headnote, Table 222. Per capita consumption uses U.S. resident population, July 1, for all beverages except coffee, tea, and fruit juices which use U.S. total population (Resident plus Armed Forces overseas), July 1]

Beverages 1980 1990 1995 2000 2005 2007 2008 2009 2010 Nonalcoholic 104.0 112.6 107.5 114.8 (NA) (NA)		`			,, ,	•				
Milk (plain and flavored). 27.5 25.7 23.9 22.5 21.0 20.6 20.8 20.6 20.1 Whole. 17.0 10.5 8.6 8.1 7.0 6.4 6.1 5.9 5.6 Reduced-fat, light, and skim 1 10.5 15.2 15.3 14.4 14.1 14.3 14.6 14.6 14.6 Tea. 7.3 6.9 7.9 7.8 8.0 8.4 8.0 9.0 8.9 Coffee. 26.7 26.8 20.2 26.3 24.3 24.6 24.2 23.3 23.2 Carbonated soft drinks. 35.1 46.2 47.4 49.3 (NA)	Beverages	1980	1990	1995	2000	2005	2007	2008	2009	2010
Fruit juices 1 74 70 81 89 81 79 69 74 72	Milk (plain and flavored)	27.5 17.0 10.5 7.3 26.7 35.1 5.1	25.7 10.5 15.2 6.9 26.8 46.2 10.7	23.9 8.6 15.3 7.9 20.2 47.4 10.9	22.5 8.1 14.4 7.8 26.3 49.3 11.6	21.0 7.0 14.1 8.0 24.3 (NA) (NA)	20.6 6.4 14.3 8.4 24.6 (NA) (NA)	20.8 6.1 14.6 8.0 24.2 (NA) (NA)	20.6 5.9 14.6 9.0 23.3 (NA) (NA)	20.1 5.6 14.6 8.9 23.2 (NA) (NA)

NA Not available. 1 Includes buttermilk.

Source: U.S. Department of Agriculture, Economic Research Service, "Food Availability (Per Capita) Data System," http://www.ers.usda.gov/data-products/food-availability-(per-capita)-data-system.aspx.

Table 221. Per Capita Utilization of Selected Commercially Produced Fruits and Vegetables: 1980 to 2010

[In pounds, farm weight. Domestic food use of fresh fruits and vegetables reflects the fresh-market share of commodity production plus imports and minus exports. Based on Census Bureau estimated resident population]

Commodity	1980	1990	1995	2000	2005	2007	2008	2009	2010
Fruits and vegetables, total ¹	603.0	648.4	688.2	710.5	684.3	667.6	649.0	644.2	651.4
Fruits, total	265.0	256.8	273.7	286.0	269.7	261.3	256.6	253.4	258.3
Fresh fruits	106.2	116.6	123.1	128.5	125.0	123.3	126.5	124.1	127.9
Noncitrus ²	80.1	95.2	99.2	105.0	103.4	105.4	105.8	103.4	106.4
Apples	19.2	19.6	18.7	17.5	16.7	16.4	15.9	16.3	15.5
Avocados	2.1	1.4	1.6	2.2	3.5	3.5	3.8	4.2	3.5
Bananas	20.8	24.3	27.1	28.4	25.2	26.0	25.0	22.0	25.6
Blueberries	0.2 5.8	0.1 9.2	0.3 9.0	0.3 11.1	0.4 9.6	0.6 9.6	0.8 8.9	1.0 9.1	1.1 8.5
Cantaloupes Cherries	0.7	0.4	0.3	0.6	0.9	1.2	1.0	1.6	1.3
Grapes	4.0	7.8	7.4	7.4	8.6	8.0	8.5	7.9	8.2
Honeydew melons	1.4	2.1	1.9	2.3	1.9	1.8	1.7	1.6	1.5
Mangoes	0.2	0.5	1.1	1.8	1.9	2.1	2.1	2.0	2.2
Papayas	0.2	0.2	0.4	0.7	0.9	1.1	1.0	1.2	1.2
Peaches and nectarines	7.1	5.5	5.3	5.3	4.8	4.5	5.1	4.4	4.7
Pears	2.6	3.2	3.4	3.4	2.9	3.1	3.1	3.2	2.9
Pineapples	1.5	2.0	1.9	3.2	4.9	5.0	5.1	5.1	5.7
Plums and prunesStrawberries	1.5 2.0	1.5 3.3	0.9 4.1	1.2 4.9	1.1 5.9	1.0 6.3	0.9 6.5	0.7 7.2	0.8 7.3
Watermelons	10.7	13.3	15.2	13.8	13.5	14.4	15.6	14.9	15.5
Fresh citrus	26.1	21.4	23.8	23.5	21.6	17.9	20.6	20.7	21.6
Oranges and temples	14.3	12.4	11.8	11.7	11.4	7.5	9.9	9.1	9.7
Tangerines and tangelos	2.2	1.3	2.0	2.9	2.5	2.6	3.1	3.1	3.8
Lemons	1.9	2.6	2.8	2.4	2.9	2.8	2.0	3.1	2.8
Limes	0.4	0.7	1.2	1.4	2.1	2.3	2.5	2.5	2.6
Grapefruit	7.3 158.8	4.4 140.3	6.0 150.6	5.1 157.5	2.6 144.7	2.8 138.0	3.2 130.1	2.8 129.3	2.8 130.3
Processed fruitsFrozen fruits ³	3.3	4.3	4.3	4.6	5.2	5.3	4.9	4.9	5.0
Dried fruits 4	11.3	12.1	12.7	10.4	10.0	9.8	9.8	9.2	9.4
Dried fruits ⁴ Canned fruits ⁵	24.4	20.8	17.2	17.5	16.6	16.0	15.6	15.5	14.8
Fruit juices °	119.0	102.7	116.2	124.6	112.3	106.3	99.0	99.1	100.5
Vegetables, total	338.0	391.6	414.5	424.6	414.6	406.3	392.4	390.8	393.1
Fresh vegetables ⁷	151.6	176.4 0.6	188.1	200.7	196.5	194.0	188.9	184.8	187.1
AsparagusBell peppers (all uses)	0.3 2.9	0.6 5.9	0.6 7.0	1.0 8.2	1.1 9.2	1.2 9.4	1.2 9.6	1.3 9.8	1.4 9.9
Broccoli	1.4	3.4	4.3	5.9	5.3	5.6	6.0	6.2	5.6
Cabbage	8.0	8.3	8.1	8.9	7.8	8.0	8.1	7.3	7.5
Carrots	6.2	8.3	11.2	9.2	8.7	8.0	8.1	7.4	7.6
Cauliflower	<u>1</u> .1	2.2	1.6	1.7	1.8	1.7	1.6	1.7	1.3
Celery (all uses)	7.4	7.2	6.9	6.3	5.9	6.3	6.2	6.2	6.2
Corn (sweet)	6.5 3.9	6.7 4.7	7.8 5.6	9.0 6.4	8.7 6.2	9.2 6.4	9.1 6.4	9.2 6.8	9.2 6.8
CucumbersGarlic (all uses)	0.9	1.3	1.8	2.2	2.4	2.7	2.8	2.4	2.3
Lettuce, head	25.6	27.7	22.2	23.5	20.9	18.4	16.8	16.1	16.1
Lettuce, Romaine and leaf	(NA)	3.8	5.9	8.4	9.7	11.5	10.4	10.0	10.7
Mushrooms	`1.Ź	2.0	2.0	2.6	2.6	2.5	2.4	2.4	2.5
Onions	11.4	15.1	17.8	18.9	20.9	21.6	20.2	19.6	19.9
Potatoes	51.1	46.7	49.2	47.1	41.3	38.7	37.8	36.4	35.6
Pumpkin (all uses)	(NA) 1.3	4.5 1.1	6.0 1.6	4.7 2.0	4.9 1.8	5.0 2.2	4.8 2.0	4.1 1.7	4.5 1.9
Snap beans Spinach	0.4	0.8	0.7	2.0 1.4	2.3	1.6	2.0 1.8	2.1	1.9
Squash (all uses)	2.3	3.5	3.8	4.5	4.4	4.1	4.2	4.4	4.3
Sweet potatoes (all uses)	4.4	4.4	4.2	4.2	4.5	5.1	5.0	5.2	6.3
Tomatoes	12.8	15.5	16.8	19.0	20.2	19.2	18.5	19.6	20.9
Processed vegetables	186.5	215.2	226.4	223.8	218.1	212.3	203.5	206.0	206.0
Selected vegetables for freezing 8	51.5	66.8	78.8	79.3	76.4	75.8	72.6	71.3	70.2
Selected vegetables for freezing ⁸ Selected vegetables for canning ⁹ Vegetables for dehydrating ¹⁰ .	102.5	110.3	108.2	103.2	104.8	96.7	94.6	100.4	99.1
Potatoes for chips	10.5 16.5	14.6 16.4	14.5 16.4	17.3 15.6	13.9 16.0	14.1 18.6	13.9 15.7	13.7 13.7	12.7 15.0
Legumes ¹¹	5.4	7.2	8.4	8.4	6.9	7.1	6.8	6.8	8.9
	0.7	1.2	0.4	0.7	0.0	7.1	0.0	0.0	0.5

NA Not available. ¹ Excludes wine grapes. ² Includes other fruits not shown separately. ³ Apples, apricots, blackberries, blueberries, boysenberries, cherries, loganberries, peaches, plums, prunes, raspberries, and strawberries. ⁴ Apples, apricots, dates, figs, peaches, pears, prunes, and raisins. ⁵ Apples, apricots, cherries, olives, peaches, pears, pineapples, plums, and prunes. ⁶ Apple, cranberry, grape, grapefruit, lemon, lime, orange, pineapple, and prunes. ⁷ Includes other vegetables not shown separately. ⁸ Asparagus, snap beans, lima beans, broccoli, carrots, cauliflower, sweet corn, green peas, potatoes, spinach, and miscellaneous vegetables. ⁹ Asparagus, snap beans, beets, cabbage, carrots, chili peppers, sweet corn, cucumbers for pickling, green peas, lima beans, mushrooms, spinach, and tomatoes. ¹⁰ Onions and potatoes. ¹¹ Dry peas, lentils, and dry edible beans.

Source: U.S. Department of Agriculture, Economic Research Service, "Food Availability (Per Capita) Data System," http://www.ers.usda. gov/data-products/food-availability-(per-capita)-data-system.aspx>.

Table 222. Per Capita Consumption of Major Food Commodities: 1980 to 2010

[In pounds, retail weight, except as indicated. Consumption represents the residual after exports, nonfood use and ending stocks are subtracted from the sum of beginning stocks, domestic production, and imports. Based on Census Bureau estimated resident population plus Armed Forces overseas for most commodities. For commodities not shipped overseas in substantial amounts, such as fluid milk and cream, the resident population is used]

and resident population is asea]								
Commodity	Unit	1980	1990	2000	2005	2008	2009	2010
Red meat, total (boneless, trimmed								
weight) 1, 2	Pounds	126.4	112.2	113.7	110.2	106.6	105.7	102.1
Beef	Pounds	72.1	63.9	64.5	62.5	59.6	58.1	56.7
Veal	Pounds	1.3	0.9	0.5	0.4	0.3	0.3	0.3
Lamb and mutton	Pounds	_1.0	1.0	0.8	0.8	0.7	0.7	0.7
PorkPoultry (boneless, trimmed weight) ²	Pounds	52.1	46.4	47.8	46.6	45.9	46.6	44.3
	Pounds	40.8	56.2	67.9	73.7	72.6	69.4	70.9
Chicken	Pounds	32.7	42.4	54.2	60.5	58.7	56.0	58.0
Turkey	Pounds	8.1	13.8	13.7	13.2	13.9	13.3	12.9
Fish and shellfish (boneless, trimmed								
_ weight)	Pounds	12.4	14.9	15.2	16.2	16.0	15.8	15.8
Eggs	Number	271	234	251	256	247	247	246
Shell	Number	236	186	172	173	165	1 <u>69</u>	167
Processed	Number	35	48	79	83	81	77	79
Dairy products, total ³	Pounds	543.1	568.0	591.7	597.8	603.1	604.6	610.7
Fluid milk products	Gallons	27.9	26.2	23.2	22.2	22.1	22.1	21.7
Beverage milks	Gallons	27.6	25.7	22.5	21.0	20.7	20.6	20.1
Plain whole milk	Gallons	16.5	10.2	7.7	6.7	5.9	5.7	5.4
Plain reduced-fat milk (2%)	Gallons	6.3	9.1	7.1	6.9	7.3	7.3	7.0
Reduced fat milk (1%) and skim milk	Gallons	3.1 0.6	4.9 0.3	6.1 0.4	5.6 0.3	5.7 0.2	5.7 0.2	5.8 0.2
Flavored whole milkFlavored milks other than whole	Gallons Gallons	0.6	0.3	1.0	1.4	1.4	1.4	1.6
Buttermilk	Gallons	0.6	0.6	0.3	0.2	0.2	0.2	0.2
Vogurt (evol frozen)	1/2 pints	4.6	7.8	12.0	19.1	21.7	23.1	25.0
Yogurt (excl. frozen)	1/2 pints	10.5	14.3	18.3	24.1	23.8	23.6	22.6
Cream ⁶	1/2 pints	6.3	8.7	11.6	14.9	15.1	15.0	14.1
Sour cream and dips	1/2 pints	3.4	4.7	6.1	8.3	7.9	7.8	7.7
Condensed and evaporated milks	Pounds	7.0	7.9	5.8	5.9	7.3	7.1	7.0
Whole milk	Pounds	3.8	3.1	2.0	2.2	2.2	2.2	1.8
Skim milk	Pounds	3.3	4.8	3.8	3.7	5.1	5.0	5.2
Cheese 7	Pounds	17.5	24.6	29.8	32.5	33.1	33.3	33.2
American ⁸	Pounds	9.6	11.1	12.7	13.5	13.6	13.9	13.3
Cheddar	Pounds	6.8	9.0	9.7	10.1	10.1	10.4	10.4
Italian ⁸	Pounds	4.4	9.0	12.1	13.4	14.0	14.0	14.6
Mozzarella	Pounds	3.0	6.9	9.3	10.2	10.6	10.7	11.3
Other ⁸	Pounds	3.3	4.3	5.0	5.7	5.6	5.5	5.1
Swiss	Pounds	1.3	1.4	1.0	1.3	1.1	1.2	1.2
Cream and Neufchatel	Pounds	0.9	1.6	2.4	2.4	2.5	2.5	2.4
Cottage cheese, total	Pounds	4.5	3.4	2.6	2.6	2.3	2.4	2.3
Lowfat	Pounds	0.8	1.2	1.3	1.4	1.3	1.3	1.3
Frozen dairy products	Pounds	23.9	26.1	25.4	23.0	22.6	21.8	21.2
Ice cream	Pounds	16.4	14.8	15.6	14.6	13.7	13.4	13.3
Lowfat ice cream	Pounds	5.8	6.3	6.4	5.8	5.9	6.1	5.8
Sherbet	Pounds	1.2	1.2	1.1	1.1	1.1	1.0	1.0
Frozen yogurt	Pounds	(NA)	2.8	2.0	1.3	1.5	0.9	1.0
Fats and oils:								
Total, fat content only	Pounds	55.6	60.3	81.7	85.5	85.0	77.7	82.1
Butter (product weight)	Pounds	4.5	4.0	4.5	4.6	5.0	5.0	4.9
Margarine (product weight)	Pounds	11.3	10.9	8.2	4.0	4.2	3.7	3.5
Lard (direct use)	Pounds	2.3	0.9	0.8	1.6	1.0	1.5	1.5
Edible beef tallow (direct use)	Pounds	1.1	0.6	4.0	3.8	2.9	0.7	3.3
Shortening	Pounds	16.9	20.6	31.5	29.0	18.0	15.9	15.3
Salad and cooking oils	Pounds	21.2	25.1	33.7	42.7	54.0	51.0	53.6
Other edible fats and oils	Pounds	1.5	1.2	1.5	1.6	1.6	1.7	1.7
Flour and cereal products 9	Pounds	146.3	180.8	199.2	192.4	196.5	194.6	194.8
Wheat flour	Pounds	116.9	135.6	146.3	134.3	136.5	134.6	134.7
Rice, milled	Pounds	10.9	15.9	18.9	21.0	21.1	21.2	21.2
Corn products	Pounds	12.9	21.4	28.4	31.4	33.0	33.0	33. <u>1</u>
Oat productsCaloric sweeteners, total 10	Pounds	3.9	6.5	4.3	4.6	4.8	4.7	4.7
Caloric sweeteners, total	Pounds	120.2	132.5	148.9	142.1	135.6	130.5	131.6
Sugar, refined cane and beet	Pounds	83.6	64.4	65.5	63.0	65.0	63.4	65.8
Corn sweeteners ¹¹	Pounds	35.3	66.8	81.8	77.6	69.1	65.7	64.3
High-fructose corn syrup	Pounds	19.0	49.6	62.6	59.1	53.0	50.1	48.8
Other:								
Cocoa beans	Pounds	3.4	5.4	5.9	6.5	5.6	5.5	5.5
Coffee (green beans)	Pounds	10.3	10.3	10.3	9.5	9.5	9.1	9.0
Peanuts (shelled)	Pounds	5.0	6.1	5.8	6.7	6.4	6.6	6.9
Tree nuts (shelled)	Pounds	1.8	2.5	2.6	2.6	3.5	3.7	4.0
		I .						

NA Not available. ¹ Excludes edible offals. ² Excludes shipments to Puerto Rico and the other U.S. possessions. ³ Milk-equivalent, milk-fat basis. Includes butter. ⁴ Fluid milk figures are aggregates of commercial sales and milk produced and consumed on farms. ⁵ Includes eggnog, not shown separately. ⁶ Heavy cream, light cream, and half-and-half. ⁷ Excludes full-skim American, cottage, pot, and baker's cheese. ⁸ Includes other cheeses, not shown separately. ⁹ Includes rye flour and barley products, not shown separately. Excludes quantities used in alcoholic beverages. ¹⁰ Dry weight. Includes edible syrups (maple, molasses, etc.) and honey, not shown separately. ¹¹ Includes glucose and dextrose, not shown separately.

Source: U.S. Department of Agriculture, Economic Research Service, "Food Availability (Per Capita) Data System," http://www.ers.usda. gov/data-products/food-availability-(per-capita)-data-system.aspx>.

Table 223. Nutrition—Nutrients in Foods Available for Civilian Consumption Per Capita Per Day: 1970 to 2006

[Computed by the Center for Nutrition Policy and Promotion (CNPP). Based on Economic Research Service (ERS) estimates of per capita quantities of food available for consumption from "Food Consumption, Prices, and, Expenditures," on imputed consumption data for foods no longer reported by ERS, and on CNPP estimates of quantities of produce from home gardens. Food supply estimates do not reflect loss of food or nutrients from further marketing or home processing. Enrichment and fortification levels of iron, zinc, thiamin, riboflavin, niacin, folate, vitamin B, vitamin B12, and Vitamin C are included]

Nutrient	Unit	1970–79	1980–89	1990–99	2000	2006
Food energy. Carbohydrate. Fiber Protein. Total fat ¹ Saturated. Monounsaturated. Polyunsaturated. Cholesterol.	Grams	3,200 395 20 96 143 49 57 27 430	3,400 421 22 100 151 50 61 30 420	3,600 478 24 108 150 48 64 31	3,900 495 24 111 169 52 75 35 410	3,900 474 25 111 178 54 77 39 420
Vitamin A. Carotene. Vitamin E. Vitamin C. Thiamin Riboflavin. Niacin. Vitamin B6. Folate ⁴ Vitamin B12.	Micrograms RAE ² Micrograms Milligrams a-TE ³ Milligrams Milligrams Milligrams Milligrams Milligrams Milligrams Milligrams Micrograms Micrograms Micrograms Micrograms	1,050 560 14 109 2 3 25 25 2341 9	1,050 600 16 115 3 3 29 29 2 383 8	1,100 710 17 118 3 3 31 2 504	1,090 690 20 121 3 3 32 2 902 8	940 690 21 106 3 3 32 2 2 874 8
Calcium. Phosphorus. Magnesium. Iron. Zinc. Copper. Potassium. Sodium ⁶ Selenium.	Milligrams Milligrams Milligrams Milligrams	930 1,540 340 17 13 2 3,510 1,210 133	930 1,590 360 20 14 2 3,550 1,210	980 1,690 390 23 15 2 3,720 1,240 163	980 1,720 400 23 15 2 3,780 1,230 179	960 1,700 400 23 16 2 3,620 1,150 181

¹ Includes other types of fat not shown separately. ² Retinol activity equivalents. ³ Alpha-Tocopherol equivalents. ⁴ Reflects new terminology from Institute of Medicine's Dietary Reference Intakes reports. ⁵ Dietary Folate Equivalents (DFE). ⁶ Does not include amount from processed foods; underestimates actual availability.

Source: U.S. Department of Agriculture, Center for Nutrition Policy and Promotion, Nutrient Content of the U.S. Food Supply, 1909–2006, http://www.cnpp.usda.gov/USFoodSupply.htm.